INDEX

For Volume 52

INDEX FOR VOLUME 52

AUTHOR AND SUBJECT INDEX. Junior authorship is indicated by page numbers in parentheses. Page numbers of illustrations are in bold face. A special listing is made of "new species, varieties, etc."

Abrahamsen, Mary, 721
absorption, of gas bubbles in cuttings and injected stems, 7
abstracts
APS, 1961, 1
APS, 1962, 721
Caribbean Division, APS, 1961, 285
Pacific Division, APS, 1961, 359
Potomac Division, APS, 1961, 162, 485
Potomac Division, APS, 1962, 1216
Abu-Gharbieh, W., 921
Acer saccharum, endotrophic mycorrhiza of, 738
Ackers, G. K., (29), (1221)
actinomycetes
antagonistic to Fusarium roseum in corn rhizosphere, effect of urea on, 423, **426**
chitin media for isolation and culture, 317, **319, 320, 321**
Actinothyrium marginatum
in conifers in Idaho, 365
taxonomic review of, 755
Actinoplanes philipinenis, chitin media for culture, 317
Adam, A. V., 286
Adams, P. B., 233
Adams, R. E., 1216
Addy, S. K., (11)
advisory service, for estimation of Meloidogyne populations, 25
aerated steam, use in thermotherapy, 1244
aeration, influence on exudation from seeds and on growth of root-rot fungi, 927
agar, effects on immune response to plant virus, 721
agar columns, calibration for particle-size determinations, 1221
agar gels, acetone-dried, for partial purification of viruses, 29
age, of lima bean, effect on colonization by Phytophthora phaseoli, 1219
Aglaonema robelinni, bacterial pathogens of, 20
Agrawal, H., 517
Aichele, M. D., (679), (725)
air contaminants, related to meteorological phenomena in New Jersey, 924
Ajuga reptans, Meloidogyne hapla on, 684, **687**
Albert, J. J., 162
Albugo candida
in radish, metabolism of, 32
in radish, nature and inheritance of resistance, 33
occidentalis, in spinach, development of resistant line, 486
Alexander, L. J., (524), 998
alfalfa
antibiosis in bacterial wilt of, 266, **267**
blackstem in, effects of pea aphid on severity, 2
Corynebacterium insidiosum in, 17
crop rotation related to root rot and yield, 751
Ditylenchus dipsaci in, effect of temperature on resistance to, 791
Phytophthora cryptogea from, variation in, 731
Pseudoplea trifolii in, inoculation technique, 172
Pythium debaryanum in, effect of environment and age of seedlings on susceptibility, 985, **987, 988**
seed germination impaired by Rhizoctonia solani toxin, 586
spring blackstem of, affected by nutrients added to spore suspensions, 724
alfalfa mosaic virus
effect on white clover yield, 21
in Dolichos lablab, 427, **429, 430**
inactivation by pancreatic ribonuclease, 747
longevity, 486
thermal stability of particles, 743
yellow spot virus, a strain of, 487
Alford, D. M., 1, 175
algae, Rhizoctonia on, 1219
Allan, R. E., (748)
Allen, M. W., (750)
Allen, R. M., 359, 721, (746)
Allen, W. R., 721, 922
Allison, C. C., (725), (728)
Allison, Patricia, 721
Allium sativum, decay by Penicillium corymbiferum, 666, **668, 670, 672, 673, 675**
allyssum, Plasmodiophora brassicae on, 746
almond, virus disease of, 366
alpha-curl virus, of raspberry, insect and graft transmission of, 728
Alternaria
in Gerbera, causes ray speckling, 15
mali, in apple, pathogenic strain causes cork rot, 1073, **1075**
production of pectin-polygalacturonase by, 30
solani, control by N-aryl itaconimides on tomato, pea, and cotton, 819
resistance of Ginkgo biloba to, 233
tenuis, spore germination inhibited by sulfur dioxide, 729
tomato, basal mineral requirements for growth and sporulation, 722
sporulation of, quality of radiation inhibitory to, 1227, **1227**
Amacher, R. H., (731)
American Phytopathological Society
annual report, 1961, 462
special committees, 464
standing committees, 463
standing rule changes, 484
subject matter committees, 464
amino acids
composition, of potato virus X strain, 170
free, in Puccinia striiformis uredospores, 727
in castorbean, related to predisposition to Botryotinia ricini, 23
in Colletotrichum capsici mycelium, changes due to lethal amounts of maneb, 1217
related to pathogenicity of Pseudomonas sesami, 30
related to pathogenicity of Venturia inaequalis to apple, 757
amino compounds, prevent Aphanomyces euteiches root rot in pea, 24
2-aminobutane
controls Penicillium post-harvest fruit decay, 730
residues in citrus and apples, analysis of, 738
amitrole, accepted name, 471
ammonia
excesses, induce dry root rot of citrus, 721
gas, prevents Botrytis and Rhizopus rots of small fruits, 367
Amos, R. E., 162
Andersen, A. L., 1, 1, 721, (737)
Andersen, A. S., 909
Anderson, J. L., 650
Anderson, N. A., 721, 721
Anderson, R. V., 722, 722
Anemone japonica, Meloidogyne hapla on, 684, **687**
angular leafspot, of strawberry, taxonomy of causal bacterium, 16
annual report
APS, 1961, 462
Northeastern Division, 1961, 921
Potomac Division, 1962, 1216

antagonists to Fusarium roseum in corn rhizosphere, effect of foliar urea on, 423, **426**
anthracnose
of sycamore, effect of temperature on, 745
of watermelon, histology of, 650, **651, 652**
antibacterial substance from cauliflower seed, 741
antibiosis in bacterial wilt of alfalfa, 266, **267**
antibiotics
for selective isolation of Phytophthora and Pythium, 771, **773, 776**
produced by Pseudomonas syringae, 360
produced by Streptomyces in unamended soil, 989, **991**
Anzalone, L., Jr., 722
Apelenchus avenae, multiplication of phytopathogenic soil fungi, 741
Aphanomyces, inhibited by antifungal antibiotics, 771, **773, 776**
cochlioides, zoospore production, factors affecting, 166
euteiches, biology of, 150
in pea, host-parasite relations, 7
in pea, inhibited by amino compounds, 24
in pea, nutritional requirements related to resistance, 12
penetration and infection of pea roots, 827, **829-832**
sulphur nutrition of, 315
zoospores of, attraction to pea and other plant roots, 616, **617**
zoospores of, attraction to plant roots, 7
Aphelenchus, in corn, 22
aphids
Aphis gossypii, vector of mosaic virus on Musa spp., 286
Macrosiphum pisi, effect on alfalfa blackstem severity, 2
transmit potato virus A to var. Katahdin, 718
transmit white clover mosaic virus, 1228
vector for watermelon and cucumber mosaic viruses on cantaloup, 746
aphid extracts, cause reversion of Erwinia amylovora from avirulent rough to virulent smooth form, 734
aphid vectors of broad bean mosaic, 398
Aphis gossypii
vector for alfalfa mosaic virus in dolichos bean, 427
vector for mosaic virus diseases of cantaloup, 746
vector for mosaic virus of Musa spp., 286
Apple, J. L., 1, (191), 351, 722
apple
analysis of 2-aminobutane residues in, 738
biochemical changes in water-insoluble material of maturing fruit and possible relation to disease resistance, 1023
copper decreases susceptibility to fire blight, 5
cork rot of, caused by pathogenic strain of Alternaria mali, 1073, **1075**
cuticle permeability, unidirectional movement in, 11
dodine residues on fruit and leaves, 572, **575, 577-579**
fruit pathogens produce proteolytic enzymes, 739
green mottle virus on, transmission through scions of symptomless plants, 926
growth of, effect of chlorotic leafspot and dwarfing on, 745
latent virus in, comparison of one- and two-year-old wood as inoculum, 725
latent viruses in, 730
latent viruses in, detection and identification, 744
metabolism of DL- and L-phenylalanine related to Venturia inaequalis, 699, **701, 702**
production of extracellular enzymes by 4 pathogens on fruit of, 1004
scab, effects of fungicides on established leaf lesions, 162
Spy 227, pathological anatomy of rapid decline of, 1027, **1028, 1029**
virus-induced anatomical changes in, 923
apple buds, Erwinia amylovora in, detected by phage, 724
apple decline, associated with nematodes, 926
apple mosaic virus, transmission through root grafts, 925
apricot, Cytosporina die-back in, new disease in North America, 361
Apt, W. J., 798, 963, 1180
Aragaki, M., 722, (736), 1227
Arasan, effect on Pythium debaryanum, 29
Arceuthobium
fungi for local biological control of, 757
rapid germination as viability test for seed of, 757
campylopodum, in red fir, 750
Armillaria mellea
in oak, 15
in yellow-poplar, 486
in yellow-poplar dead ancillary stems, associated with butt rot infection, 1218
rhizomorph growth stimulated by indole-3-acetic acid and figwood extract, 757
wood-based culture media, 364
Armstrong, G. M., 722, 722
Armstrong, J. K., (722), (722)
Arny, D. C., 723
Arthrobotrys arthrobotryoides, A. dactyloides and soil fungistasis, 611, **612, 614**
Articularia quercina minor, associated with witches' broom in Gambel oak, 451, **452-454**
Arya, H. C., 1, 638
Ascochyta
caulicola, in sweet clover, compared with A. meliloti and Cercospora davisii, 300, **302, 303, 308-311, 313**
imperfecta, effect of nutrition on mycelial growth and sporulation, 21
meliloti, in sweet clover, compared with A. caulicola and Cercospora davisii, 300, **302, 303, 308-311, 313**
ascogenous stage, of Colletotrichum, 15
ascorbic acid oxidase, in relation to crown-gall development, 1079, **1080, 1082, 1083**
ascospores
of Cercospora musae, frequency, 11
of Hypoxylon pruinatum, ejection during winter, 33
of Mycosphaerella aleuritidis, dispersal, 31
ash, white; Hypoxylon, Phialophora, Trichocladium, and Cytospora associated with discolorations behind wounds of, 1221
Ashworth, L. J., Jr., 1, 723
asparagus, Puccinia asparagi in, mechanisms of invasion, 115, **117**
aspen
extracts stimulate germination of Fomes igniarius spores, 31
Gloeosporium shoot blight and defoliation of, 741
Aspergillus
effect on germination and vigor of canning peas, 727
effect on stored pea seed, 336, **337, 338**
inactivates Semesan, 455, **458**
flavus, germination of spores, effect of grape washings on, 739
niger
extracts, as fungi germination media, 22
germination of spores, effect of grape washings on, 739
L-proline and L-alanine in germination of spores, 743
protein synthesis in germinating spores, 485
aster, aster yellows virus in, transmission, 20
aster yellows virus
acquisition and transmission of, 1219
incubation period differences among strains, 925
inoculation with, effect on feeding of Dalbulus maidis, 1219
transmission in aster, 20

transmission by Macrosteles fascifrons, simultaneously with blue dwarf virus, 732
Athow, K. L., 712, 714
Atkins, J. G., 2
Atropellis, cultural differentiation of species, 1217
attraction of Aphanomyces euteiches zoospores to roots, 7
Austenson, H. M., (4)
autoradiographs of tobacco mosaic virus on host and nonhost plants, 735
Avena
quantitative measure of interaction with Helminthosporium victoriae, 340
strains resistant to races of crown rust fungus, 585
avocado
resistance to Phytophthora cinnamomi, 288
sun-blotch virus from symptomless trees, 237
8-azaguanine, inhibits brome grass mosaic virus, 432, **436**

Bacillus, inactivates Panodrench 4, 455
mycoides, inhibits Helminthosporium oryzae, 347, **348-350**
bacterial
blight, of poinsettia, histopathology, 103, **105, 107-109**
inactivation of organic fungicides, 365
leaf stripe of sweet corn, 32
pathogens of Aglaonema robelinni, 20
rhizome rot of banana, 287
spot of pepper, relation to nutrition, 486
wilt of alfalfa, antibiosis in, 266, **267**
Bagnall, R. H., (718)
Baker, G. A., (363), (745)
Baker, K. F., 1244
Baker, R., (25), 359, (619), 723, (957), 1242
Baines, R. C., 723, 723
Bald, J. G., 359, 723, 724
Baldwin, C. H., Jr., 724, (734)
Baldwin, R. E., 292, 1216
banana
bacterial rhizome rot of, 287
bacterial wilt of, insect dissemination, 726
basis for host specificity among vascular invaders, 3
Cercospora musae conidia on leaves, retention, 286
Cercospora musae on, relation of leaf unfurling stages and infection patterns, 733
crown rot of boxed fruit, 12
Erwinia carotovora in, factors affecting incidence of rhizome-rot, 110, **114**
Fusarium in, effect of host-pathogen-soil temperature interaction of wilt susceptibility, 134, **136-138**
Fusarium oxysporum in, histochemistry of phenols, 19
Fusarium oxysporum in, pectin enzymes and cellulase formation in resistant and susceptible forms, 247, **250, 251, 253**
mosaic on, control, 286
Panama disease of, related to Fusarium wilt of Heliconia, 287
phytotoxicity of leaves, relation to spray-oil volatility, 913, **914-916**
Pseudomonas solanacearum in
accumulation of growth substances, 439, **443**
physiology of symptom induction, 3
water relations of infected plants, 1144, **1145-1147**
relation of vascular occluding reactions in roots to pathogenicity of root-invading fungi, 893, **894, 895**
soils, Fusarium oxysporum cubense in, unevenly distributed, 287
spray-oil composition, related to Sigatoka disease control and phytotoxicity, 286
tropical plantations, history, current problems, 930
Banfield, W. M., 2
Bankuti, M. D., (754)
Banttari, E. E., 2, 724, 897
Barba, C. D., 2
barbane, accepted name, 471
Barbe, G. D., (734)
Bardin, R., (746)
bark canker disease of walnut, associated with phage specific to Erwinia nigrifluens, 363
bark measles of pear, associated with Old Home interstocks, 363
Barker, K. R., 2, 1119
barley
Algerian, genetic influences on reaction to Erysiphe graminis hordei, 529
boron toxicity, related to variety and concentration, 1
Helminthosporium in, lesion type as a means of detecting resistance to spot blotch, 1086, **1087, 1088**
Helminthosporium sativum in
influence of temperature, humidity, and inoculum concentration, 704, **706**
relation to variation in, 493, **496**
microflora in kernels of, effect of moisture, temperature, and time of storage on, 740
oat blue dwarf in, transmission, 897, **898, 899**
Puccinia hordei in
genetic basis for resistance, 1288
inheritance of reaction to, 26
Septoria passerinii in
influence of temperature, humidity, and inoculum concentration in, 704, **706**
inhibition by Helminthosporium sativum, 373
straw, effect on early stages of Fusarium root rot of bean, 728
technique to test resistance to Helminthosporium and Septoria, 22
Ustilago hordei in
effect of pericarp on, 738
effect of temperature on, 1161, **1162**
effect of temperature and point of inoculation, 16
effect on seedling emergence, 1157, **1159, 1160**
Ustilago nuda in
effect of cyanide in anerobic treatment for, 1228
effect of inoculum supply, 9
resistance to, 744
vector-specificity in yellow dwarf virus in Washington, 1056, **1059**
winter, barley yellow dwarf virus on, effects on survival and yield, 624, **625, 626**
barley stripe mosaic virus
inhibition by purines and pyrimidines, 432
liquid-liquid phase separation in concentration of, 755
lyophilized, retention of viability in, 554
barley yellow dwarf virus
in oats, resistance to, 4
in winter cereals, effects on survival and yield, 624, **625, 626**
vector-specificity, 360
vector-specificity in Washington, 1056, **1059**
Barnett, H. L., (1218)
Bateman, D. F., 2, 559
Bean, G. A., 2
bean
Colletotrichum lindemuthianum in, biochemical changes in infected seedlings, 1259, **1262**
common bean mosaic virus on, new types of primary necrotic lesions produced by, 1222
comparison of two tobacco ringspot related viruses from, 1
cycloheximide residues in, 29
effects of rust on photosynthesis in, 739
effect of Uromyces phaseoli typica on distribution of C^{14}-containing compounds, 758
exudates from seed and hypocotyls, effect on Fusarium solani, 751
Fusarium root rot of, effect of barley straw on, 728
Fusarium solani in
penetration and host-parasite relations, 219, **221, 222, 225**
root rot affected by nitrogen, 757
heat adaptation, 709, **710-712**

host-parasite relations, with Rhizoctonia solani, 381, **382, 384, 386, 387**
initial infection processes of tobacco necrosis and mosaic viruses in, 15
Pseudomonas phaseolicola in, physiology of halo blight, 24
relation of southern and severe bean mosaic viruses, 12
Rhizoctonia frequency in rhizosphere not related to root rot, 721
Rhizoctonia solani in, pectic enzymes associated with, 2
ribonuclease in, 7
root rot of
control by organic materials, 727
related to Fusarium necrosis, crop rotation, isolation frequency, 737
seed transmission of latent viruses, 734
southern bean mosaic virus
and tobacco mosaic virus in, differences in translocatability, 751
antigen distribution in leaves, fluorescent-antibody technique for study of, 757
Thielaviopsis basicola in, penetration and host-parasite relations, 194, **195, 197**
tobacco mosaic virus in
effect of cupric sulfate on, 7
effect of phosphate on, 206, **207-209**
tobacco ringspot virus in, virus-free leaf of systemically invaded plant, 1220
Uromyces phaseoli in
heat therapy, 758
uredospores, storage viability of, 653, **655, 656**
typica, disease development and intensity related to carbohydrate levels, 1207, **1209**
typica, effect on weights, growth rate, and P^{32} content, 733
virus diseases in, effect of sulfosuccinates on, 46, **48-50**
yellow-spot virus in, strain of alfalfa mosaic virus, 487
bean, lima
chemical basis for resistance to Phytophthora phaseoli, 1030, **1033, 1035**
Phytophthora phaseoli in
colonization affected by temperature and plant age, 1219
oospore development, effect of temperature on, 164
viability, 1222
bean, Pinto, relation of susceptibility to tobacco mosaic virus and ribonuclease activity, 926
bean rust, controlled by phleomycin, 166
bean virus 2
effect on host nuclei, 29
strain overcomes resistance in pea conditioned by mo mo genotype, 751
bean yellow mosaic virus
effect on white clover yield, 21
homozygous necrotic-spotting of red clover, 729
longevity, 486
Beck, G. E., (749)
Beckman, C. H., 3, 3, 134, 893, 1144
Bedford, E. R., (923)
beech, radial increment reduction in, caused by freezing, 1221
beet
effects of mineral fertilizers on damping-off, 1285
Phoma betae on, seed treatment for, 362
beet western yellows virus, on flax, natural occurrence, 168
Bega, R. V., 3, 632
Beikengren, R. O., (743)
Bell, A. A., 261
Belonolaimus longicaudatus in cotton, predisposes to Fusarium wilt, 6
Bemisia tabaci, transmits mosaic of Rhynchosia minima, 286
Benda, G. T. A., 1307
Bennett, C. W., 538
Benson, A. P., 3
6-benzimidazole, inhibits tobacco mosaic virus, 432
Beraha, L., 3
Berbee, J. G., 724, (741)
Berger, R. D., 3, 724
Bergman, E. L., 956
Berry, C. R., 724
Berry, R. W., 724
Bessey, C. E., in development of plant pathology, 119
beta-curl virus of raspberry, insect and graft transmissions of, 728
Bhatt, D. D., 359
Bhelwa, P. W., 725
big vein of lettuce
and Olpidium, 5
evidence for virus nature of, 361
virus survival within Olpidium resting sporangia, 727
binucleate stage of Tilletia caries, culture, 366
biographical sketches
James Geere Dickson, 1093
Hans Nicholas Hansen, 969
Russell Harold Larson, 1233
Ellsworth Chapman Maine, 291
William Hope Martin, 845
Harlan Harvey York, 93
biological breakdown of organic mercurial fungicides, probable method, 455, **458-460**
biphenyl, sensitivity to, among strains of Penicillium digitatum, 361
birch, Hypoxylon, Phialophora, Trichocladium, and Cytospora associated with discolorations behind wounds of, 1221
Birchfield, W., 4, 725, (747), 862
Bird, J., 286, 286
birdsfoot trefoil, Stemphylium loti in
controlled by Dyrene, 8
host-parasite relations, 8
Bishop, R. H., 162
Bitters, W. P., (738)
Black, H. S., 4, 725
black root rot of pine seedlings, 210, **211-213, 216**
black shank resistance, transfer of, in Nicotiana, 1
black spot of radish, 970, **970, 972**
blackberry, Botrytis and Rhizopus rots of, controlled with gases, 367
blackstem in alfalfa, effects of pea aphid on severity, 2
Blank, L. M., 725
Blattny, C., Sr., (954)
Blodgett, E. C., 679, 725
Bloom, J. R., (926)
Bloss, H. E., 162
blue dwarf virus transmitted by Macrosteles fascifrons, simultaneously with aster yellows virus, 732
blueberry, Trichodorus christiei in, parasitism and pathogenesis, 1017, **1018**
Bócsa, Eva, (171)
Bohn, G. W., (1221)
Bolar, M. L., 4
Bollenbacher, Katherina, (10)
book listings, 91, 102, 158, 294, 299, 343, 358, 377, 406, 678, 858, 869
Boone, D. M., 725, (757)
Boosalis, M. G., 1172
Booth, J. A., 725
Boothroyd, C. W., (22), 726, (744)
boron toxicity symptoms, related to variety and concentration in barley, 1
Bos, L., (517)
Boswell, S. B., (723)
Botran, effect of Rhizopus stolonifer in peach fruits at various temperatures, 23
Botryodiplodia in oak, causes branch canker and dieback, 26
theobromae, in crown rot of boxed bananas, 12
Botryosphaeria ribis
in sweetgum, causes trunk lesion, 30

produces proteolytic enzymes, 739
production of extracellular enzymes by, on apple fruit, 1004
Botryotinia ricini in castorbean, relation of amino acids and sugars to, 23
Botrytis
decay of storage grapes, effect of sulfur dioxide on, 363
in castorbean, relation of leachable sugar to susceptibility, 533, **535, 536**
in onion, pathogenesis of, 12
in onion leafspot and blight, pectic and cellulytic enzymes involved, 735
in small fruits, controlled with gases, 367
allii, resistance of Ginkgo biloba to, 233, **234**
cinerea
germination of condiospores of, 738
germination of spores, effect of grape washings on, 739
in grape, causes summer bunch rot, 13
in strawberry, associated fungi inhibit, 359
convoluta, associated with crown rot disease of iris, 740
Boyce, J. S., Jr., 4
Boyle, J. S., 922, (956)
Bozarth, R. F., 4, 922
Braun, A. J., 726, 922, (926)
Brcák, J., 954
Brennan, Eileen, (923), (924), (1138)
Bremia lactucae in lettuce, systemic infection, 888, **889**
Bridgmon, G. H., (173), (364)
Brierley, P., 163, 163
Brister, L. R., (725)
broad bean mosaic caused by pea mosaic virus in Sudan, 398, **399**
Brodie, B. B., (6)
bromine, inhibits sugarcane mosaic virus, 722
Bromus inermis, foliage diseases of, 448, **450**
Brown, C. M., (624)
Brown, I. F., Jr., 1217
Brown, J. F., (1313)
Brown, R. T., (581)
Brown, W. M., Jr., (363)
brown blotch of honeydew melon, probably caused by ultraviolet radiation, 360
Browning, J. A., 726
Broyles, J. W., 1013
Bruehl, G. W., 4, 359, 360, 1056
Brun, W. A., (3), (1144)
Buchholtz, W. F., (29)
bud differentiation of Montmorency cherry, effect of cycloheximide on, 744
bud union anatomy of pear decline trees, 751
Buddenhagen, I. W., (3), 286, 726, 726, (1144)
Bugbee, W. M., 5, 721, 726
bunt of winter wheat, vapor action of organic mercurials on seed, 723
Burke, D. W., 726, 727
Burleigh, J. R., 727, (742)
Burrill, T. J., in development of plant pathology, 119
Bushong, J. W., 5
Butler, E. E., 5, (13)
butt rot infection in yellow-poplar, from dead ancillary stems, 1218

C^{14} compounds, effect of Uromyces phaseoli typica on distribution of in bean, 758
cabbage virus A in Nicotiana glutinosa, effect of temperature on multiplication and movement in, 733
cacao
Phytophthora palmivora in, effect of spray oils, 23
tropical plantations, history, current problems, 930
cadang-cadang yellow mottle decline in coconut, 19
Calavan, E. C., 727
calcium content of leaves of stubborn diseased orange, 737
calcium pantothenate, effect of wheat stem rust, 13
calcium pectinate, metabolism in vitro by Venturia inaequalis, 1019
Caldwell, R. M., (34)
callus, in tomato, effect of tobacco mosaic virus and potato virus X on, 745
Calonectria graminicola on turfgrass, occurrence and control, 731
Calpouzos, L., 286, (913), 942
Caltrider, P. G., 5, (11), 1217
camellia color-breaking virus, strains of, 77, **78**
Cameron, H. R., 727, 917, 1295
Campana, R. J., 5
Campbell, R. N., 5, 360, 727
canker of jack pine, caused by Peridermium stalactiforme, 721
cantaloup
aphid vectors of mosaic virus diseases of, 746
mosaic viruses on, 363
resistance to cucurbit viruses in, 1221
tobacco ringspot virus in, seed transmission, 21
Capoor, S. P., 393
Cappellini, R. A., 922, (927)
Capsicum annuum, resistance to potato virus Y in, 752
Capsicum frutescens, Meloidogyne incognita acrita and Pratylenchus penetrans on, pathogenicity of, 927
captan, effect of Saccharomyces pastorianus, 94, **99, 100**
carbamate sprays, to control Puccinia graminis in wheat, 736
carbohydrate content of rusted corn leaves, 29
carbohydrate levels
of bean, related to stage of infection with Uromyces phaseoli typica, 1207, **1209**
carbon dioxide
effect of Helminthosporium carbonum in corn on fixation of, 741
effect on Puccinia graminis and P. recondita in wheat, 34
effect on Rhizoctonia in soil, 759, **760, 762, 764**
fixation, in healthy and rust-affected tissues, 18
mycostatic role in suppression of Rhizoctonia in soil, 165
production on wheat, technique to measure, 730
carbon tetrachloride, inactivates agent of disease in Helminthosporium victoriae, 739
Carlson, L. E., 727
carnation
Fusarium oxysporum in, effect of time between wounding and inoculation on, 1221
heat treatment for streak, mosaic, and mottle viruses, 163
Phytophthora parasitica causes wilt of, 736
stem rot of, histochemical and morphological studies, 323, **325, 326**
carnation stem rot, histochemical and morphological studies, 323, **325, 326**
carnation streak virus, control by shoot tip culture, 747
Caroselli, N. E., (925)
Carpenter, J. B., 1277
carrot-discs, in isolating Thielaviopsis basicola, precautions with, 1314
carrot root tissue
produces 3-methyl-6-methoxy-8-hydroxy-3,4-dihydroisocoumarin, 182
Thielaviopsis basicola in, changes in phenolic compounds, 413, **415**
Carver, R. G., 5
Cassytha filiformis, parasitism and host range, 287
castorbean
Botryotinia ricini in, relation of amino acids and sugars, 23
Botrytis in, susceptibility related to leachable sugar, 533, **535, 536**
cauliflower, seed, antibacterial substance from, 741

celery
air carrier sprayer for disease control, 29
Septoria in, survival of, 361
cellobiose, metabolism in vitro by Venturia inaequalis, 1019
cellulase, formation by Fusarium oxysporum on resistant and susceptible banana, 247
cellulose, metabolism in vitro by Venturia inaequalis, 1019
Cephalosporium
associated with roots of red clover, 1216
retards symptoms of Fusarium wilt of tomato, 728
seed inoculation with, mitigates Fusarium wilt of tomato, 725
Ceratocystis
identity of fruit-like aroma substances synthesized by, 407
arabica, C. fimbriata in, chlorogenic acid content related to resistance, 544, **545, 546**
fagacearum
in bur oak, histological studies, 22
in pin oak, effect of growth regulators on wilt development, 733
inoculum from oak leaves possible, 164
longevity, in presence of other fungi in roots of deep-girdled oak wilt trees, 162
nutritional competition with Hypoxylon punctulatum, 498, **500, 501**
fimbriata
comparative pathogenicity of isolates, 2
in C. arabica, chlorogenic acid content related to resistance, 544, **545, 546**
in sweetpotato, control by prebedding heat treatment, 1138
ulmi
effects of a heat-stable constituent of, on ATP and water movement, 924
germ-tube development in conidia, factors affecting, 753
in elm
effect of humidity, temperature, soil type on 1191, **1192, 1193, 1195**
effect on viscosity of xylary fluid, 13
in tropical species of Ulmaceae, 28
Cercospora
factors affecting sporulation, spore size, and pathogenicity of, 724
host range and effects of environment on, 3
leafspot, in peanut, control, 13
davisii, in sweet clover, compared with Ascochyta caulicola and A. meliloti, 300, **302, 303, 308-311, 313**
kikuchii
in guar, causes purple stain, 269, **270**
in soybean, effect of deflowering and tobacco ringspot virus on, 1217
musae
in banana, relation of leaf unfurling stages and infection patterns, 733
perfect stage, 11
retention of conidia on banana leaves, 286
nicotiana
control under hydroponic conditions in Puerto Rico, 287
induces greenspot, causing loss in quality of cured tobacco, 165
sojina, new physiological race on soybean, 712, **713**
cereals
relation to Meloidogyne spp., 787, **789, 790**
winter, barley yellow dwarf virus on, effects on survival and yield, 624, **625, 626**
cereal rusts, possible control through use of multiline varieties, 726
Ceresan M, effect on Pythium debaryanum, 29
Chaetomium indicum, feeding of Ditylenchus destructor on, 722
Chalaropsis thielavioides, contaminating and growing on carrot tissue, 1314
Chambers, A. Y., (9)
Chambers, Henrietta L., 727
Chandrasekhar, B. K., (728)
Chaplin, J. F., (722)
Chapman, R. A., 6
chemotherapeutants, duration of protection of wheat seedlings by, 909, **912**
chemotherapy, objectives, 1115
Chen, T.-A., 922, 922
cherry
crown gall of
effect of mineral nutrients, 362
effect of postinoculation temperature, 360
cycloheximide residues in, 29
Montmorency
bud differentiation, effect of cycloheximide on, 744
separation of stone fruit viruses in seed, 744
necrotic ringspot virus on
effect on DNA content of leaves, 758
variation in, 32
sour, effect of ringspot, yellows, and rootstock on macronutrient element composition of leaves, 419
sweet, mode of infection by Pseudomonas syringae, 917, **919, 920**
Chessin, M., (517)
Chi, C. C., (33), 728, 985
Chiarappa, L., (13)
Chiaravalle, P. D., 923
Chidester, J. L., (728)
Chinn, S. H. F., 1041
Chisler, J. A., 728
chitin, media for isolation and culture of actinomycetes, 317
Chiu, Ren-jong, 432
chlordane, inhibits Erysiphe graminis, 173
2-chloro-e-(tolylsulfonyl) propionitrile, laboratory evaluation of as eradicant soil fungicide, 503
5-chloro-4-phenyl-1,2-dithiol-3-one, in control of Rhizoctonia on tomato, 1217
chlorogenic acid
in carrot root tissue infected with Thielaviopsis basicola, 413, **415**
in potato, related to infection by Verticillium albo-atrum, 364
in tomato, related to growth, wound injury, and crown gall development, 753
related to resistance of potato to Verticillium albo-atrum, 747
related to resistance to coffee canker, 544, **545, 546**
6-chloropurine, inhibits tobacco mosaic virus, 432
chlorotic leafspot virus, of apple
causes disease of pear, 743
effect on growth, 745
Chow, H. S., (8)
Christensen, C. M., (730), (740)
Christiansen, D. W., (727)
Christou, T., 194, 219, 381
chrysanthemum, Septoria obesa and S. chrysanthemella on, 31
Circulifer tenellus, curly-top virus content influenced by concentration in plants, 538
citrus
analysis of 2-aminobutane residues in, 738
dry root rot of, induced ammonia excesses, 721
effect of gamma radiation on fruit decay, 3
effect of stubborn disease on bark, foliage, fruits, and tree size, 727
Phytophthora parasitica in, tolerance to root rot evaluated, 1277, **1279**
rootstocks
factor in root sap associated with resistance to Tylenchulus semipenetrans, 738
susceptibility to Thielaviopsis basicola, 756
sour rot pathogen, taxonomy and physiology, 5

stubborn disease and psorosis virus in, serological identification of, 754
Thielaviopsis basicola, as a root pathogen of, 781, **782-784**
tropical plantations, history, current problems, 930
woody gall virus disease of, 756
citrus fruits
decay controlled with dibromotetrachloroethane, 361
russeting of, histological observations, 364
Cladosporium
cucumerinum, production of extracellular enzymes by, 961
herbarum, in grape, causes summer bunch rot, 13
Clark, R. L., 360
Claviceps purpurea, effect of metabolites on susceptibility of rye, 973, **974**
Clayton, C. W., (1220)
clover
effect of bean yellow mosaic and alfalfa mosaic viruses on yield, 21
effect of dieldrin and methyl bromide on, 8
fungi in, effect of temperature on pathogenicity, 20
Fusarium from, pectic enzyme production, 33
Heterodera trifolii in, effect on growth, 6
crimson, Kabatiella caulivora seed-borne in, 1184, **1186, 1188, 1189**
Ladino
nematodes in, effect of dieldrin and methyl bromide treatments on, 922
white clover mosaic virus in, aphid transmission of, 1228
Ladino white, Pratylenchus penetrans on, pathogenicity of, 922
red
effects of environment and age of seedlings on susceptibility to Pythium debaryanum, 985, **987, 988**
fungi associated with roots of, 1216
homozygous necrotic-spotting with bean yellow mosaic virus, 729
Rhizoctonia leguminicola in, causes physiological disturbance in animals, 753
sweet, growth of Fusarium solani in rhizosphere, 1196
white
mosaic viruses, distribution in U.S., 517
mosaic virus in Ladino clover, aphid transmission of, 1228
viruses on, distribution in U.S., 517
clover yellow mosaic, distribution in U.S., 517
Cobb, F. W., Jr., (28)
Cochliobolus miyabeanus
electron microscopy of conidia, 88, **88, 89**
electron microscopy of conidial cell wall, 717, **717**
Cochran, G. W., (367), 728
coconut, cadang-cadang yellow mottle decline in, 19
coffee
rusts of, in tropics, 936
tropical plantations, history, current problems, 930
coffee canker, resistance to, related to chlorogenic acid content, 544, **545, 546**
Colberg, C., (286), (913)
Cole, J. S., 1312
colletotin
effect on Digitalis and tomato, 18
morphological effects on tomato and digitalis foliage, 1273, **1274, 1275**
Colletotrichum
ascogenous stages, morphology, taxonomy, and sexuality of, 15
isolates associated with lily bulbs, 884, **886, 887**
capsici
alterations in physiology in presence of maneb, 164
mycelium of, changes in amino acids following exposure to maneb, 1217
gloeosporioides, influence of conidial matrix on, 721
lagenarium, genetics of fungicide resistance, 35
lindemuthianum, in bean, biochemical changes in infected seedlings, 1259, **1262**
orbiculare, causing watermelon anthracnose, 650, **651, 652**
trifolii, in clover, effect of temperature on, 20
Collins, R. P., 407, 728
color-breaking virus, of camellia, strains of, 77, **78**
colorimetry, comparison of 3 methods to determine DNA, 34
common bean mosaic virus
local-lesion assay for, 166
new strain of, 758
on bean, new types of primary necrotic lesions produced by, 1222
partial purification and serology, 166
common names of pest control chemicals, 471
Condon, Patricia, 182
conidia
of Ceratocystis ulmi, factors affecting germ-tube development, 753
of Cochliobolus miyabeanus, electron microscopy of, 88, **88, 89**
of Diplocarpon rosae, single-spore isolates, retention of virulence of, 1221
of Erysiphe graminis, organic constituents of, 19
of Helminthosporium sativum in soil, precocious sporulation and longevity of, 1172, **1174**
conidiospores
of Botrytis cinerea, germination of, 738
of Erysiphe graminis tritici, germination of, 745
conifers, diseases of, in Idaho, 365
Conover, R. A., 6
control
chemical, for potato blackleg and seed-piece decay, field trials, 164
cultural, of Sclerotium rolfsii in 5 varieties of peanut, 1218
disease, by means of pathogen-free stock, 1234
of banana mosaic virus, 286
of disease in tropics: cultural, antifungal, sprays, biological, 942
of nematodes, in equatorial Kenya Highlands, 737
of Streptomyces ipomoea in California, 18
Converse, R. H., 163, 728, 802, 807
Convolvulaceae, susceptibility to internal cork, tobacco ringspot, and cucumber mosaic viruses, 607, **608**
Cook, R. J., 728, 1086
Cooper, W. E., 6
copper
decreases apple susceptibility to fire blight, 5
stimulates spore germination of Glomerella cingulata, 26
copper ions, stimulation of spore germination and growth of Glomerella cingulata, 865, **866, 867**
Corbett, M. K., 902
Corden, M. E., 503, (727), (756)
cork rot, of apple, caused by pathogenic strain of Alternaria mali, 1073, **1075**
corn
bacterial leaf stripe of, 32
chlorotic-lesion resistance to Helminthosporium turcicum, inheritance of, 737
corn stunt virus on, in Guatemala, 287
effect of growth regulators on leafspots and oxygen uptake, 185, **188**
effect on survival of Fusarium solani in soil, 906
Fusarium graminearum in, histological studies, 18
Fusarium moniliforme in, systemic infection, 870, **871**
Gibberella zeae in, double inoculation, 24
head smut on, prevalence and pathogenicity, 199, **200, 201**
head smut on, severity and distribution, 362
Helminthosporium, Puccinia sorghi on, control, 287
Helminthosporium carbonum in, effect on CO_2 fixation and other enzymes, 741

Helminthosporium pedicellatum in, causes root rot, 752
histological structure of stalk, related to field resistance to stalk rot, 726
host ranges and races of rusts, 1010
monogenic chlorotic-lesion resistance to Helminthosporium turcicum in, 736
nematode populations in, 22
pathogenicity of Trichometasphaeria progenies on, 599
physiology of disease, 185, **188**
Physoderma maydis in, penetration of meristematic tissues by, 1013, **1015**
Puccinia sorghi in, carbohydrate content of leaves, 29
development of resistant lines, 14
gene locus of resistance, 14
genetics of resistance, 122
relation of crop rotation to yield and stalk rot, 757
rhizosphere of, seasonal population of fungi, 744
stalk deterioration in, 10
stalk rot related to crop rotation, 757
related to yield, 416
stalk rots of, etiology, 519, **520**

Corynebacterium
in soybean, causes stunt disease, 8
flaccumfaciens, associated with seed coat pigmentation of soybean, 730
ilicis, on holly, cause of bacterial blight, 925
insidiosum, in alfalfa, 17
michiganense, leaf trichomes, as avenues for infection by, 1306, **1307**

Corynespora cassiicola, variations in, 28

cotton
artificially inoculated with Macrophomina phaseoli, pycnidia formation in, 369, **370**
hypocotyl lesion caused by Rhizoctonia solani toxin, 586
Meloidogyne spp. in, factors influencing resistance, 272, **274, 276**
Meloidogyne and Belonolaimus predispose to Fusarium wilt, 6
microbial inhibitor in seed, an artifact, 279, **280, 281, 284, 285**
Rotylenchulus reniformis on, 4
host-parasite relations, 862, **864**
seed
biochemical factors predisposing to decay and seedling disease, 748
microbial inhibitor in, 27
seedling blight of, treatment with Nemagon, 747
strain variation in pathogens, 741
varietal resistance to seedling disease, 10
Verticillium albo-atrum in, effect of nitrogen on, 38, **39**

Couch, H. B., 923, (926)
Couey, H. M., 729
Covey, R. P., 6, 1229
Cowling, E. B., 6, 923

cowpea
necrotic symptoms of tobacco necrosis virus in roots of, 1037, **1039**
seed-borne virus in, similar to southern bean mosaic virus, 489, **490, 492**

cowpea leaves
changes in ribonuclease activity induced by abrasion, 367
tobacco ringspot virus from, in vitro, 7

Coyier, D. L., 6

cranberry, Synchytrium vaccinii on, causes red gall disease, 29

Crane, J. L., 1217
Creager, D. B., 103

Criconemoides, associated with maple blight, 749

crinkle virus, of strawberry, virus-free plants from apical meristems of infected plants, 743

Cristulariella pyramidalis, 4 new hosts of, 1217

Crittenden, H. W., (162), 163, (165), (485), (1217), (1220)

Cronartium
fusiforme, in slash pine seedlings, histology, 850, **851, 852, 854-856**
ribicola, inoculation with, by bark-patch grafting, 1149, **1151**

crop rotation
effect on cyst nematodes and soybean yields, 815, **816**
effect on Fusarium necrosis, isolation frequency, and bean root rot, 737
effect on Fusarium oxysporum in radish, 33
effect on soil fungus populations, 241
effect on yields of corn, oats, and wheat and on corn stalk rot, 757
of alfalfa and soybean, related to root rots and yield, 751
to control Meloidogyne hapla in muck-grown vegetables, 33

crop sequence, effect on isolation frequency of Rhizoctonia in rhizosphere, 721

cropping, continuous, influence on soil fungi antagonistic to Fusarium roseum, 778, **779**

Crossan, D. F., (164), (486), 1217, 1217

crown gall
ascorbic acid oxidase and tyrosinase activities in relation to, 1079, **1080-1083**
on cherry, effect of postinoculation temperature, 360
on tomato, related to chlorogenic acid and enzymatic oxidation, 753
on tomato and cherry, effect of mineral nutrients, 362

crown rot
of boxed banana, 12
of iris, associated with Botrytis convoluta, 740

crown rust
effect of temperature on, 749
resistance of Avena spp. to races of, 585

Crump, M. H., (753)

cucumber mosaic virus
effects of aphid vectors on, 746
in Convolvulaceae, susceptibility to, 607, **608**
in gladiolus, 163
in pepper, 25
in spinach, development of resistant line, 486
resistance to Cucumis melo, 1221
serological identification from crude extracts, 734

culture
of actinomycetes, chitin media for, 317, **319-321**
of Armillaria mellea, wood-based media, 364
of binucleate stage of Tilletia caries, 366
of Phytophthora fragariae, for sporangial production, 9
of Rhizoctonia solani, response to soil chemicals, 19
of Sclerotinia camelliae, remain viable in liquid medium, 175
of Sclerotinia camelliae, technique, 1
of Urocystis colchici, technique, 754

cultured cutting techniques to obtain pathogen-free stock, 1239

Culver, A. W., (746)

Cunningham, J. L., 7, 7, 616, 827

cupric sulfate, effect on tobacco mosaic virus in bean and Datura, 7

Curl, E. A., (26)

curly-top virus content in Circulifer tenellus, related to concentration in plants, 538

Cuscuta americana, parasitism and host range, 287

cyanide, in anaerobic treatment of barley for Ustilago nuda, 1228

cycloheximide
duration of protective activity in wheat seedlings, against stem rust, 909, **912**
effect on biochemical activity of Saccharomyces pastorianus, 27
residues in bean and cherry, 29

toxicity and translocation characteristics in plum and prune trees, 1050, **1051-1053, 1055**
Cylindrocladium scoparium
host range of bioassay of field soil for, 726
in conifer seedlings, causes root rot, 721
cysteine, reverses effect of $HgCl_2$ on tobacco mosaic virus infectious ribonucleic acid, 750
cysts of Heterodera glycines, distribution in soil at different depths, 1221
Cytospora
associated with discolorations behind wounds in hardwoods, 1221
in prune, prevention of invasion in injured tree stems with wound treatments, 1061, **1062, 1063**
inoculation of tree stems with, relative efficiency of methods, 1266, **1267**
isolate from prune, in vitro toxicity of 46 compounds to, 810, **812-814**
Cytosporina die-back, new disease of apricot in North America, 361

DBCP, to control Tylenchulus semipenetrans, 746
D-D
effect on resistance of peach seedlings to Pseudomonas syringae, 729
to control citrus nematodes, increase growth and yield of lemon trees, 723
DNA
colorimetric methods for determination, 34
content of leaves, effect of virus infection on in cherry, 758
effect of virus infection on, in Prunus mahaleb, 737
da Silva, A. R., (585)
Dactylella ellipsospora and soil fungistasis, 611, **612, 614**
Dactylis glomerata, foliage diseases of, 448, **450**
Daines, R. H., 923, (924), 1138
Dalbulus maidis
feeding of normal and aster yellows-inoculated leafhoppers, 1219
uptake of C^{14} and P^{32} by, 1220
Dale, J. L., (587)
Dallimore, C. E., 360
Daly, J. M., (18), (261)
damping-off
control by Dexon, 51
of beets, effects of mineral fertilizers on, 1285
Damsteegt, V. D., (4), (359), (360), (1056)
Danielson, Lea, (957)
Darling, H. M., (722), (722)
Datura
ribonuclease in, 7
symptomatology of potato viruses on, 363
tobacco mosaic virus in, effect of cupric sulfate, 7
stramonium, brome grass mosaic virus in, inhibited by 8-azaguanine, 432, **436**
Davey, C. B., (24), (165), (759), (834)
Davis, D., 729, 729
Davis, J. R., (361)
Davis, T. C., 1217
Davison, A. D., 729
de la Isla, M. L., (733)
del Mundo, A., 745
decline of pear, bud union anatomy of, 751
Deep, I. W., 360
Deese, D. C., 247, 255
dehydrated potatoes, for making potato-dextrose agar, 173
Delfel, N. E., (286), 913
desiccation, effect on nematode populations, 20
DeVay, J. E., 360, (361), 729, (740)
DeWolfe, T. A., (723), (723)
Dexon
biochemical basis for biological specificity as a fungistat, 755
chemotherapeutic effect in sugar beet, 389, **391**
effect on Rhizoctonia solani in culture, 19
photochemical decomposition and biological activity, 51, **53, 54**
to control root rot of Lilium giganteum, 723
deZeeuw, D. J., 7
Dhaliwal, A. S., (728)
Diachun, S., 729
2,6-diaminopurine, inhibits tobacco mosaic virus, 432
Diaporthe phaseolorum
in soybean, host-parasite relations, 162
in soybean, seed-borne aspects, 756
Dibotryon morbosum on Prunus, gall formation, 880, **881-883**
1,2-dibromo-3-chloropropane
to control Tylenchulus semipenetrans, 746
to treat cotton seedling blight, 747
dibromodimethylhydantoin, to control Rhizopus rot of packed tomatoes, 180, **182**
1,2-dibromoethane, effect of soil temperature on, 17
dibromotetrachloroethane, to control citrus fruit decay, 361
2,6-dichloro-4-nitroaniline
effect on Rhizopus and Monilinia in peach, 922
variant of Gilbertella persicaria from medium containing, 747
dichlorophenoxyacetic acid, effect on corn leafspot and oxygen uptake, 185
Dickens, L. E., (23)
Dickson, James Geere, biographical sketch, 1093
Dickson, J. G., (1157), (1161)
DiEdwardo, A. A., (22), (1070)
dieldrin
effect on clover, 8
effect on nematodes in Ladino clover, 922
Diener, T. O., 7, 163
Dietz, S. M., 729, 730
differentiation of Atropellis species, 1217
Digitalis
effect of colletin on, 18
morphological effects of colletotin on, 1273, **1274, 1275**
Diller, J. D., 163, 1217
Dimalla, G. G., 730
Dimitman, J. E., 360, 361
Dimock, A. W., 1239
Dimond, A. E., 7, 7, 1115
Dimorphotheca sinuata, Macrophomina phaseoli in, causes root rot, 26
dioctyl sodium sulfosuccinate, effect on virus disease of bean, 46, **48-50**
Diplocarpon rosae
control with fungicides, 923
effect of temperature on host predisposition to, 1220
single-spore isolates of, retention of virulence by conidia, 1221
Diplodia
natalensis, effect of light on growth and sporulation, 28
viticola
in grape, initiates summer bunch rot, 13
in grape, produces xylanase system, 754
zeae
in corn, double inoculation, 24
in corn, related to yield, 416
disease cycle, in relation to multigenic resistance to potato late blight, 164
distribution of downy and powdery mildew of lettuce, related to environment, 364
Ditylenchus
destructor
feeding of, on fungi, 722
migration of sperm in, 722
dipsaci
effect of temperature on resistance of alfalfa to, 791
on onion, 510, **512-514**

myceliophagus, cell-wall degrading enzymes in, 1218
radicicola, biology and pathogenicity of, 923
Dochinger, L. S., 8
dodine residues, on apple fruit and leaves, 572, **575, 577-579**
Dolichos lablab, alfalfa mosaic virus in, 427, **429, 430**
Domsch, K. H., (1298)
Dowfume MC-2, destroys soil viruses, 742
Dowicide A, hydrocooling tests with peaches, 485
Dowler, W. M., 8
drainage, related to occurrence of hemlock canker, 292, **293, 294**
Drake, C. R., 8, 8
Drake, R. J., (237), (756)
Draudt, H. N., (1023)
Drechsler, C., 164, (1222)
Dropkin, V. H., 1218
dry root rot of citrus, induced by ammonia excesses, 721
Duffus, J. E., 168
Dukes, P. D., 191
Duncan, H. E., 164
Dunleavy, J., 8, 8, 730, 730
Dunn, G. M., 8
Duran, R., 361
Durbin, R. D., (169), 730, (758)
Dutch elm disease
multidose injection apparatus, 924
prevention of, by treatments with 2,3,6-trichlorophenyl acetic acid, 1090, **1090**
Dutra, J. D., (738), (739)
Dutta, S. K., 35
dwarfing of apple, effect on growth habit, 745
Dyrene, controls Stemphylium loti in birdsfoot trefoil, 8

Eastburg, P. H., (754)
Echandi, E., 544
Eckert, J. E., 730
Eckert, J. W., (5), 180, 361, 642, (738), 771, (1298)
Edgington, L. V., (743), 923
Edmunds, L. K., 731
Eichhorn, J. L., (9)
electrolytes of cells and cell fractions, effect of victorin on, 725
electron microscopy
of Cochliobolus miyabeanus conidia, 88, **88, 89**
of conidial cell wall of Cochliobolus miyabeanus, 717, **717**
Ellingboe, A. H., (26), (714), (745)
Elliott, E. S., (292), (448), 1218
elm
Ceratocystis ulmi in, effect of humidity, temperature, soil type on, 1191, **1192, 1193, 1195**
Ceratocystis ulmi in, effect on viscosity of xylary fluid, 13
Elsaid, H. M., 731
Elsasser, T. A., (726)
Elytroderma deformans, in pine phloem, 332, **334, 335**
Endo, B. Y., 9, 80, 731, 992
Endo, R. M., 624, 731
endoconidial-forming fungi, identity of fruit-like aroma substances synthesized by, 407
endotrophic mycorrhiza of Acer saccharum, 738
English, W. H., 361, (729)
enzymes
cell-wall degrading, in nematodes, 1218
cellulytic, produced by Pellicularia filamentosa, related to pathogenicity, 1119
degradation of plant cell walls influenced by transient capillaries, 6
pectic
production in Fusarium from red clover, 33
production by Verticillium pathogenic to potato, 367
secreted by Fusarium oxysporum in resistant and susceptible banana, 247
secreted by Fusarium oxysporum in resistant and susceptible tomatoes, 255, **258**
pectic and cellulytic, involved in Botrytis leafspot and blight of onion, 735
pectolytic, produced by Pellicularia filamentosa, related to pathogenicity, 1119, **1121**
pectolytic and cellulytic, produced by Pellicularia filamentosa, relation to pathogenicity, 1119, **1121**
proteolytic, production by pathogens of apple fruit, 739
related to glucose catabolism in rust fungi uredospores, 5
enzymatic oxidation in tomato, related to growth, wound injury, and crown gall development, 753
Epps, J. M., 9
Epstein, A. H., (734)
Erwin, D. C., 731
Erwinia
amylovora
factors influencing virulence, 27
in apple buds, detected by phage, 724
indicators of virulence, 1201, **1203-1206**
inhibition by tissues, extracts, and ash from resistant and susceptible pears, 1219
reverts from avirulent rough to virulent smooth form on exposure to aphid extracts, 734
carotovora
changes in virulence with cultivation and ultraviolet irradiation, 732
in banana, factors affecting rhizome-rot incidence, 110, **114**
in iris, effect of Macronoctua onusta on spread and development of, 1219
mutant of weaker virulence, radiation-induced, 10
physiological differences between virulent and weakly virulent strains, 328, **329, 330**
produces pectolytic and cellulolytic enzymes, 927
virulence of, and rate of growth in host tissue, 732
nigrifluens, associated with bark canker of walnut, 363
Erysiphe graminis
cleistothecia of, 664
conidia, organic constituents of, 19
hybridization between varieties of, 664
inhibited by chlordane, 173
relationship of var. tritici and hordei, 664
hordei
organic constituents in conidia of, 891
pathogenicity to Algerian barley, genetic influences, 529
tritici
controlled inoculations with conidiospores, 714
in wheat, conidiospore germination of, 745
in wheat, optimum conditions, 26
ethanol, synthesized by endoconidial-forming fungi, 407
ethionine, as a chemotherapeutant against Phytophthora cinnamomi, 34
ethyl acetate, synthesized by endoconidial-forming fungi, 407
ethylene dibromide, effect on survival of root-knot nematodes in excised grape roots, 1309
Ethiraj, S., (989)
eucalyptus, wilt of, caused by Fusarium oxysporum eucalypti, 638, **639-641**
exocortis
effect on Satsuma orange, 581
in Poncirus trifoliata, effect of soil temperature on, 32
exudates
from bean seed and hypocotyls, effect on Fusarium solani, 751
of strawberry, stimulate Rhizoctonia, 14

fallowing, effect on nematode populations, 20
Farkas, G. L., (657)
Farlow, W. G., in development of plant pathology, 119
Fassuliotis, G., 9
Faulkner, L. R., 731
Feder, W. A., 9, (9)
Feldmesser, J., 9

Felix, E. L., 9
Fergus, C. L., (26)
Fernández, C. E., (544)
ferns, Rhizoctonia on, 1219
fertilizers
mineral, effects on damping-off of beets, 1285
transmit nematodes, 11
Fezer, K. D., 9
Fields, R. W., 336
figwood extract, stimulates growth of Armillaria mellea rhizomorph, 757
Filer, T. H., 731
fir
Douglas, Arceuthobium douglasii, effect on old-growth diameter, 752
red, Arceuthobium campylopodum in, 750
fire blight disease in apple, effect of copper on, 5
Fischer, G. W., (14)
Fisher, E. G., (419)
Flangas, A. L., (724)
flax
beet western and malva yellows virus on, natural occurrence, 168
oat blue dwarf virus in, transmission, 897, **898, 899**
resistance to rust, linkage of conditioning genes, 732
Septoria linicola in, varietal resistance to, 6
Flor, H. H., 732
fluorescent light, effects on Leptosphaerulina trifolii, 17
Folcid, chemistry of fungitoxicity of, 740
Foley, D. C., 10, 870
Fomes
annosus
in coniferous seedlings, greenhouse inoculations of, 4
in Pinus echinata, inoculation and colonization of stumps, 739
inoculum dispersal and invasion by, 28
isolation of, selective medium for, 1310, **1311**
variation of monobasidiospore isolates, 3
igniarius spores, germination stimulated by extracts from dead trembling aspen, 31
pini, isolated in decayed wood behind stem cankers of jack pine, 721
Forbes, I. L., 10, (757)
Ford, R. E., (7), 226
Fordyce, C., Jr., 732
Forrest, W. D., 10
Forsythia intermedia, Pratylenchus penetrans and Meloidogyne on, 926
Fox, P. H., (737)
Frederiksen, R. A., 732
Freeman, T. E., (19), (740)
Freitag, J. H., 128
French, D. W., (33), (721)
French, E. R., 732
French, W. J., 810, (1050)
Frey, K. J., (726)
Friedman, B. A., 10, 328, 732, 732
Fuentes, S., 733
Fulton, J. P., 10, 375
Fulton, N. D., 10
Fulton, R. H., 11, 286, 733
Fulton, R. W., (32), (489)
fumigant injury of storage grapes, effect of sulfur dioxide initial and supplementary treatments, 363
fumigation of soil, theoretical consideration, 1108, **1109-1114**
fungi
effect on longevity of Ceratocystis fagacearum in oak, 162
electron transport system in cell-free extracts, 8
from subterranean parts of winter wheat, 736
growth on soil-dilution plates, effect of medium and temperature, 16
influence of continuous cropping on, 778, **779**
in jack pine, entry through root wounds, 739
in soil effect of crop rotation on populations, 241
in soil, technique for estimation of population density, 26
in strawberry, inhibit Botrytis cinerea, 359
phytopathogenic soil, multiplication of Aphelenchus avenae on, 741
seasonal population in rhizosphere of corn, 744
specific isolation of, with soil microbiological sampling tubes, 619, **620**
use of ultraviolet light in isolation from soil, 376, **376**
brown-rot, decay of sweetgum sapwood related to changes in holocellulose, 923
nematophagus, related to soil fungistasis, 611, **612, 614**
white-rot, decay of sweetgum sapwood related to changes in holocellulose, 923
fungicides
acidic nitrogen derivatives of polyhalo-alky sulfanyl chlorides, 754
aerial application, to control Fusicladium effusum in pecan, 11
comparative toxicity to Sclerotium cepivorum, 17
comparison of compounds in field soil, 723
contact, for Fusicladium carpophilum in peach, 11
Dexon, photochemical decomposition and biological activity, 51, **53, 54**
effect of residues on fruit and leaves on disease development, 572, **575, 577-579**
effect on established apple scap leaf lesions, 162
effect on permeability of yeast cells to the pyruvate ion, 959, **960, 961**
effect on Sclerotinia sclerotiorum, in laboratory and field, 766
eradicant soil, laboratory evaluation of, 503
fungicidal activity of air passed through fungicide-treated soil columns, 1298, **1299, 1300, 1303, 1304**
induced tolerance to in Penicillium notatum, Sclerotinia fructicola, and Stemphylium sarcinaeforme, 1000
organic, bacterial inactivation of, 365
organic, Rhizoctonia solani isolate shows adapted tolerance to, 731
phorate, efficacy of, 371, **372**
reaction of biotypes of Rhizoctonia solani to, 366
soil, effect on fungicidal activity of air passed through treated soil columns, 1298, **1299, 1300, 1303, 1304**
tetrachloronitroanisole, new for wheat smut, 25
toxicity of 46 compounds to Cytospora isolate from prune, 810, **812-814**
toximetric studies of effects on Sclerotinia fructicola and S. laxa, 876, **878**
fungicide resistance in Colletotrichum lagenarium, genetics of, 35
fungistatic activity, agar-ring method for in vitro studies, 368, **368, 369**
effect of root exudates on, 751
of bacterium isolated from soil, 747
of soil, relation of soil microbes to, 739
produced by soil microflora, 90
fungitoxic compound
effect on permeability of yeast to pyruvate ion, 17
produced by carrot root tissue, identity, 182
fungitoxicants, naturally occurring, role in selective pathogenicity of Fusarium oxysporum, 729
fungitoxicity
of lignin monomers, model substances, and decomposition products, 295, **296**
of N-substituted phthalimide, 925
of nitrobenzene derivatives, 642, **643-647**
Furr, J. R., (1277)
Fusarium
bacterial necrosis of, related to crop rotation, isolation frequency, and bean root rot, 737
from celery, causes wilt of Mexican sunflower, 722
from cotton, causes wilt of lupine, 722

from onion roots, pathogenicity of, 735
in banana, effect of host-pathogen-soil temperature interaction on susceptibility, 134, **136-138**
in banana roots, relation of vascular occluding reactions to pathogenicity of, 893, **894, 895**
in black poplar, causes canker, 724
in dead ancillary stems of yellow-poplar, associated with butt rot infection, 1218
in lemon, related to Tylenchulus semipenetrans movement into, 9
in pine seedlings, relation to black root rot, 210, **216**
in rhizosphere, population dynamics, 26
in soybean root rot, 732
in tomato, effects on growth, oxidation, and phosphorylation, 354, **356**
in tropics, 936
interacts with Meloidogyne and Belonolaimus in cotton, 6
plate-profile technique for isolation in soil, 1
wilt, effect of oxygen level in stems, 7
wilt of hemp, 1315, **1316**
wilt of tomato, mitigated by seed inoculation with Cephalosporium, 725
wilt of tomato, symptom retardation by Cephalosporium, 728
graminearum
in corn, histological studies, 18
in corn, related to yield, 416
moniliforme
in corn, systemic infection, 870, **871**
relation to stalk rots of corn, 519, **520**
oxysporum
associated with roots of red clover, 1216
from clover, pectic enzyme production, 33
in banana, histochemistry of phenols in, 19
in clover, effect of temperature on, 20
in gladiolus corms, effect of method of inoculation, 165
in Heliconia, related to Panama disease of banana, 287
in radish, seasonal variation and effect of crop rotation, 33
in sweetpotato, relation of Meloidogyne to, 733
in Trifolium pratense root rot, related to nutrition, 728
interaction with F. solani in soil, and responses of pea to 1126, **1127, 1129, 1130**
pectic enzymes and cellulase formation on resistant and susceptible banana, 247, **250, 251, 253**
pectic enzymes in resistant and susceptible tomatoes, 255, **258**
selective pathogenicity of, physiology, 729
selective pathogenicity of, role of naturally occurring fungitoxicants, 729
oxysporum cubense
influence of organic amendments on survival in soil, 976, **980**
relation of vascular occluding reactions in banana roots to pathogenicity of, 893, **894, 895**
soil fungicides for, laboratory evaluation, 503
unevenly distributed in Honduras banana soils, 287
oxysporum dianthi, in carnation, effect of time between wounding and inoculation on, 1221
oxysporum eucalypti, new form, causes wilt of eucalyptus, 638, **639-641**
oxysporum lycopersici
growth in rhizosphere of host and nonhost plants, 1196
inhibited by lignin products, 295, **296**
in tomato, effect of metabolites of on root elongation, 925
wilt of tomato, semeiology of, 727
oxysporum melonis, populations in soil, 21
oxysporum niveum, saprophytic growth in soil, 840
roseum
associated with roots of red clover, 1216
from clover, pectic enzyme production, 33
in clover, effect of temperature on, 20
in crown rot of boxed bananas, 12
in Trifolium pratense root rot, related to nutrition, 728
influence of continuous cropping on soil fungi antagonistic to, 778, **779**
solani
effect of crop residue decomposition on pathogenicity, 30
from clover, pectic enzyme production, 33
growth in rhizosphere of host and nonhost plants, 1196
in bean, controlled by organic materials, 727
in bean, effect of exudation patterns from seed and hypocotyls on, 751
in bean root rot, effect of barley straw on early stages, 728
in bean root rot, effect of nitrogen on, 757
in clover, effect of temperature on, 20
in Trifolium pratense root rot, related to nutrition, 728
in yellow poplar, 8
interaction with F. oxysporum in soil, and responses of pea to, 1126, **1127, 1129, 1130**
solani cucurbitae, race 2, development of perfect stage, influence of isoleucine isomers, 1141, **1142, 1143**
solani phaseoli
in bean, penetration and host-parasite relations, 219, **221, 222, 225**
influence of nonsusceptible plants on survival of, in soil, 906, 907
quantitative estimates of by plate counts, 567, **571**
solani pisi
growth in rhizosphere of host and nonhost plants, 1196
in pea, seedling test for resistance, 557
Fusicladium
carpophilum, in peach, contact fungicides for, 11
effusum, in pecan, controlled by aerial fungicide application, 11
Futrell, M. C., (13), (17), (736)

Gabelman, W. H., (1163)
Gabrielson, R. L., 361
Gagliardi, N. C., (926)
Gale, J., 715
Gallegly, M. E., (164), (165), 1218
galls, noninsect, on hickory, willow, and oak, 1222
Garber, E. D., (35)
Garber, M. J., (723), (723)
garlic, decay caused by Penicillium corymbiferum, 666, **668, 670, 672, 673, 675**
Garren, K. H., 1218, 1218
Garrett, W. N., 11, (18)
Gaskin, T. A., 602
Geary, T. F., 733
gel-diffusion tests with plant sap, Merthiolate-induced precipitate, 179
genetics
chlorotic-lesion resistance of corn to Helminthosporium turcicum, 737
control of rust reaction type in Puccinia sorghi, 724
effect of host genes on growth and pathogenicity of Glomerella cingulata on Lupinus angustifolius, 757
evidence for gene pools in pathogenicity of Helminthosporium, 22
fungicide resistance in Colletotrichum lagenarium, 35
gene-for-gene relationship hypothesis applied to Triticum-Tilletia system, 363
genes conditioning reaction of barley and pathogenicity of Erysiphe graminis hordei, 529
genes for resistance of barley to Puccinia hordei, 1288

inheritance of pathogenicity in Puccinia graminis, race 111 × 36 cross, 547, **548, 550, 551**
inheritance of reaction to Puccinia hordei in barley, 26
linkage of genes conditioning resistance to rust in flax, 732
locus of resistance to Puccinia sorghi, 14
multigenic resistance of potato to Phytophthora infestans, 746
of Phytophthora parasitica nicotianae, physiological specialization in, 351, 353
pathogenicity of Tilletia caries related to compatibility of crosses, 737
proteinless mutants of tobacco mosaic virus, 752
resistance to Albugo candida in radish, nature and inheritance of, 33
resistance of pea with mo mo genotype to bear virus 2 strain overcome, 751
resistance to potato late blight, studies on disease cycle, 164
resistance to Puccinia sorghi in corn, 122
resistance to Tilletia caries, 743
resistance of wheat to Ustilago tritici, 602
tobacco loses resistance to wildfire disease due to chromosome fragmentation, 753
tolerance of Hypomyces solani to PCNB and TCNB, 733
variation of Phytophthora parasitica, 12
Gentile, A. G., 1225
Georgopoulos, S. G., (32), 361, 733
Geotrichum candidum, taxonomy and physiological properties, 5
geranium
Thielaviopsis basicola in, not pathogenic, 12
virus isolates, characterization of, 749
Gerbera, Alternaria in, causes speckling, 15
Gerdeman, J. W., (167)
germination
of Aspergillus niger spores, effect of L-proline and L-alanine on, 743
of Botrytis cinerea conidiospores, 738
of Erysiphe graminis tritici conidiospores in wheat, 745
of Fomes igniarius spores, stimulated by extracts from dead trembling aspen, 31
of fungi, stimulants for, 22
of Glomerella cingulata spores, stimulated by copper, 26
of Peronospora manshurica oospores, 8
of Puccinia coronata urediospores, effect of light, temperature, humidity on, 1223
of Puccinia graminis uredospores, synthesis during, 11
of Puccinia striiformis uredospores, effect of light and temperature on, 742
of Rhizopus stolonifer spores, effect of proline on, 756
of Ustilago maydis teliospores, 1217
of Uromyces phaseoli spores, time-temperature interaction, 27
Gerwitz, D. L., 733
Giamalva, M. J., 733
Gibberella zeae
in corn, double inoculation, 24
in corn, relation to stalk rots, 519, **520**
relation to seasonal changes in pith density and condition, 24
gibberellic acid, seed treatment with, effect on Tilletia foetida in wheat, 171
Gilbertella persicaria, variants arising from medium containing 2,6-dichloro-4-nitroaniline, 747
Gill, T. S., (486)
Gilmer, R. M., 923, 1027
Ginkgo biloba, disease resistance, 233, **234**
Ginns, J. H., 1218
gladiolus
core rot caused by Penicillium funiculosum, 794, **795**
cucumber mosaic virus in, 163
Fusarium oxysporum in, effect of inoculation technique, 165
Gliocladium, associated with roots of red clover, 1216
Gloeosporium
musarum, in crown rot of boxed bananas, 12
tremulae, in aspen, causes shoot blight and defoliation, 741
Glomerella cingulata
inhibited by lignin products, 295, **296**
on Lupinus angustifolius, effect of temperature and host genes on growth and pathogenicity, 757
orbiculare, new physiological races, 15
produces proteolytic enzymes, 739
production of extracellular enzymes by, on apple fruit, 1004
protein synthesis in germinating spores, 485
resistance of Ginkgo biloba to, 233, **234**
spore germination stimulated by copper, 26
stimulation of spore germination and growth by copper and other heavy metal ions, 865, **866, 867**
glucose catabolism, related enzymes in rust fungi uredospores, 5
glutamate, effect on uredospores of Puccinia sorghi, 28
Gnomonia veneta in sycamore, effect of temperature on, 745
Godbey, W. G., (34), (34)
Gold, A. H., 361, (750), (750)
Gonatobotrys simplex, parasitism and nutrition of, 486
Gonatobotryum fuscum, effects of microelements on mycoparasitism, 162
Gonzalez, L. C., 733
Good, J. M., 11
Gooding, G. V., Jr., (13)
Goodman, R. N., 11, (18), (724), 734, (1201), (1273)
Goos, R. D., (12)
Goth, R. W., (758), (1222), (1222), 1228
Gottlieb, D., (8), 11, (1217)
graft transmission
of alpha- and beta-curl viruses of raspberry, 728
of systemic virus infection to hypersensitive host, 1222, **1223**
Grainger, J., 140
Gramineae, intraspecific variation in pathogenicity of Helminthosporium to, 1045
Grant, T. J., 930
grapes
effects of washings on Aspergillus and Botrytis spore germination, 739
excised roots, survival of root-knot nematodes in, after fumigation with ethylene dibromide, 1309
in storage, effect of sulfur dioxide on Botrytis decay and fumigant injury, 363
storage environment, effect on sulfur dioxide fumigation requirements, 745
summer bunch rot in, 13
grapefruit, Rio Grande gummosis in, in Arizona, 359
grass
reaction to stripe rust, 730
resistant to wheat streak mosaic virus, 364
bent-
Pythium blight of, influence of postinfection air temperature, 926
Rhizoctonia brown patch on, chemical control, 923
Bermuda
reaction to root-knot nematodes, 587
Ustilago cynodontis in, 742
brome-, mosaic virus inhibition by purines and pyrimidines, 432, **436**
Johnson, pathogenicity of Trichometasphaeria turcica progenies on, 599
Kentucky blue-, Helminthosporium vagans and Septoria oudemansii in, effect of soil fertility on, 1218
Sudan
pathogenicity of Trichometasphaeria turcica progenies on, 599
relation to Meloidogyne spp., 787, **789, 790**
Sphacelotheca reiliana in, development and persistence, 541, **543**
Graves, C. H., Jr., 11, 11

Gray, R. A., 734, 734
Greene, G. L., 12, 880
Green R. J., Jr., (288), (732), (751)
green mottle virus in apple, transmission through symptomless scions, 926
greenspot, induced by Cercospora nicotiana, causes loss in quality of cured tobacco, 165
Gries, G. A., (725)
Griffin, G. D., 734
Griffin, G. J., 90
Grogan, R. G., (5), 12, 734
Gross, A. E., (364)
Grosso, J. J., (735)
Grover, R. K., 876
growth
of Armillaria mellea rhizomorph, stimulated by indole-3-acetic acid and figwood extract, 757
of Douglas fir, effect of Arceuthobium douglasii on, 752
of Erwinia amylovora in vitro, an indicator of virulence, 1201, **1203-1206**
of Glomerella cingulata on Lupinus angustifolius, effect of temperature and host genes on, 757
of Pythium, effect of streptomycin and pimaricin on, 736
of tomato, effect of Fusarium infection on, 354, **356**
of tomato, related to chlorogenic acid and enzymatic oxidation, 753
growth regulators
effect on Ceratocystis fagacearum wilt in pin oak, 733
effect on corn leafspot and oxygen uptake, 185, **188**
indole-3-acetic acid and figwood extract, stimulate growth of Armillaria mellea rhizomorph, 757
growth substances, accumulate in plants infected by Pseudomonas solanacearum, 439, **443, 445**
Grundbacher, F. J., 791
guar, Cercospora kikuchii on, causes purple stain, 269, **270**
Guba, E. F., (925)
Guthrie, J. W., 362
guttation fluid, induces fungal infection structures in Helminthosporium sorokinianum, 731
Gymnoconia peckiana, development on tissue cultures of Rubus, 721

$HgCl_2$, inactivates tobacco mosaic virus infectious ribonucleic acid, 750
Haas, J. H., 12, 923
Haasis, F. A., 12
Hacskaylo, J., 371
Hagedorn, D. J., (7), (7), (150), (616), (749), (755), (827), (1126)
Hager, R. A., 164
Haglund, W. A., 12, 315
Hale, M. G., 185
Halisky, P. M., 199, 362, 541, 734, (742)
Hall, D. H., (1), (752)
Hall, H. R., (1217)
Halmos, S., (3), (134), (893)
halogenate hydrocarbon mixtures, toxic to Tylenchulus semipenetrans and Meloidogyne javanica, 744
Halpin, J. E., (20), (21)
Hamblen, M. L., (587)
Hamer, A. A., (485)
Hampton, R. E., 413
Hampton, R. O., (726), 734
Hancock, J. G., 12, 735
Hanna, G. C., (1225)
Hansen, A. J., (2), (23)
Hansen, Hans Nicholas, biographical sketch, 969
Hansen, H. N., (666)
Hansing, E. D., (20)
Hanson, E. W., (3), (33), (172), (300), 724, (728), (985)
Hara, J., (738)
Harjung, M. K., (32), (367)
Harnish, W. N., 1218
Harrison, A. L., 13
Harrison, M. B., (743), 924
Hart, Helen, (721)
Hart, J. H., 13
Hawksworth, F. G., 451
Hawn, E. J., 266
heat adaptation, of Uromyces phaseoli and Phaseolus vulgaris, 709, **710-712**
heat therapy, for Uromyces phaseoli in bean, 758
Hebert, T. T., (30)
Hecht, Eva I., (4)
Heggestad, H. E., 735, 735
Heinze, R. G., (7)
Helicoceras nymphaerum in water lilies, control, 165
Heliconia, Fusarium wilt of, related to Panama disease of banana, 287
Helicotylenchus
in corn, 22
nannus
effect of fallowing, desiccation, and soil temperature on, 20
in tomato, effect on Pseudomonas solanacearum, 1219
pathogenicity of, relation with Pythium graminicola on sugarcane in Hawaii, 798, **799-801**
role in stunting of southern pines, 56, **61-65**
Helminthosporium
blight, of barley, vapor action of organic mercurials on seed, 723
evidence for gene pools for pathogenicity, 22
in barley, lesion type in leaves as a means of detecting resistance to spot blotch, 1086, **1087, 1088**
intraspecific variation in pathogenicity to gramineous species, 1045
carbonum, in corn
effect on CO_2 fixation and other enzymes, 741
effect of growth regulators on leafspot size, 185, **188**
metabolic responses of isogenic lines, 19
halodes, mutant, produces red pigment, 2
oryzae
inhibition by Bacillus mycoides, 347, **348-350**
survival in soil, 347, **350**
pedicellatum, in corn, causes root rot, 752
sativum
in barley, influence of temperature, humidity, and inoculum concentration, 704, **706**
in barley, inhibits Septoria passerinii, 373
in barley, test for resistance to, 22
in soil, precocious sporulation and longevity of conidia, 1172, **1174**
in wheat, seedling reaction, 364
variation in, related to seedling blight of small grains, 493, **496**
sorokinianum
induction of fungal infection structures in, by barley guttation fluid, 731
in rye, control, 344, **346**
turcicum
in corn, inheritance of chlorotic-lesion resistance to, 737
in corn, monogenic chlorotic-lesion resistance to, 736
H. maydis, in sweet corn, control, 287
vagans
in bluegrass, 448, **450**
in Kentucky bluegrass, effect of soil fertility on, 1218
victoriae
agent of disease inactivated by carbon tetrachloride, 739
morphology, diseased and normal, 693, **696, 697**
in oats, permeability changes, 4
in oats, relation to Meloidogyne incognita acrita, 485

quantitative measurement of interaction with Avena spp., 340
respiration, diseased and normal, 693, **696, 697**
toxin, alkaline treatment yields victoxinine, 750
toxin of, physiological action, 750
Helton, A. W., 159, (810), (846), 1050, 1061, 1266
Hemicriconemoides chitwoodi, developmental stages, 9
Hemicycliophora arenaria, storage life, factors affecting, 366
hemlock canker, related to poor drainage, 292, **293, 294**
hemp, Fusarium wilt of, 1315, **1316**
Hemwall, J. B., 1108
Hendrix, F. F., Jr., (3), (32), (739), (757), (906), (1310)
Hendrix, J. W., (730), (742)
Henning, Jane N., (753)
Henson, L., (729)
Hercules 3944, in control of Rhizoctonia on tomato, 1217
Hernandez, T. P., (733)
Herr, L. J., (423)
Herridge, E. Anne, 735
Hess, W. M., 735, 735
Heterodera
glycines
cysts of, distribution in soil at different depths, 1221
in soybean, control, 9
in soybean, effects of crop rotation on, 815, **816**
in soybean roots, anatomical studies of, 731
lethal temperatures, 9
lethal time-temperature relations for, 992, **993, 995**
oogenesis and reproduction, 13
survival at controlled relative humidities, 80, **83, 86, 87**
rostochiensis, controlled by sodium methyl dithiocarbamate, 924
schachtii, reproduction and survival in warm soils, 366
trifolii
effect on growth of clover, 6
oogenesis and reproduction, 13
heterothallism, in Pyrenophora teres, 742
Heuberger, J. W., (162)
Hewitt, W. B., 13, (739)
Hibben, C. R., 736
hickory, noninsect galls on, 1222
Hildebrand, E. M., 13, 13, 1168
Hildebrandt, A. C., (1), (6), (749), (753), (1079)
Hildreth, R. C., 287
Hills, F. J., 51, 389
Hilty, J. W., (177), (582), 859
Hilu, H. M., 736
Himelick, E. B., (745)
Hine, R. B., 736, 736, 840
Hirschmann, H., 13, (30)
histology of roots of onion, susceptible and resistant to Pyrenochaeta terrestris, 1163, **1165, 1166**
histopathology
of bacterial blight of poinsettia, 103, **105, 107-109**
of pine roots infected with lance and cystoid nematodes, 68, **69, 70**
history of early plant pathology in America, 119
history of mycology in the tropics, 936
Hiura, U., 664
Hobbs, C. D., 13, 736
Hobbs, E. L., 1223
Hodges, C. S., Jr., 210, (739)
Hoes, J. A., 736, 736
Hoffmann, J. A., 14, 1153
Hollis, J. P., 14, 14, 737
Holm, E. W., (709)
Holmes, F. W., 924
holly, American, Corynebacterium ilicis in, causes blight, 925
holocellulose, changes in polymerization of, during sweetgum sapwood decay, 923
Holowczak, J., 699, 1019
Honeycutt, R. P., 737
Hood, J. R., (376)
Hooker, A. L., 14, 14, 122, (736), 737
Hooker, W. J., 688
Hoplolaimus
coronatus, in pine roots, histopathological studies, 68, **69, 70**
coronatus, role in stunting of southern pines, 56, **61-65**
tylenchiformis, effect of fallowing, desiccation, and soil temperature on, 20
hops
downy mildew of, selected progeny of susceptible variety, 749
Pseudoperonospora humuli on, factors affecting sporulation and infection, 753
Horn, N. L., (5)
Horner, C. E., (739), (742)
horsenettle cyst nematode, description of, 743
Horsfall, J. G., (925)
Horsť, R. K., 423
hosts
of Cristulariella pyramidalis, new, 1217
of Pseudomonas savastanoi and P. tonelliana, 33
of Rotylenchulus reniformis, 725
host-parasite relations
Albugo candida in radish, metabolism of, 32
Aphanomyces euteiches in pea, 7
Aphanomyces euteiches in pea, nutritional requirements, 12
Cercospora kikuchii on soybean, effect of deflowering and tobacco ringspot virus on, 1217
Diplocarpon rosae on rose, effect of temperature on, 1220
effect of host-pathogen-soil temperature interaction on Fusarium wilt susceptibility, 134, **136-138**
effect of Fusarium solani-F. oxysporum interaction in pea, 1126, **1127, 1129, 1130**
Fusarium solani phaseoli in bean, 219, **221, 222, 225**
Gonatobotrys simplex with Alternaria and Cladosporium, 486
host plant as habitat for fungal and bacterial parasites, 140, **142, 144, 147, 148**
interaction of Meloidogyne incognita acrita and Pythium graminicola in sugarcane, 1180, **1182, 1183**
Rhizoctonia solani in bean, 381, **382, 384, 386, 387**
Rotylenchulus reniformis on cotton, 4, 862, **864**
quantitative measurement of, 340
soybeans and Diaporthe phaseolorum, 162
Stemphylium loti in birdsfoot trefoil, 8
Thielaviopsis basicola in bean, 194, **195, 197**
whole-leaf clearing and staining technique to demonstrate in wheat stem rust, 1313, **1313**
host range
of Cassytha filiformis and Cuscuta americana, 287
of Cercospora isolates, 3
of Cylindrocladium scoparium, 726
of potato leaf-roll virus, 360
of Xiphinema index, 748
host treatments, to eliminate virus in sweetpotato, 13
Hsi, D. C. H., 737
Houston, B. R., (1)
Houston, D. R., 14
Howard, C. M., 1219
Hsu, A. C. Y., (367)
Huang, M. R. C., (185)
Huber, D. M., (1), (1), (721), 737
Hudson, W., (1264)
Huffaker, R. C., (741)
humidity
effect on Ceratocystis ulmi in elm, 1191
effect on germinability of Puccinia coronata urediospores, 1223
effect on germination of Erysiphe graminis tritici conidiospores, 745
effect on Helminthosporium sativum and Septoria passerinii in barley, 704

effect on spore germination of Puccinia stakmanii, 725
effect on sporulation and infection with Pseudoperonospora humili, 753
effect on survival of Heterodera glycines, 80, **83, 86, 87**
optimum for Erysiphe graminis tritici in wheat, 26
predisposes stored cotton seed to decay and seedling disease, 748
Hurt, B. C., Jr., (11)
Husain, S. S., 14
Hussin, H., (360), 362
Hutchins, P. C., (9)
Hutchins, R. G., (1222)
hybridization
interspecific, in Phytophthora, 1220
of Tilletia caries and T. contraversa, 365
of Ustilago, induced, 14
hydrogen ion concentration, effect on growth rates of Phytophthora, 727
Hypomyces solani cucurbitae
induction of perithecial primordia in, 359
tolerance to PCNB and TCNB, genetics of, 733
Hypoxylon
associated with discolorations behind wounds in hardwoods, 1221
pruinatum ascospores, ejection during winter, 33
punctulatum, nutritional competition with Ceratocystis fagacearum, 498, **500, 501**
Hyre, R. A., 1219

immune response to plant virus, bound to agar, 721
immunity of spinach lines to downy mildew, race 2, 597
index technique, to obtain virus-free stock, 1235
indoleacetic acid, relation to black root rot of pine seedlings, 210
indole-3-acetic acid
effect on corn leafspot and oxygen uptake, 185, **188**
increased in plants infected by Pseudomonas solanacearum, 439, **443, 445**
stimulates growth of Armillaria mellea rhizomorph, 757
infection, probability related to weather, space and time, 1100, **1104**
inhibition of tobacco mosaic virus, by plant ribonucleases, 163
inhibitor
of Rhizoctonia solani, 32
of tobacco mosaic virus, produced by tobacco leaf cells, 367
Inman, R. E., 924, 1207
inoculation
controlled, with conidiospores of Erysiphe graminis, 714
mechanical, of Nicotiana glutinosa with tobacco mosaic virus, role of leaf trichomes, 362
of alfalfa with Pseudoplea trifolii, 172
of carnation with Fusarium oxysporum, effect of time after wounding on, 1221
point of, effect on Ustilago hordei in barley, 16
technique, influences effect of Fusarium oxysporum in gladiolus corms, 165
with Cronartium ribicola, by bark-patch grafting, 1149, **1151**
inoculum
concentration, effect on Helminthosporium sativum and Septoria passerinii in barley, 704
potential, of infested soil, technique to determine, 724
potential, of Verticillium albo-atrum, role of nonhosts in maintaining, 742
insect transmission
of alpha- and beta-curl viruses of raspberry, 728
of bacterial wilt of banana, 726
interaction of Meloidogyne incognita acrita and Pythium graminicola, in sugarcane, 1180, **1182, 1183**
interference of related and unrelated viruses and mixed inocula, 758
internal cork virus
in Convolvulaceae, susceptibility to, 607, **608**
in sweetpotato, evaluation of breeding stocks for susceptibility, 1168, **1169, 1170**
in sweetpotato, winter temperature related to dissemination, 23
international cooperation, in tropical plant pathology, benefits, 950
interstocks, Old Home, associated with pear bark measles, 363
iris
crown rot disease of, 740
effect of Macronoctua onusta on spread and development of Erwinia carotovora, 1219
Irvine, W. A., 15
isobutanol, synthesized by Ceratocystis spp., 407
isobutyl acetate, synthesized by Ceratocystis spp., 407
isolation
of Fomes annosus, selective medium for, 1310, **1311**
of fungi, with soil microbiological sampling tubes, 619, **620**
of Pythium, soil-particle technique, 1133
isolation medium for Phytophthora and Pythium, 771, **773, 776**
isoleucine isomers, influence of on development of perfect stage of Fusarium solani cucurbitae, race 2, 1141, **1143, 1143**
Italian prune chlorotic ringspot virus, separation in Montmorency cherry seed, 744

Jackson, C. R., 15, 794
Jain, G. L., (638)
Jedlinski, H., 15
Jenkins, S. F., Jr., 15, 15
Jenkins, W. R., (921), (926)
Jensen, H. J., 362
Jewell, F. F., 850
Johnson, G. V., 737
Johnson, H. W., 269
Johnson, L. F., 410
Jones, A., (753)
Jones, B. M., 15
Jones, J. P., (269), 524
Jordan, J. H., (14)

Kabatiella caulivora in crimson clover, seed-borne, 1184, **1186, 1188, 1189**
Kado, C. I., (33), 362
Kahn, R. P., 16, 1211
Kais, A. G., 1191
Kaiser, W. J., (32), 362
Kantzes, J. G., 164
Kato, M., (365)
Katz, S., (750)
Kaufman, D. D., 16, 16, (778)
Keil, H. L., 1219
Kelman, A., 16, (439), (726)
Kendrick, E. L., 621, 737, (1153)
Kendrick, J. R., Jr., (25)
Kennedy, B. W., 16, 738, 873
Keplinger, J. A., (726), (922)
Kessler, K. J., Jr., 738
Kiesling, R. L., 16, 16, 738
Kikumoto, T., (88), (717)
Kilby, W. W., (31)
Kilpatrick, R. A., (8), 17, (922), 924
Kim, W. S., (688)
Kimble, K. A., (12), (734), (1225)
King, T. H., (12), (16), (315), (336), (727), (873)
King, W. R., (723)
Kingsland, G. C., 519
Kinsey, M. G., (403)
Király, Z., 171, 657, 738
Kirkpatrick, J. D., 419, 738
Klemmer, H. W., 955
Kline, D. M., (22), (1045)
Klosterman, H. J., (554), (755)

Klotz, L. J., (723)
Koch, E. J., (163)
Koike, H., (798), (963), (1180)
Kolbezen, M. J., (180), (361), (730), 738
Konicek, D. E., (362)
Kontaxis, D. G., 362, 1306
Kosuge, T., 738, 739
Kottke, Margaret, 17, 959
Krebill, R. G., 739
Krebs cycle acids, effect of victorin on, 19
Kreitlow, K. W., 17
Krieger, F. C., (28)
Kuc, J., (23), (182), (699), 739, (746), 961, (1004), (1019), (1023), (1259)
Kuhlman, E. G., 739, 1310
Kulkarni, N. B., 369
Kunkel, J. F., (730)
Kuntz, J. E., (14), (22), (733), (740)
Kurtzman, C. P., (712)
Kurtzman, R. H., Jr., 924

L-alanine, substitute for higher temperatures in germination of Aspergillus niger, 743
L-proline, substitute for higher temperatures in germination of Aspergillus niger, 743
Labanauskas, C. K., (754)
Lacy, L. W., 17
Lacy, M. L., 173, 739
Lambertella hicoriae, produces lambertellin, 753
lambertellin, produced by Lambertella hicoriae, 753
Lamson-Scribner, F., in development of plant pathology, 119
Larson, Russell Harold, biographical sketch, 1233
Larson, R. H., (170), (1163)
Latham, A. J., 17
Latch, G. C. M., 300
Laviolette, F. A., (712), (714)
Law, A. G., (731)
Leach, C. M., 1184
Leach, J. G., (1219), (1219)
Leach, L. D., (51), 362
leaf galls on Siderasis fuscata, caused by Meloidogyne incognita incognita, 1070, 1072
leaf grafts, in virus transmission to strawberry from other plants, 726
leaf trichomes
avenues for infection by Corynebacterium michiganense, 1306, **1307**
role in mechanical inoculation of tobacco with tobacco mosaic virus, 362
leafhopper
curly-top virus content influenced by concentration in plants, 538
transmits western aster yellows virus, 128, **130, 131, 133**
leafspot virus in apple, induces anatomical changes in wood, 923
Lear, B., 17, 1309
Leathers, C. R., (725)
Lebeau, J. B., (266)
Leben, C., 17
Ledingham, R. J., (1041)
Lee, M. H., (728)
legumes, western aster yellows virus in, transmitted by leafhopper, 128, **130, 131, 133**
lemon
growth and yield increased by D-D applications, 723
Tylenchulus semipenetrans, movement into, 9
Leone, Ida A., (923), 924, (1138)
Leptodiscus terrestris in clover, effect of temperature on, 20
Leptonchus granulosus, associated with maple die-back, 749
Leptosphaerulina trifolii, effects of fluorescent light on, 17
LeTourneau, D. J., (367)
letters to the editor
Thompson, H. C., J. W. Gerdemann; propylene oxide, for sterilizing agar, 167
Yarwood, C. E., principles of plant pathology, 166
lettuce
big vein of
evidence for virus nature of, 361
survival within Olpidium resting sporangia, 727
Bremia lactucae in, systemic infection, 888, **889**
comparative distribution of downy and powdery mildew related to environment, 364
comparative ecology of downy and powdery mildew, 41, **42, 44, 45**
downy mildew in, systemic infection, 20
influence on survival of Fusarium solani in soil, 906
transmission of big vein by Olpidium in, 5
lettuce mosaic virus, methods of differentiating variants, 403, **405**
Leucostoma persoonii, on Prunus domestica, nutrition of, 740
Lewis, G. D., 925
Lewis, R. W., (20), (888), 973
Lewis, Sally M., 18, 1273
Libman, G., 1219
life cycle of Xiphinema index, 748
light
comparative effects on Ascochyta meliloti, A. caulicola, and Cercospora davisii, 300, **310, 313**
effect on formation and germination of Phytophthora infestans oospores, 165
effect on germinability of Puccinia coronata uredospores, 1223
effect on germination of Puccinia striiformis uredospores, 742
effect on growth and sporulation of stem-end rot fungi, 28
effect on production of Verticillium albo-atrum microsclerotia, 362
effect on sexual and asexual sporulation of Phytophthora, 1218
lignin decomposition products, fungitoxic role of, 295, **296**
Lilium giganteum, root rot of, control by Dexon, 723
Lilium longiflorum, root rot of, effect of soil moisture, 754
lily, Colletotrichum isolates associated with bulbs, 884, **886, 887**
Lindberg, C. G., (586)
Lindberg, G. D., (693), 739
Line, R. F., (11), 18
Ling, K. C., 155
Lingappa, B. T., 295, 739
Lingappa, Y., 317
Linn, M. B., (17), (115)
Littlefield, L. J., 18
liverworts, Rhizoctonia on, 1219
Livingston, C. H., 18
Livne, A., 18, 739
Lloyd, A. B., 1314
Locke, S. B., 363
Lockwood, J. L., (295), (317), 557, (739), (1314)
Loegering, W. Q., 547
longevity of Helminthosporium sativum in soil, 1172, **1174**
Loos, C. A., 110
Lopes-Rosa, J. H., 287
Lophodermium, pathogenicity in eastern white pine, 2
Lorbeer, J. W., (12), 18, (735)
Lortie, M., 740
Lubani, K. R., 115
Lucas, G. B., 19, (983)
Ludwig, R. A., (740)
Luhn, C. H., (365), (597)
Luke, H. H., 19, 340, 344, 740
Lukens, R. J., 740, 925
Lukezic, F. L., (729), 740
Lund, S., (923)
Lunsetter, W. B., (755)

lupine, cotton Fusarium on, causes wilt, 722
Lupinus angustifolius, Glomerella cingulata on, effect of temperature and host genes on growth and pathogenicity, 757
Lutey, R. W., 740
Lutz, A., (362)
lyophilized barley stripe mosaic virus, retention of viability, 554

MC-2, inhibits sugarcane mosaic virus, 722
Macdowall, F. D. H., 740
Mace, M. E., 19, (134)
MacKinnon, J. P., 718
Macronoctua onusta in iris, effect on spread and development of Erwinia carotovora in, 1219
macronutrient composition of sour cherry leaves, effect of ringspot, yellows, and rootstock on, 419
Macrophomina phaseoli
in cotton, pycnidial formation from artificial inoculation, 369, 370
in Dimorphotheca sinuata, causes root rot, 26
in sorghum, effects of temperature, soil moisture and inoculation time, 737
in sorghum, related to plant maturity, temperature, and soil moisture, 731
thermal inactivation of, time-temperature relationships, 632, **634**
Macrosiphum pisi
effect on alfalfa blackstem severity, 2
transmits white clover mosaic virus, 1228
Macrosteles fascifrons
acquisition and transmission of aster yellows virus on, 1219
simultaneous transmission of aster yellows virus and blue dwarf virus by, 732
uptake of C^{14} and P^{32} by, 1220
MacWithey, H. S., Jr., 740
Magie, A. R., (33), 363, 741, 741
Mahadevan, A., 925
Mai, W. F., (22), (766)
Maier, C. R., 19, 741
Mailsey, S., (20)
Main, C. E., 164
Maine, Ellsworth Chapman, biographical sketch, 291
maize
ergot of, in Mexico, 733
Helminthosporium carbonum in, metabolic responses of isogenic lines, 19
Major, R. T., (233)
Malca, I., 19, 19, 741, 891
maleic hydrazide, effect on corn leafspot and oxygen uptake, 185
Malekzadeh, F., 741
Mallett, S. L., (850)
malva yellows virus, on flax, natural occurrence, 168
Mandel, M., 925
maneb
causes alterations in physiology of Colletotrichum capsici, 164
controls leaf diseases of corn, 287
effect on amino acids in Colletotrichum capsici mycelium, 1217
Mankau, R., 611, 741
Mankau, S. K., 741
Mann, T. J., (722)
Manzer, F. E., 925
maple
die-back and blight, nematodes associated with, 749
etiology of blight, 14
red, Cytospora and Phialophora melinii associated with discolorations behind wounds, 1221
sugar, decline in New York, due to complex of environmental factors, 736
Maramorosch, K., 19, 20, 925, 1219, (1219), (1220)
Margarinomyces, in dead ancillary stems of yellow-poplar, associated with butt rot infection, 1218
Marks, G. C., 741
Marlatt, R. B., 20, 888
Marsh, P. B., (1218)
Martin, J. P., (31), (723)
Martin, M. W., 1230
Martin, William Hope, biographical sketch, 845
Martin, W. J., 607, (733)
Martinez, A. L., (20)
Martinez, E. S., 172
Martinson, C. A., 619, 742
Matherly, E. P., (103)
Mathur, S. C., 20
Matsui, C., 88, 717
Matsuura, M., (88), (717)
Maurer, C. L., 957
McBride, J. M., (14)
McCain, A. H., 742
McCarter, S. M., 20
McCombs, C. L., (15)
McCracken, F. I., 742, 742
McCrum, R. C., 925
McDonald, W. C., 742
McFadden, L. A., 20
McGlohon, N. E., 20
McKeen, C. D., 21, 742, (744)
McKeen, W. E., (14)
McKittrick, R. T., (20), (888)
McLean, D. L., 403
McLean, D. M., 21
McNabb, H. S., Jr., (13), (15)
Mead, H. W., 21, 964
Meiners, J. P., (1153)
Melanopsichium pennsylvanicum on Polygonum, causes gall smut, 734
Meloidodera floridensis
in pine roots, histopathological studies, 68, **69, 70**
role in stunting of southern pines, 56, **61-65**
Meloidogyne
effects on Forsythia intermedia, 926
in cotton, factors influencing resistance, 272, **274, 276**
in sweetpotato, reactions with improved inoculation method, 1225
larvae, cell-wall degrading enzymes in, 1218
population estimations by laboratory and bioassay methods, 25
population estimation in relation to advisory service, 25
reaction of Bermuda grass to, 587
relation of cereals and Sudan grass, 787, **789, 790**
relation to Fusarium oxysporum wilt of sweetpotato, 733
soil fumigation to control, effect on quality of potatoes, 360
winter survival of 4 species, 23
arenaria
oogenesis of, 30
transmitted by fertilizers, 11
hapla
in Ajuga reptans, 684, **687**
in Anemone japonica, 684, **687**
in muck-grown vegetables, control by crop rotation, 33
in strawberries, nematocides for, 164
incognita
in cotton, predisposes to Fusarium wilt, 6
in Siderasis fuscata leaf galls, 22
in soil, effect of oxygen on survival, 628, **629-631**
in tomato, effect of organic soil amendments; related to soil temperature, moisture, and pH, 410, **411, 412**
incognita acrita
effects on Forsythia intermedia, 926
in nodulating and non-nodulating soybeans, 163
in oat, relation to Helminthosporium victoriae, 485
in pepper, pathogenicity of, 927
in soybean, interaction with tobacco ringspot virus, 1220

in soybean, interrelationship with tobacco ringspot virus, 165
in sugarcane in Hawaii, pathogenicity and relation with Pythium graminicola, 1180, **1182, 1183**
in tobacco, histology of resistance to, 25
survival of, in excised grape roots in moist soil fumigated with ethylene dibromide, 1309
incognita incognita
in Siderasis fuscata, cause of leaf galls, 1070, **1072**
liquid trapping in agar medium, 174, **174**
javanica
1,2-dibromoethane on, affected by soil temperature, 17
halogenate hydrocarbon mixtures toxic to, 744
larvae, motility and gall production as measures of viability, 30
oogenesis, 30
relation of soil temperature, 787, **789, 790**
melon, honeydew, brown blotch of, probably caused by ultraviolet radiation, 360
Menon, M. R., (728)
Menser, H. A., (735)
Mentha
Paratylenchus hamatus on, pathogenicity and population dynamics of, 731
Verticillium albo-atrum reproduction in rhizosphere and subsequent root infection, 739
Menzies, J. D., 743, (756)
mercuric chloride, treats fungus conidia before electron microscopy, 88, **88, 89**
Merrill, W., 21
Merulius lacrymans, spread through soil to living trees, 163
metabolic by-products, of Rhizoctonia solani, effects on soybean roots, 202, **204, 205**
metabolism
glucose, of Saccharomyces pastorianus, effect of captan on, 94, **100**
of Albugo candida, in radish, 32
of teliospores of Ustilago maydis, 1217
of tobacco leaf, effects of ozone on, 740
metabolites containing C^{14}, in wheat leaves infected with Puccinia graminis, 169, **169**
methyl bromide
effect on clover, 8
effect on nematodes in Ladino clover, 922
3-methyl-6-methoxy-8-hydroxy-3,4-dihydroisocoumarin, in carrot root tissue infected with Thielaviopsis basicola, 413, **415**
Metzger, R. J., 363, (366), 743
microautoradiography, to trace distribution of C^{14}-labeled metabolites, 169, **169**
microbial inhibitor
in cotton seed, an artifact, 279, **280, 281, 284, 285**
in cotton seed, identity, 27
microbial stimulation, of Phymatotrichum omnivorum, 725
Micromonospora, chitin media for culture, 317
microsclerotia
of Verticillium albo-atrum, effect of light on production, 362
of Verticillium albo-atrum, ultrastructure of, 745
Mielke, J. L., (451)
Milbrath, J. A., 363, 743, 743, (1235)
mildew
unique in tropics, 936
downy
on hops, selected progeny of susceptible variety, 749
on lettuce, compared with powdery mildew, 41, **42, 44, 45**
on lettuce, distribution related to environment, 364
on lettuce, systemic infection, 20
on lima bean, chemical basis for resistance to, 1030, **1033, 1035**
on spinach, development of resistant line, 486
on spinach, immunity to race 2, 365
Strain "B," caused by Phytophthora phaseoli, spread of, 486
powdery
on lettuce, compared with downy mildew, 41, **42, 44, 45**
on lettuce, distribution related to environment, 364
on rose, in Wisconsin, 6
Milholland, R. D., 21
milk
as control of mosaic of flue-cured tobacco, compared with resistance, 722
inhibits plant viruses, 19
Millar, R. L., (735)
Millecan, A. A., 363
Miller, C. R., 21
Miller, H. N., 21, 22, 1070
Miller, L. I., 743
Miller, L. P., 22, 743
Miller P. M., 743, (926), 926
Miller, P. W., 743
Miller, R. E., 22, 744
Millikan, D. F., (34), (34), (758)
Milo, G. E., (753)
Mink, G. I., 744
Minton, N. A., 272
Mircetich, S. M., (34)
Mitchell, J. E., (26), (29), 572, (744), (1196)
Mitchell, J. W., (46)
moisture
comparative effects on Ascochyta meliloti, A. caulicola, and Cercospora davisii, 300
content of stored pea seed, effect on Aspergillus spp. invasion, 336, **338**
effect on Cercospora, 3
effect on microflora in barley kernels, 740
effect on sporulation and survival of Rhynchosporium secalis, 752
of soil
effect on blotchy ripening of tomatoes, 524
effect on Ceratocystis ulmi in elm, 1191, **1193, 1195**
effect on development of Tylenchulus semipenetrans, 31
effect on Lilium longiflorum root rot, 754
effect on Macrophomina phaseoli in sorghum, 731, 737
related to effect of organic soil amendments on Meloidogyne incognita in tomato, 410, **412**
Moje, W., (34), 744
Monilinia
in peach hydrocooling tests with ice containing Dowicide A, 485
fructicola
in peach, effect of 2,6-dichloro-4-nitroaniline on, 922
resistance of Ginkgo biloba to, 233, **234**
Montie, T. C., 94
Monroe, R. L., (1211)
Montgillion, M. D., (166)
Moore, Cecilia J., (747)
Moore, J. D., (572), 744, 744, (876)
Moore, L. D., (923), 926
Moore, M. B., (749), (897)
Morehart, A. L., 164, (1217), (1217)
Morgan, F. L., (24)
Morgan, M. E., (407)
Morgan, O. D., Jr., (164), 165, 1219
morphology, of diseased and normal Helminthosporium victoriae, 693, **696, 697**
Morrill, Catherine C., (18)
Morton, D. J., 22, (373), 704
Morus, Stemphylium twig and stem canker of, 729
mosaic
soil-borne, of fall-seeded oats, 359

virus
on banana, control, 286
on Musa spp., transmitted by Aphis gossypii, 286
on Rhynchosia minima, related to tobacco leaf curl, 286
viruses
on cantaloup, 363
Moseman, J. G., 529
mottle virus on strawberry, 5
Mountain, W. B., (510), 744
Mukerjee, N., 583
Muller, A. S., 948
multiline varieties to control cereal rusts, 726
Mumford, D. L., 744
Munnecke, D. E., (365), (455), (724), 745, 1298
Murakishi, H. H., 22, 745
Murray, Hazel C., (19), (891)
Musa
bacterial wilt of, caused by tomato strain of Pseudomonas solanacearum, 286
sapientum, M. paradisiaca, mosaic virus of, transmitted by Aphis gossypii, 286
mutant
of Erwinia carotovora, radiation-induced, 10
of Helminthosporium halodes, produces red pigment, 2
of Puccinia coronata, pathogenicity of, 34
of Streptomyces scabies resistant to streptomycin, 756
proteinless, of tobacco mosaic virus, 752
mycelium
of Colletotrichum capsici, changes in amino acids in following exposure to maneb, 1217
of Puccinia graminis tritici, overwintering of, 742
mycoparasitism by Gonatobotryum fuscum, effects of microelements on, 162
mycorrhizae of pine, direct isolation of fungal symbionts, 34
Mycosphaerella
aleuritidis, ascospore dispersal, 31
citrullina, in watermelon, 635, **637**
websteri, cause of tung ringspot, 31
Mycostatin, toxicity and translocation characteristics in plum and prune trees, 1050, **1052, 1055**
Mylone
laboratory evaluation of, as eradicant soil fungicide, 503
volatile fungitoxic effluents, assay of, 745
Myzus persicae
transmission of potato virus A to var. Katahdin, 718
vector for watermelon and cucumber mosaic viruses on cantaloup, 746

n-alkyl quaternary ammonium compounds, relation of toxicity to translocation of, 923
N-aryl itaconimides, fungicidal activity of, 819
N-substituted phthalimide, fungitoxicity of, 925
nabam
controls leaf diseases of corn, 287
laboratory evaluation of as eradicant soil fungicide, 503
Nadakavukaren, M. J., 745
Naemacyclus niveus, in conifers in Idaho, 365
Nair, V. M. G., 22
Nakano, R. Y., (955)
naphthalene acetic acid, effect on corn leafspot and oxygen uptake, 185, **188**
1,4-naphthoquinone, produced by Lambertella hicoriae, 753
Nash, Shirley M., 567
nasturtium, to maintain strains of tomato spotted wilt virus, 723
necrotic ringspot virus
in cherry, effect on DNA content of leaves, 758
in Montmorency cherry seed, separation, 744
in Prunus, variation in, 32
Nectria galligena, spore discharge of, 740
Neely, D., 745
Nelson, K. E., 363, 745
Nelson, M. R., (359), 363, 746
Nelson, R. R., 22, 1045, (1064)
Nelson, W. L., 746
Nemagon, to treat cotton seedling blight, 747
nematocides
comparison of compounds in field soil, 723
to control Meloidogyne hapla on strawberries, 164
nematodes
associated with apple tree decline, 926
detergent enhanced sugar-induced dehydration, 9
differential penetrability, 14
grape, in New York orchards, 922
meadow, relation to Verticillium wilt in strawberry, 921
plant-parasitic, role in stunting pines in southern plantations, 56, **61-65**
stylét-bearing, in Ladino clover, effects of dieldrin and methyl bromide treatments on, 922
survival in soil, effect of oxygen on, 628, **629-631**
nematode control
aspects of, in equatorial Kenya Highlands, 737
of Meloidogyne hapla, in propagating stock with chemicals, 684, **687**
Nepokroeff, C. M., (926)
Neurospora sitophila, protein synthesis in germinating spores, 485
new diseases, forms, races, species, strains, etc.
Cytosporina die-back in North American apricot, 361
Fusarium oxysporum **eucalypti,** causes wilt of eucalyptus, 638, **639-641**
new races of Glomerella cingulata **orbiculare,** 15
new species of Rhizoctonia in strawberry, 14
new species of Xanthomonas **fragariae,** cause of angular leafspot of strawberry, 873, **873, 874**
new strain of common bean mosaic virus, 758
new strain of tobacco ringspot virus, 16
from Eucharis candida, 1211, **1212, 1215**
niacin content, of wheat and oats, effect of nickel chloride on, 17
Nichols, C. G., (1163)
Nichols, C. W., (363), 746
Nichols, R. E., (753)
nickel
duration of protective activity in wheat seedlings, against stem rust, 909, **912**
sprays, to control Puccinia graminis in wheat, 736
nickel chloride, effect on niacin content of wheat and oats, 17
Nicotiana
transfer of black shank resistance in, 1
glutinosa
heat-induced variegation on, 1307
resistance, in control of mosaic of flue-cured tobacco, compared with milk, 722
tabacum
inactivation of tobacco mosaic virus in, 983
molybdenum nutrition in relation to tobacco mosaic virus, 822, 824
Niederhauser, J. S., 746
Nielsen, L. W., 23
Nigrospora, in clover, effect of temperature on, 20
nitrobenzene, fungistatic and phytotoxic properties of derivatives of, 642, 643, 647
nitrogen
effect on blotchy ripening of tomatoes, 524
effect on Fusarium solani root rot of bean, 757
effects on phenol content of Puccinia graminis infected wheat leaves, 738
inorganic, utilization of by Phytophthora spp., 1220
metabolism of oat, changes with victorin treatment, 740
source and rate affect Verticillium wilt of cotton, 38, **39**
trichloride gas, prevents Botrytis and Rhizopus rots of small fruits, 367

Nocardia, chitin media for culture, 317
nodulation, effect on Meloidogyne incognita acrita in soybeans, 163
Nolla, J. A. B., 946
Norman, Shirley M., (361)
Nour, J. J., (398), (427)
Nour, M. A., 398, 427
Noveroske, R. L., 23, 746
Noviello, C., 1315
Nozu, M., (88), (717)
nucleus of host, effect of viral infection on, 29
Nusbaum, C. J., 23, (25)
nutrients added to spore suspensions, effect on spring blackstem of alfalfa, 724
nutrition
competition between Hypoxylon puntulatum and Ceratocystis fagacearum, 498, **500, 501**
effect on mycelial growth and sporulation of Ascochyta imperfecta, 21
mineral, effect on crown gall of tomato and cherry, 362
mineral, requirements for growth and sporulation of Alternaria tomato, 722
molybdenum, in Nicotiana tabacum, 822, **824**
of Gonatobotrys simplex, 486
of Luecostoma persoonii and Zythiaceae on Prunus domestica, 740
of pepper, relation to bacterial spot development, 486
of Striga asiatica, 1064, **1066, 1068**
related to growth of Trifolium pratense and severity of Fusarium root rot, 728
sulfur, of Aphanomyces euteiches, 315
sulfur, of tobacco, related to multiplication of tobacco mosaic virus, 155
nutritional requirements of Aphanomyces euteiches, 12
Nyland, G., 1235

oak
Armillaria mellea in, 15
Botryodiplodia in, causes branch canker and die-back, 26
Ceratocystis fagacearum in
histological studies, 22
longevity in presence of other fungi, 162
Gambel, witches' broom associated with Articularia quercina minor, 451, 452, **453**
noninsect galls on, 1222
wilt, leaves as a possible source of inoculum, 164
oats
barley yellow dwarf virus in, resistance to, 4
changes in nitrogen metabolism with victorin treatment, 740
effect of nickel chloride on niacin content, 17
effect of victorin on Krebs cycle acids in, 19
Helminthosporium sativum on, related to variation in, 493, **496**
Helminthosporium victoriae in, permeability changes, 4
ozone injury of, alleviated by varietal resistance, 923
relation of crop rotation to yield, 757
relation of Helminthosporium victoriae and Meloidogyne incognita acrita in, 485
soil-borne mosaic of, 359
winter, barley yellow dwarf virus on, effects on survival and yield, 624, **626**
oat blue dwarf, in barley and flax, cause and transmission, 897, **898, 899**
oat mosaic virus, transmission with infective juice, 30
O'Bannon, J. H., 746
O'Brien, Muriel J., (486), (749)
G. Ocaña, G., 23
Ogawa, J. M., 23, 747
Oidiodendron nigrum, feeding of Ditylenchus destructor on, 722
O'Keefe, R. B., (1268)
Old, K. M., 747
oleander, Pseudomonas savastanoi from, virulence of, 741
olive
Pseudomonas savastanoi from, virulence of, 741
Verticillium albo-atrum in, 32
Olpidium
necessary for transmission of big vein of lettuce, 5
zoospores of, carry tobacco necrosis virus, 754
brassicae, improves recovery of tobacco necrosis virus from roots, 366
onion
Botrytis in, pathogenesis of, 12
Botrytis leafspot and blight in, pectic and cellulytic enzymes involved, 735
Ditylenchus dipsaci on, 510, **512-514**
decline caused by stubby-root nematodes, 362
pathogenicity of Pyrenochaeta terrestris and Fusarium from roots, 735
Pyrenochaeta terrestris in, histology of roots of susceptible and resistant varieties, 1163, **1165, 1166**
O'Melia, Frances C., (755)
oogenesis
of Heterodera glycines and H. trifolii, 13
of Meloidogyne javanica and M. arenaria, 30
oospores
in culture, 807, **808**
microbial influence on formation in culture, 583, **584**
of Phytophthora infestans, effect of temperature and light on, 165
production by single-zoospore isolates of Phytophthora fragariae, 807, **808**
Opitz, K. W., (32)
orange
Navel, stubborn disease in, calcium content of leaves related, 737
Tylenchulus semipenetrans on, effect of temperature and soil-oxygen diffusion rates, 754
Orellana, R. G., 23, (30), 533
Orenski, S. W., 1219, 1220
organic materials, to control Fusarium root rot of bean, 727
organic mercurials, vapor action against seed-borne cereal diseases, 723
Orlob, Gert B., 747
ornamental plants, Phytophthora diseases of, 361
Osborne, W. W., 926
Osborne's cyst nematode, description of, 743
Oshima, N., (18), 23
overwintering
of Meloidogyne in North Carolina, 23
of uredospores and mycelium of Puccinia graminis tritici, 742
oxidation in tomato, effect of Fusarium infection on, 354
oxygen
diffusion rate in soil, effect on Tylenchulus semipenetrans on orange, 754
diffusion rate, effect on survival of nematodes in soil, 628, **629-631**
level in stems, effect of wilt, 7
uptake, in corn, effect of growth regulators on, 185, **188**
oxyquinoline citrate, toxicity and translocation characteristics in plum and prune trees, 1050, **1051, 1052, 1054, 1055**
oxyquinoline sulfate, toxicity and translocation characteristics in plum and prune trees, 1050, **1051**
ozone
air pollution and tobacco fleck, 735
effects on tobacco leaf metabolism, 740
injury to oats alleviated by varietal resistance, 923
possible cause of white pine emergence tipburn, 724
tobacco strain Bel W-3 indicator for, 735

PCNB
tolerance of Hypomyces solani to, genetics of, 733
tolerance of Rhizoctonia solani to, related to pathogenicity, 752
p-dimethylaminobenzenediazo
chemotherapeutic effect in sugar beet, 389, 391

sodium sulfonate, photochemical decomposition and biological activity, 51, **53, 54**
Pady, S. M., 24
Paige, Lucy, (728)
Palmer, J. G., 165, 165, 1220, (1221)
Palmiter, D. H., 926, 926
Panama disease of banana, related to Fusarium wilt of Heliconia, 287
pancreatic ribonuclease, inactivates alfalfa mosaic virus, 747
Panodrench 4, inactivated by Bacillus spp., 455, **459, 460**
Papavizas, G. C., 24, 165, 759, 834
papaya, distortion ringspot, faint mottle ringspot, and mild mosaic virus in, 6
Pappelis, A. J., 24, 24
parasites, fungal and bacterial, host plants as habitat for, 140, **142, 144, 147, 148**
Paratylenchus
elachistus, survival in soil, effect of oxygen on, 628, **629-631**
hamatus, on Mentha, pathogenicity and population dynamics of, 731
projectus, effect of fallowing, desiccation, and soil temperature on, 20
Parker, K. G., (419)
Parmeter, J. R., Jr., 376, (750)
parsley, Stemphylium leafspot in, 925
Partridge, A. D., 1000
Partyka, R. E., 766
Patel, P. N., 24
Pathak, V. K., (24)
pathogen-free stock
maintenance of, 1255
obtained by cultured cutting techniques, 1239
obtained by index techniques, 1235
obtained by shoot tip culture, 1242, **1243**
obtained by thermotherapy of planting material, 1244, **1245, 1246, 1248, 1252**
symposium on, 1234
pathogenicity
inheritance of, in Puccinia graminis, race 111 × 36 cross, 547, **548, 550, 551**
of Cercosporae, factors affecting, 724
of Fusarium solani, effect of crop residue decomposition on, 30
of Glomerella cingulata on Lupinus angustifolius, effect of temperature and host genes on, 757
of Meloidogyne incognita acrita to sugarcane, related to Pythium graminicola, 1180, **1182, 1183**
of Paratylenchus hamatus on Mentha, 731
of Pellicularia filamentosa, related to pectolytic and cellulytic enzyme production, 1119, **1121, 1123**
of Pratylenchus scribneri, 755
of Pseudomonas sesami, related to amino acids and reducing sugars, 30
of Pyrenochaeta terrestris and Fusarium from onion roots, 735
of Rhizoctonia solani, related to tolerance to PCNB, 752
of Sphacelotheca reiliana in corn, 199, **200, 201**
of Tilletia caries, related to compatibility of crosses, 737
of Tilletia caries and T. foetida, effect of temperature on, 621, **622**
of Venturia inaequalis, related to syntrophism, 725
of Venturia inaequalis to apple, relation of amino acids to, 757
of Xiphinema index, 748
relation of vascular occlusion to in banana roots, 893, **894, 895**
selective, of Fusarium oxysporum, physiology of, 729
selective, of Fusarium oxysporum, role of naturally occurring fungitoxicants, 729
Patil, B. C., (369)
Patil, S. S., 364, 747
Patrick, Z. A., 24, (30)
Patterson, F. L., (34)
Patton, R. F., (739), 1149
Paulus, A. O., 25, (32), (367)
pectin, metabolism in vitro by Venturia inaequalis, 1019
pea
Aphanomyces euteiches in
host-parasite relations, 7
inhibited by amino compounds, 24
resistance related to parasite nutrition, 12
attraction of Aphanomyces euteiches zoospores to roots of, 616, **617**
effect of Aspergillus on germination and vigor, 727
Fusarium solani, F. oxysporum in, interaction effects, 1126, **1127, 1129, 1130**
Fusarium solani pisi in, seedling test for resistance, 557
growth of Fusarium solani in rhizosphere, 1196
pea enation mosaic virus in
anatomical changes in stem, 755
biochemical alterations, 25
giant stem enations, 749
histopathological changes, 755
root lesion caused by Rhizoctonia solani toxin, 586
seed, effect of Aspergillus spp. on, in storage, 336, **337, 338**
tip wilt, 362
yellow-spot virus in, strain of alfalfa mosaic virus, 487
pea enation mosaic virus
in pea, anatomical changes in stem, 755
in pea, histopathological changes associated with external leaf symptoms, 755
in pea pod, biochemical alterations, 25
in Pisum sativum, giant stem enations, 749
relation of isolates, 749
pea mosaic virus, cause of broad bean mosaic in Sudan, 398, **399**
pea mottle virus, effect on host nuclei, 29
pea streak virus, longevity of, 486
pea viroses, typical field symptoms reproduced in greenhouse, 748
peach
effect of gamma radiation on fruit decay, 3
Fusicladium carpophilum in, contact fungicides for, 11
growth reduction related to graft-inoculation with stone fruit ringspot virus, 747
hydrocooling tests with ice containing Dowicide A, 485
indicator of Prunus ringspot virus, 846
post-harvest decay, reduced with hot water, 28
Pseudomonas syringae in, effect of D-D on resistance, 729
Rhizopus and Monilinia in, effects of 2,6-dichloro-4-nitroaniline on, 922
western-X disease of, control, 363
peach fruits, Rhizopus stolonifer in, effect of Botran and temperature on, 23
peanut
pod rot of, Pythium a probable cause, 1218
Sclerotium rolfsii, Cercospora in, control, 13
Sclerotium rolfsii in, cultural control in 5 varieties, 1218
pear
bark measles associated with Old Home interstocks, 363
decline of, bud union anatomy, 751
disease of, caused by chlorotic leafspot virus of apple, 743
effect of gamma radiation on fruit decay, 3
Phytophthora cinnamomi and P. cactorum in, susceptibility of roots to, 1294, **1296**
tissues, extracts, and ash inhibit Erwinia amylovora, 1219
pear decline, effect of stock-scion combinations, 679
pecan, Fusicladium effusum in, controlled by aerial fungicide application, 11
pectin-polygalacturonase, produced by Alternaria mali, 30

Pellicularia filamentosa
optimum temperature, 2
pathogenicity, factors affecting, 2
pectolytic and cellulytic enzyme production, related to pathogenicity, 1119, **1121, 1123**
Pendery, W. E., (752)
penetration
by nematodes, differential, 14
of bean by Fusarium solani phaseoli, 219, **221, 222, 225**
of bean by Thielaviopsis basicola, 194, **195, 197**
Penicillium
inactivates Semesan, 455, **458**
plate-profile technique for isolation in soil, 1
corymbiferum, in decay of garlic, 666, **668, 670, 672, 673, 675**
digitatum
controlled with dibromotetrachloroethane, 361
differential sensitivity to biphenyl, 361
in post-harvest fruit decay, controlled by 2-aminobutane, 730
frequentans, inhibited by lignin products, 295, **296**
funiculosum, cause of core rot in gladiolus, 794, **795**
italicum
controlled with dibromotetrachloroethane, 361
in post-harvest fruit decay, controlled by 2-aminobutane, 730
megasporum, feeding of Ditylenchus destructor on, 722
notatum, induced tolerance to fungicides, 1000
Peniophora, in yellow-poplar, 486
pentachloronitrobenzene
effect on reaction of Rhizoctonia solani to nonsterile soil, 361
effect on Rhizoctonia disease of potato, 18
effect on Rhizoctonia solani in culture, 19
tolerance of Rhizoctonia solani to, related to pathogenicity, 752
pepper
cucumber mosaic virus on, 25
Meloidogyne incognita acrita and Pratylenchus penetrans on, pathogenicity of, 927
relation of nutrition to bacterial spot, 486
tobacco mosaic virus in, fruit breakdown of, 922
perethecial primordia of Hypomyces solani, induction of, 359
perfect stage
of Cercospora musae, 11
of Phomopsis gardeniae, 21
pericarp, effect on Ustilago hordei in barley, 738
Peridermium stalactiforme, on jack pine, causes stem canker, 721
permeability
changes in, with Helminthosporium victoriae in oats, 4
of apple cuticle, unidirectional movement in, 11
of yeast to pyruvate ion, effect of fungitoxic compounds on, 17
Peronospora manshurica, germination of oospores, 8
Pestalotia, on Arceuthobium sp., 757
Petersen, L. J., (541)
Peterson, G. A., (22)
petunia, Phytophthora parasitica in crown rot of, 25
Pfahler, P. L., (340), (344)
pH
effect on development of Tylenchulus semipenetrans, 31
effect on virus infection, 362
of soil, effect of poinsettia root rots, 559, **562-564**
related to effect of organic soil amendments on Meloidogyne incognita in tomato, 410, **412**
phage relations, of Pseudomonas savastanoi and P. tonelliana, 33
Phaseolus vulgaris and Rhizoctonia solani, host-parasite relations, 381, **382, 384, 386, 387**
phenols
content of wheat leaves infected with Puccinia graminis, effects of nitrogen, 738
histochemistry in Fusarium oxysporum-infected banana, 19
metabolism in wheat, 657, **659-661**
related to stem rust resistance in wheat, 657, **659-661**
total, in potato, related to infection by Verticillium albo-atrum, 364
phenolic compounds in carrot root tissue, changes with infection by Thielaviopsis basicola, 413, **415**
phenylalanine, metabolism of DL- and L-isomers related to apple resistance and susceptibility to Venturia inaequalis, 699, **701, 702**
Phialophora, associated with discolorations behind wounds in hardwoods, 1221
Phillips, D. J., 25, 323, 747, (957), (1242)
Phillips, D. V., (725)
phleomycin, to control bean rust, 166
Phleum pratense, foliage diseases of, 448, **450**
phloretic acid, metabolism in vitro by Venturia inaequalis, 1019
phloretin, metabolism in vitro by Venturia inaequalis, 1019
phloridzin, metabolism and role in resistance to Venturia inaequalis, 746
metabolism in vitro by Venturia inaequalis, 1019
phloroglucinol, metabolism in vitro by Venturia inaequalis, 1019
Phoma
associated with roots of red clover, 1216
betae, on beet, seed treatment for, 362
Phomopsis
citri, effect of light on growth and sporulation, 28
gardeniae, perfect stage, 21
phorate, efficacy as a fungicide, 371, **372**
phosphate, effect on virus infection, 362
phosphorus
causes increased bacterial populations in soybean roots, 730
metabolism, in wound-tumor and normal Rumex tissue cultures, 748
phosphorylation, in tomato, effect of Fusarium infection on, 354
photodynamic inhibition, of tobacco mosaic virus, 747
photosynthesis, in healthy and rust-affected tissues, 739
Phylloxera vastatrix galls, growth in vitro, compared with normal grape stem callus, 1
Phymatotrichum omnivorum, microbial stimulation of, 725
Physalospora
produces proteolytic enzymes, 739
production of extracellular enzymes by, on apple fruit, 1004
obtusa
produces proteolytic enzymes, 739
production of extracellular enzymes by, on apple fruit, 1004
tucumanensis, in sugarcane, disease cycle, 10
physiology
of Colletotrichum capsici, alterations in presence of maneb, 164
of disease, 185, **188**
Physoderma maydis, penetration of meristematic tissue of corn by, 1013, **1015**
Physopella, host range and races of, 1010
phytopathology, related to weather, symposium on, 1095
Phytophthora
effect of hydrogen ion concentration on growth rate, 727
effect of light on sexual and asexual sporulation of, 1218
in ornamental plants, 361
in pineapple, isolation from soil and diseased tissue, 955
in tropics, 936
interspecific hybridization in, 1220
selective antibiotic medium for isolation of, 771, **773, 776**
utilization of inorganic nitrogen by species of, 1220

cactorum, in pear, susceptibility of roots to, 1295, **1296**
cinnamomi
ethionine as a chemotherapeutant against, 34
in avocado root rot, resistance to, 288
in pear, susceptibility of roots to, 1295, **1296**
soil fungicides for, laboratory evaluation, 503
citrophthora
comparison of single zoospore isolates, 360
controlled by D-D, 723
control tested in field soil, 723
cryptogea, from alfalfa, variation in, 731
fragariae
culture media for sporangial production, 9
oospore production by single-zoospore isolates in culture, 807, **808**
physiologic specialization in, 802
zoosporangium production, factors affecting, 163
infestans
effect of temperature and light on formation and germination of oospores, 165
in potato, epidemiological potentials of varieties, 1268, **1269, 1270**
multigenic resistance to, greenhouse tests, 1218
multigenic resistance to, in potato, 746
megasperma sojae, pathogenicity and cultural variability of single zoospore isolates of, 859, **860**
palmivora, in cacao pod rot, effect of spray oils on, 23
parasitica
controlled by D-D, 723
control tested in field soil, 723
genetic variation, 12
in carnation wilt, 736
in citrus, tolerance to root rot evaluated, 1277, **1279**
in petunia crown rot, 25
nicotianae, physiological specialization in, 351, **353**
nicotianae, relation of zoospore production and motility to virulence, 191, **193**
sabdariffae, microbial influence on formation of oospores in culture, 583, **584**
phaseoli
chemical basis for resistance of lima bean to, 1030, **1033, 1035**
in lima bean, colonization affected by temperature and plant age, 1219
in lima bean, viability of, 1222
new race of, causes downy mildew in New Jersey, 486
oospore development, in lima bean seedlings, effect of temperature on, 164
Phytostreptin, toxicity and translocation characteristics in plum and prune trees, 1050, **1051**
phytotoxicity
of nitrobenzene derivatives, 642, **643-647**
of purines and pyrimidines, 432
of spray oils to banana, 286
phytotoxin, produced by Rhizoctonia solani, 586
pimaricin, effect on growth and respiration of Pythium, 736
Pinckard, J. A., 747
Pinkerton, C., (1222)
Pine, T. S., 747
pine
black root rot of seedlings, 210, **211-213, 216**
eastern white, pathogenicity of Lophodermium in, 2
Elytroderma deformans in phloem, 332, **334, 335**
Fomes annosus in, greenhouse inoculation of seedlings, 4
jack, Peridermium stalactiforme on, causes stem canker, 721
jack, root wounds as entry points for fungi, 739
mycorrhizae, direct isolation of fungal symbionts, 34
red, Cylindrocladium scoparium in, causes root rot of seedlings, 721
root infected with lance and cystoid nematodes, histopathology, 68, **69, 70**
slash, Cronartium fusiforme in seedlings, histology, 850, **851, 852, 854-856**
stunting of, role of plant-parasitic nematodes, 56, **61-65**
white, emergence tipburn of, ozone a possible cause, 724
white, needle blight of, 5
pineapple, pythiaceous fungi in, isolation from diseased tissue, 955
Pinus echinata, Fomes annosus in, inoculation and colonization of stumps, 739
Piricularia oryzae, distribution in U.S., 2
Pirone, T. P., (741), 747, 822
Pisum sativum, penetration and infection of roots by Aphanomyces euteiches, 827, 829-832
pith, Gibberella zeae related to seasonal changes in condition and density, 24
Plakidas, A. G., 77, (884)
plant sap, merthiolate-induced precipitation in gel-diffusion test, 179
Plasmodiophora brassicae, on sweet alyssum, 746
Pleurotus ostreatus, in yellow-poplar, 486
plum, toxicity and translocation characteristics of 6 fungicidal compounds in trees, 1050
Poa pratensis, Helminthosporium vagans in, 448, **450**
pod mottle virus, longevity, 486
pod rot of peanut, Pythium a probable cause, 1218
poinsettia
bacterial blight of, histopathology, 103, **105, 107-109**
root rots, related to soil pH, 559, **562-564**
Poljakoff-Mayber, A., (715)
pollen, recovery of virus from refrigerated fruit tree and grapevine pollen collections, 367
polygalacturonase activity, correlated with pathogenicity of Pellicularia filamentosa, 2
Polygonum, Melanopsichium pennsylvanicum on, causes gall smut, 734
polyhalo-alkyl sulfenyl chlorides, acidic nitrogen derivatives of, fungicidal properties, 754
polyphenol-oxidase inhibitor, breaks down host resistance to Venturia inaequalis, 23
Polyporaceae in decay of wood, compared with Xylariaceae, 21
Polyporus adustus, P. versicolor, in yellow-poplar, 486
Poncirus trifoliata
exocortis in, effect of soil temperature on, 32
modification of immunity to yellow-vein virus, 367
popla:
black, canker of, caused by Fusarium, 724
yellow
butt rot infection, from dead ancillary stems, 1218
decay in thinned sprout clumps, 486
Fusarium solani in, 8
mosaic, investigation by electron microscopy, 954, **954, 955**
populations
of fungi in soil, technique for estimation, 26
of Fusarium oxysporum melonis in naturally infested soil, 21
population estimation, quantitative technique with Thielaviopsis basicola, 366
Poria incrassata, spread through soil to living trees, 163
Porte, W. S., (486)
Porter, C. A., 25, 748
post-harvest fruit decay
control with 2-aminobutane salt solutions, 730
in peach, reduced with hot water, 28
potassium nutrition of tomato, related to blotchy ripening, 524
potato
dehydrated, for making potato-dextrose agar, 173
inhibitors of potato virus X in leaves, 688, **689-691**
multigenic resistance to late blight, studies on disease cycle, 164
Phytophthora infestans in, epidemiological potentials of varieties, 1268, **1269, 1270**

resistance to Phytophthora infestans, multigenic, 746
quality, affected by soil fumigation to control root-knot nematodes, 360
resistance to Verticillium albo-atrum, related to chlorogenic acid, 747
Rhizoctonia on, effect of Terraclor, 18
seed-piece decay, field trials for chemical control, 164
var. Katahdin, transmission by aphids of potato virus A to, 718
Verticillium albo-atrum in, relation to chlorogenic acid and total phenols, 364
Verticillium albo-atrum in, thermal inactivation, 364
potato blackleg, field trials for chemical control, 164
potato-dextrose agar, made with dehydrated potatoes, 173
potato late blight, multigenic resistance to, in relation to disease cycle, 164
potato leafroll virus
host range, 360
symptomatology on Datura, 363
potato spindle tuber virus, transmitted to tomato, 749
potato sprayer, tractor-mounted, for field-plot studies, 925
potato virus A, transmission by aphids to var. Katahdin, 718
potato virus X
amino acid composition, 170
in tomato, with tobacco mosaic virus, effects on callus and root growth, 745
in tomato, with tobacco mosaic virus, effect of temperature and host, 22
inhibitors in leaves with types of virus resistance, 688, **689-691**
interaction with potato virus Y, effect of age of tobacco leaf tissue, 226, **227, 229, 230**
interaction with potato virus Y in tobacco, effect of temperature on, 71, **74**
potato virus Y
resistance to, in Capsicum annuum, 752
variation of virulence, 3
Pound, G. S., (32), (33), (155), 373, (733), (822)
Powell, D., (5), (30), (1073)
Powell, N. T., 25
Powell, W. M., 25, 25
Powelson, R. L., (364), 364, (747)
Powers, H. R., Jr., (547)
Pratt, M., 364
Pratylenchus
brachyurus, transmitted by fertilizers, 11
crenatus, in corn, 22
penetrans
control of soil-borne fungi related to incidence of, 926
effect of soil amendments on, 743
effects on Forsythia intermedia, 926
in corn, 22
in Ladino white clover and strawberry, pathogenicity, 922
in pepper, pathogenicity, 927
interacts with Verticillium dahliae in tomato wilt, 744
scribneri
pathogenicity of, 755
storage life, factors affecting, 366
vulnus, survival of, in excised grape roots in moist soil fumigated with ethylene dibromide, 1309
precipitate from plant sap, Merthiolate-induced in gel-diffusion tests, 179
Presley, J. T., 748
Pridham, T. G., (166)
principles of plant pathology, 166
Pringle, R. B., (750), (750)
Probst, A. H., (712)
proline, effect on germination of spores of Rhizopus stolonifer, 756
propyl acetate, synthesized by endoconidial-forming fungi, 407
propyl ethyl-n-butyl thiol carbamate, in control of Rhizoctonia on tomato, 1217
propylene oxide for sterilizing agar, 167
Provvidenti, R., 748, (751)
prune
Cytospora in, prevention of invasion of injured stems with wound-treatments, 1061, **1062, 1063**
ringspot and prune dwarf in, related to decline, 159
toxicity and translocation characteristics of 6 fungicidal compounds in trees, 1050, **1051-1055**
prune dwarf virus
effects on nucleic acid content of Prunus mahaleb, 737
separation in Montmorency cherry seed, 744
Prunus
gall formation in black-knot disease, 880, **881-883**
relation among ringspot-type viruses of, 922
domestica
Leucostoma persoonii and Zythiaceae on, nutrition of, 740
toxicity of 46 compounds to Cytospora isolate from, 810, **812-814**
mahaleb, nucleic acid content, effect of single and multiple virus infection on, 737
Prunus ringspot virus, Shirofugen and peach trees as indicators, 846
Pryor, R. L., (165)
Psarros, E. E., 693
Pseudomonas
andropogonis, possible cause of bacterial leaf stripe of corn, 32
marginalis, changes in virulence with cultivation and ultraviolet irradiation, 732
phaseolicola, in bean, physiology of halo blight in, 24
savastanoi
from olive and oleander, virulence of isolates, 741
P. tonelliana, host, physiological and phage relations of, 33
serological and biochemical similarity to P. tonelliana, 741
sesami, pathogenicity related to amino acids and reducing sugars, 30
solanacearum
designation of races of, 726
in banana, insect dissemination of, 726
in banana, physiology of symptom induction, 3
in banana, water relations of infected plants, 1144, **1145-1147**
in tomato, effect of nematodes on, 1219
infection, related to accumulation of growth substances, 439, **442, 443, 445**
manner of spread and infection, 16
tomato strain of, causes bacterial wilt of Musa spp., 286
syringae
in peach, effect of D-D on resistance, 729
mode of infection of sweet cherry, 917, **919, 920**
produces wide spectrum antibiotic, 360
tonelliana, serological and biochemical similarity to P. savastanoi, 741
Pseudoperonospora humuli, sporulation and infection by, factors affecting, 753
Pseudoplea trifolii in alfalfa, inoculation technique, 172
psorosis virus of citrus, serological identification, 754
Puccinia
asparagi, in asparagus, mechanisms of invasion, 115, **117**
carthami
in safflower, hypocotyl reaction a measure of resistance, 1177, **1178, 1179**
in safflower, tricarboxylic acid cycle intermediates in, 4
coronata
resistance of Avena spp. to, 585
spontaneous mutations for virulence, 34
urediospore germinability, effect of light, temperature, humidity on germinability, 1223

graminis
from barberries inoculated with race 15B, 11
in wheat affected by CO_2, 34
in wheat callus tissue, 21
in wheat, distribution of C^{14}-containing metabolites, 169, **169**
low temperature selection of, 18
synthesis during uredospore germination, 11
uredospores, enzymes in, 5
graminis secalis, development on tissue cultures of barberry, 721
graminis tritici
duration of protective activity in wheat seedlings of various compounds against, 909, **912**
in wheat, control with nickel and carbamate sprays, 736
in wheat, phenol content of leaves and effects of nitrogen, 738
inheritance of pathogenicity in race 111 × 36 cross, 547, **548, 550, 551**
uredospores and mycelium, overwintering, 742
helianthi, races of, 736
helianthi, P. sorghi, protein synthesis in germinating spores, 485
hordei, in barley, inheritance of reaction to, 26, 1288
polyspora, host range and races of, 1010
recondita, in wheat affected by CO_2, 34
sorghi
effect of glutamate on uredospores, 28
genetic control of rust reaction type in, 724
host range and races of, 1010
in corn, carbohydrate content of leaves, 29
in corn, control, 287
in corn, development of resistant lines, 14
in corn, gene locus for resistance, 14
in corn, inheritance of resistance, 122
stakmanii, telial and sporidial stages of, factors affecting, 725
striiformis
effects on grass varieties, 730
in wheat, effect of host temperatures, 751
in wheat, seedling vs. mature plant reaction, 748
uredospore germination, effect of light and temperature on, 742
uredospores of, free amino acid content, 727
suaveolens, development on tissue cultures of Cirsium arvense, 721
Purcifull, D. E., (5)
Purdy, L. H., 25, (621), (727), 748
purification, partial
of common bean mosaic virus, 166
of viruses with acetone-dried agar gels, 29
purines, inhibit mosaic and stripe viruses, 432, **436**
Putt, E. D., (736)
Pyrenochaeta terrestris
from onion roots, pathogenicity of, 735
fruiting induced by near-ultraviolet light, 735
in onion, histology of roots of susceptible and resistant varieties, 1163, **1165, 1166**
Pyrenophora teres, heterothallism in, 742
pyrimidines, inhibit mosaic and stripe viruses, 432, **436**
Pyrus, decline disease on different stock-scion combinations, 679
pyruvate ion, effect of fungicides on permeability of yeast cells to, 959, **960, 961**
Pythium
blight, on Highland bentgrass, influence of post-infection air temperature, 926
control of, tested in field soil, 723
effect of streptomycin and pimaricin on growth and respiration, 736
in pineapple, isolation from soil and diseased tissue, 955
in soil, effect of crop rotation on, 27
isolation from soil particles, 1133
plate-profile technique for isolation in soil, 1
probable cause of peanut pod rot, 1218
selective antibiotic medium for isolation of, 771, **773, 776**
debaryanum
effect of seed protectants on, 29
in alfalfa and red clover, effects of environment and age of seedlings on susceptibility, 985, **987, 988**
graminicola
in sugarcane in Hawaii, relation to Meloidogyne incognita acrita, 1180, **1182, 1183**
relation with pathogenicity of Helicotylenchus nannus on sugarcane in Hawaii, 798, **799-801**
ultimum
cell-free particles from, respiratory activities of, 755
effect of aeration on, 927
isolation from soil particles, 1133
on Lilium longiflorum, effect of soil moisture, 754
on poinsettia, effect of soil pH on, 559, **562-564**

Quackenbush, F. W., (1259)
Quercus ellipsoidalis, effect of growth regulators on Ceratocystis fagacearum wilt, 733

RNA
effect of virus infection on, in Prunus mahaleb, 737
estimation in leaf tissue, 34
Raabe, R. D., 26, 364, (757)
races
of Pseudomonas solanacearum, designation of, 726
of Puccinia helianthi, 736
of Uromyces phaseoli phaseoli, revised system for identification, 729
pathogenic, of Tilletia controversa in Pacific Northwest, 1153, **1155**
Rackham, R. L., (628)
Radewald, J. D., 748, 748
radiation
effect of gamma dose rate on fruit decay, 3
quality of, inhibitory to sporulation of Alternaria tomato, 1227, **1227**
radioactivity, uptake of, by Dalbulus maidis and Macrosteles fascifrons, 1220
radish
Albugo candida in, metabolism, 32
Albugo candida in, nature and inheritance of resistance to, 33
bacterial black spot of, 970, **970, 972**
Fusarium oxysporum in, seasonal variation and effect of crop rotation, 33
radish P virus, relation to turnip mosaic virus, 373
Ramalingam, M., (347)
Ramsey, R. H., (747)
Rangaswami, G., 347, 989
Ranney, C. D., 38
Raski, D. J., (748), (748), (1309)
Rasmusson, D. C., (744)
raspberry
alpha- and beta-curl viruses of, insect and graft transmissions, 728
Botrytis and Rhizopus rots of, controlled with gases, 367
Raymer, W. B., 749
Rebois, R. V., (9)
red node virus, longevity, 486
Redit, W. H., (485)
reducing sugars, related to pathogenicity of Pseudomonas sesami, 30
Reinert, R. A., 749
Renfro, B. L., (724)
reproduction
of Heterodera glycines and H. trifolii, 13
of Heterodera schachtii in warm soils, 366
Resconich, E. C., (33)
residues of 2-aminobutane in citrus and apples, analysis, 738

resistance
chlorotic-lesion, to Helminthosporium turcicum in corn, inheritance of, 737
mechanisms, relation of chlorogenic acid content and resistance to coffee canker, 544, **545, 546**
monogenic chlorotic-lesion, to Helminthosporium turcicum in corn, 736
multigenic, of potato to Phytophthora infestans, 746
multigenic, to Phytophthora infestans, greenhouse tests for, 1218
of avocado, to Phytophthora root rot, 288
of banana, to Fusarium wilt, pectic enzymes and cellulase formation related, 247, **250, 251, 253**
of barley
to Helminthosporium spot blotch, lesion type as means of detecting, 1086, **1087, 1088**
to Puccinia hordei, genetic basis, 1288
to Ustilago nuda, 744
of Capsicum annuum to potato virus Y, 752
of citrus rootstocks to Tylenchulus semipenetrans, factor in root sap related, 738
of cotton
seedlings, varietal, 10
to Meloidogyne spp., 272, **274, 276**
of Erwinia amylovora to streptomycin, an indicator of virulence, 1201, **1203-1206**
of flue-cured tobacco to mosaic, compared with control by milk, 722
of Ginkgo biloba to fungi, 233, **234**
of lima bean to Phytophthora phaseoli, chemical basis for, 1030, **1033, 1035**
of mutants of Streptomyces scabies to streptomycin, 756
of onion to Pyrenochaeta terrestris, histology of roots of susceptible and resistant varieties, 1163, **1165, 1166**
of pea, to bean virus 2, overcome, 751
of potato to Verticillium albo-atrum, relation of chlorogenic acid, 747
of radish to Albugo candida, nature and inheritance of, 33
of safflower to Puccinia carthami, hypocotyl reaction a measure, 1177, **1178, 1179**
of soybean, effect on interaction of tobacco ringspot virus and Meloidogyne incognita acrita in, 1220
of sweetpotato to internal cork virus, evaluation of breeding stocks, 1168, **1169, 1170**
of tobacco
to tobacco mosaic virus, caused by Thielaviopsis basicola, 4
to wildfire disease, lost due to chromosome fragmentation, 753
of tomato, to Fusarium wilt, pectic enzymes related, 255, **258**
possible relation of biochemical changes in water-insoluble material of maturing apple fruit to, 1023
to black shank, transfer in Nicotiana, 1
to corn stalk rot, related to histological structure of stalk, 726
to Fusarium solani in pea, seedling test for, 557
to Meloidogyne incognita acrita in tobacco, histology of, 25
to Puccinia sorghi in corn, inheritance of, 122
to rust in flax, linkage of conditioning genes, 732
to Tilletia caries, inheritance of, 743
to tomato curly-top, Solanum pennellii a possible source, 1230
to Venturia inaequalis, broken down by polyphenoloxidase inhibitor, 23
respiration
of cell-free particles from Pythium ultimum, Rhizoctonia solani, and sugar beet seedlings, 755
of diseased and normal Helminthosporium victoriae, 693, **696, 697**
of Pythium, effect of streptomycin and pimaricin on, 736
Reyes, A. A., 26, 1196
Reynolds, H. W., (746)
Reynolds, J. E., (743)
Rhizoctonia
associated with roots of red clover, 1216
in soil, affected by carbon dioxide, 759, **760, 762, 764**
in soil, suppression by carbon dioxide, 165
isolation and pathogenicity of saprophytic clones from soil, 834, **837**
isolation frequency from rhizospheres affected by crop sequences, 721
new species, stimulated by strawberry root exudates, 14
on algae, liverworts, and ferns, 1219
on bentgrass, chemical control of brown patch, 923
on celery, effect of air carrier sprayer for control, 29
on potato, effect of Terraclor on, 18
on tomato, fungicides and herbicide to control, 1217
plate-profile technique for isolation in soil, 1
leguminicola, in red clover, causes physiological disturbance in animals, 753
solani
cause of tomato fruit rot in Texas, 723
cell-free particles from, respiratory activities of, 755
effect of aeration on, 927
effect of nonsterile soil on, in presence of PCNB, 361
host-parasite relations in bean, 381, **382, 384, 386, 387**
in bean, pectic enzymes associated with, 2
in clover, effect of temperature on, 20
in poinsettia, effect of soil pH on, 559, **562-564**
in soybean seedlings, effect of metabolic by-products on roots, 202, **204, 205**
inhibited by potato-dextrose agar previously exposed to light, 32
isolate of, shows adapted tolerance to organic fungicides, 731
produces a phytotoxin, 586
reaction of biotypes to different fungicides, 366
response to soil chemicals in culture, 19
soil fungicides for, laboratory evaluation, 503
strain variation in, 741
tolerance to PCNB, related to pathogenicity, 752
rhizome-rot, caused by Erwinia carotovorum in banana, factors affecting, 110, **114**
Rhizopus
in peach, hydrocooling tests with ice containing Dowicide A, 485
plate-profile technique for isolation in soil, 1
rots in small fruits, controlled with gases, 367
nigricans
in packed tomatoes, controlled by halogen-impregnated tissue wraps, 180, **182**
in peaches, 2,6-dichloro-4-nitroaniline on, 922
stolonifer
effect of proline on spore germination, 756
in peach fruits, effect of Botran and temperature on, 23
rhizosphere
Fusarium in, population dynamics, 26
growth of Fusarium in host and nonhost plants, 1196
of corn, actinomycetes antagonistic to Fusarium roseum in, effect of foliar urea on, 423, **426**
of corn, seasonal population of fungi, 744
of Mentha, reproduction of Verticillium albo-atrum in and subsequent root infection, 739
Rhizothyrium abietis, in conifers in Idaho, 365
Rhynchosia minima, mosaic of, related to tobacco leaf curl, 286
Rhynchosporium secalis, survival of, effects of moisture, 752
ribonucleases of plants, inhibit tobacco mosaic virus, 163
ribonuclease activity
in cowpea leaves, changes induced by abrasion, 367

in Pinto bean leaves, related to tobacco mosaic virus susceptibility, 926
ribonucleic acid of tobacco mosaic virus, biosynthesis of in cell-free medium, 728
Rich, A. E., (922), (922), (1000)
Rich, S., 926, (927)
Richardson, L. T., 26, 865
Riffle, J. W., 749
Riggs, R. D., 587
Riker, A. J., (1), (28), (741), (753), (1079), (1191)
ringspot, effect on macronutrient element composition of sour cherry leaves, 419
ringspot virus
effects on nucleic acid content of Prunus mahaleb, 737
in prune decline, 159
ringspot-type viruses in Prunus, relations of, 922
Rio Grande gummosis in grapefruit in Arizona, 359
Ripperton, L. A., (724)
Roane, C. W., 26, (185), 1288
Robert, Alice L., 1010, 1095
Roberts, D. A., (902)
Rodenhiser, H. A., 950
Rodriquez, A. E., 599, (733)
Rogers, W. E., 1064
roguing, controls western-X disease of peach, 363
Rohde, C. R., (743)
Romanko, R. R., 749
Romanowski, R. D., 1259
Romero, S., 165
Roncadori, R. W., 498, 1220
roots, weed, source of variant culture of Xanthomonas malvacearum, 1313
root exudates, effect on soil fungistasis, 751
root growth, in tomato, effect of tobacco mosaic virus and potato virus X on, 745
root-knot nematodes, reaction of Bermuda grass to, 587
root rot
of alfalfa and soybean, related to crop rotation, 751
of bean, not related to isolation frequency of Rhizoctonia in rhizosphere, 721
of corn, caused by Helminthosporium pedicellatum, 752
of Lilium longiflorum, effect of soil moisture, 754
technique for study of postemergence seedling rot, 177
rootstocks
effect on macronutrient element composition of sour cherry leaves, 419
of citrus, factor in root sap associated with resistance to Tylenchulus semipenetrans, 738
rose
powdery mildew fungi in Wisconsin, 6
Sphaerotheca pannosa in, control, 15
rose black spot, control with fungicides, 923
Ross, A. F., (4), (71), (226), (922)
Ross, J. P., 815
Roth, L. F., (332)
Rotylenchulus reniformis
new hosts and crop plants resistant to, 725
on cotton, 4
on cotton, host-parasite relations, 862, **864**
Rowell, J. B., (909)
Roy, A. B., (583)
rubber, tropical plantations, history, current problems, 930
Ruehle, J. L., 56, 68
Ruppel, E. G., 749, 749
Russell, W. A., (14), (122)
russeting of citrus fruits, histological observations, 364
rust
cereal, diurnal periodicity of spores in air, 24
cereal, epidemiology in Colorado, 23
effects on photosynthesis in wheat and bean, 739
in flax, linkage of genes conditioning resistance, 732
rust-affected tissues, carbon dioxide fixation in, 18
Ryder, H. W., 165, 1220
rye
cause and control of low viability, 344, **346**
effects of metabolites on susceptibility of, to Claviceps purpurea, 973, **974**
winter, barley yellow dwarf virus on, effects on survival and yield, 624

Saari, E. E., 749
Saccharomyces pastorianus
effect of captan on, 94, **99, 100**
effect of cycloheximide on biochemical activity, 27
Sadasivan Nair, K. R., 26, 714, 745
Safeeulla, K. M., 750
safflower
Puccinia carthami in, hypocotyl reaction a measure of resistance, 1177, **1178, 1179**
Puccinia carthami in, tricarboxylic acid cycle intermediates of, 4
Sanches-Navarette, F., (10)
Sandstedt, R., 174
Sänger, H. L., 750, 750
Santilli, V., 750, 926
saprophytic growth of Fusarium oxysporum niveum in soil, 840
Sasser, J. N., (20), (56)
Satsuma orange, effect of exocortis on, 581
Savage, E. J., 1220
Sayre, R. M., 510
Schafer, J. F., (34), (602), 1157, 1161
Schaller, C. W., (529)
Scharen, A. L., 173
Scharpt, R. F., 750
Scheffer, R. P., (354), 750, 750
Schein, R. D., (27), 653
Schenck, N. C., 26, 635
Schieber, E., 287
Schindler, A. F., (743), (1221)
Schlegel, D. E., (362), (735)
Schmidt, R. A., 26, (28)
Schmitthenner, A. F., 27, 177, (241), 582, 751, (757), (859), 1133
Schnathorst, W. C., 27, 27, 41, 279, 364, (748)
Schneider, C. L., 166
Schneider, H., (679), 751
Schneider, I. R., 46, 166, 751, 1220
Schooler, A. B., (22)
Schreiber, L. R., 288, 751
Schroeder, W. T., (748), 751
Schroth, M. N., 751, 906
Schuster, M. L., (174)
Sclerophthora, taxonomic study of, 750
sclerotia
of Verticillium dahliae, effect of anaerobic fermentation of survival, 743
on maize, identity of, 733
Sclerotinia
camelliae
cultures, remain viable in liquid medium, 175
extended culture, 1
fructicola, induced tolerance to fungicides, 1000
fructicola, S. laxa, toximetric studies of fungicides against, 876, **878**
sclerotiorum, effects of environment and chemicals on, 766
Sclerotium
bataticola
in clover, effect of temperature on, 20
relation to black root rot of pine seedlings, 210, **216**
cepivorum, comparative toxicity of fungicides to, 17
rolfsii
in clover, effect of temperature on, 20
in peanut, control, 13
in peanut, cultural control in 5 varieties, 1218
scopoletin, increased in tobacco infected by Pseudomonas solanacearum, 439, **443**

Scott, D. H., (802)
Scott, H. A., (16), 166, (1211)
Seaman, W. L., (756)
seed, of soybean, internal microflora in storage, 738
seed-borne, Kabatiella caulivora a pathogen of crimson clover, 1184, **1186, 1188, 1189**
seed-borne virus, in cowpea, similar to southern bean mosaic virus, 489, **490, 492**
seed inoculation of tomato with Cephalosporium, mitigates Fusarium wilt, 725
seed-piece rot, of sugarcane, fungi produce toxic substance, 10
seed protectants, effect on Pythium debaryanum, 29
seed transmission
of tobacco ringspot virus in cantaloup, 21
of tobacco ringspot virus in soybean, 714
of Verticillium albo-atrum in spinach, 365
seed treatment
controls Phoma betae on beet seed, 362
with gibberellic acid, effect on Tilletia foetida in wheat, 171
seedling emergence of barley, effect of Ustilago hordei on, 1157, **1159, 1160**
Segall, R. H., 970
Sehgal, O. P., (752)
self-inhibitors of germination, from Uromyces phaseoli, assay and partial purification, 261, **263, 264, 265**
Seliskar, C. E., (8)
Semeniuk, P., (1220), (1221)
Semesan, inactivated by Penicillium and Aspergillus spp., 455, **458, 459**
semicarbazone of cycloheximide, duration of protective activity in wheat seedlings, against stem rust, 909
Septogloeum-gillii, on Arceuthobium sp., 757
Septoria
in celery, survival, 361
chrysanthemella, on chrysanthemum, 31
linicola
in flax, varietal resistance, 6
mode of action of, 1229
obesa, on chrysanthemum, 31
oudemansii, in Kentucky bluegrass, effect of soil fertility on, 1218
passerinii
in barley, influence of temperature, humidity, and inoculum concentration, 704, **706**
in barley, inhibition by Helminthosporium sativum, 373
in barley, test for resistance to, 22
Sequeira, L., (16), (439), (726), 936, 976
serology
evidence that Olpidium zoospores carry tobacco necrosis virus, 754
in identification of cucumber mosaic virus from crude extracts, 734
in identification of stubborn disease and psorosis virus of citrus, 754
of common bean mosaic virus, 166
of Urocystis colchici, 365
similarity of Pseudomonas savastanoi to P. tonelliana, 741
sesame, Pseudomonas sesami in, resistance related to amino acids and reducing sugars, 30
severe bean mosaic virus, relation to southern bean mosaic virus, 12
Shaffer, W. H., Jr., 27, (734), 1201
Shafiee, M. F., 927
Shands, H. L., (1157), (1161)
Shands, W. A., Jr., 27
Shannon, E. L., 364
Sharp, E. L., 364, 751
Shatla, M. N., 752
Shaw, C. G., 365, (750), (757)
Shaw, J. G., 170
Shaw, P. D., (5), (8)
Shay, J. R., (744)
Shea, K. R., 752
Shepherd, R. J., (373), 489, 752
Sherwood, R. T., (20), 150, 586
Shigo, A. L., 1221
Shipton, W. A., 1313
Shirofugen, as indicator of Prunus ringspot virus, 846
Shiroishi, K. K., (807)
shoot tip culture
to control carnation streak virus, 747
to obtain pathogen-free stock, 1242, **1243**
Siderasis fuscata
Meloidogyne incognita on, 22
Meloidogyne incognita incognita on, cause of leaf galls, 1070, **1072**
Siegel, A., (367), 752
Siegel, M. R., 27
Sigatoka disease
control in banana, related to spray-oil composition, 286
control related to spray-oil volatility, 913, **914-916**
Siggeirsson, E., (3)
Sikorowski, P. P., 332
Silber, G., (735)
Silbernagel, M. J., 365
Sill, W. H., Jr., (432)
simazine, accepted name, 471
Simons, J. N., 752
Simons, M. D., 585, (726)
Sinclair, J. B., (1), (175), 581, (731), (752)
Sisler, H. D., (17), (27), (94), (959), (1030)
Sitophilus oryza, in rye, control, 344, **346**
Skoropad, W. P., 752
Skotland, C. B., 753
Slusher, R. L., (730)
Slykhuis, J. T., 753
Smale, B. C., 166
Smalley, E. B., 28, 666, 753, 753, 1090, (1191)
Smart, G. C., Jr., 1221
Smith, F. F., (163)
Smith, G. E., (728)
Smith, P. G., 365, 597
Smith, R. E., 119
Smith, R. S., (632)
Smith, T. E., 1313
Smith, W. L., Jr., 28, 485
Smoot, J. J., 28, (970)
snow mold on turfgrass, occurrence and control, 731
Snyder, G., (8)
Snyder, W. C., (24), (219), 365, (567), (751), (1315)
Sobers, E. K., 884
sodium methyl dithiocarbamate, controls Heterodera rostochiensis, 924
sodium pyridinethione, toxicity and translocation characteristics in plum and prune trees, 1050, 1052, 1055
soil
distribution of Heterodera glycines cysts at different depths, 1221
fertility of, effect on Helminthosporium vagans and Septoria oudemansii in Kentucky bluegrass, 1218
fungistasis of, relation of soil microbes to, 739
nonsterile, effect on Rhizoctonia solani in presence of PCNB, 361
temperature of
effect on reproduction and survival of Heterodera schachtii, 366
related to Fusarium wilt susceptibility in banana, 134, **136-138**
related to Meloidogyne javanica, 787, **789, 790**
soil amendments
effect on Pratylenchus penetrans and Verticillium wilt, 743
organic, effect on Meloidogyne incognita in tomato, related to soil moisture, temperature, and pH, 410, **411, 412**
soil-dilution plates, effect of medium, temperature, on fungal growth, 16

soil fumigation
destruction of viruses by, 742
effect on Tylenchorhynchus dubius and Trichodorus on Norway spruce, 1216
to control root-knot nematode, effect on quality of potatoes, 360
soil fungistasis, related to nematophagus fungi, 611, **612, 614**
soil microbiological sampling tubes, in specific fungus isolations, 619, **620**
soil microflora, produce fungistatic effect, 90
soil texture, effect on development of Tylenchulus semipenetrans, 31
soil transmission, of tobacco ringspot virus, factors affecting, 10
soil type, effect on Ceratocystis ulmi in elm, 1191, **1195**
solanaceous plants, western aster yellows virus in, transmitted by leafhopper, 128, **130, 131, 133**
Solanum
pennellii, possible source of tomato curly-top resistance, 1230
tuberosum, inhibitors of potato virus X in leaves, 688, **689-691**
Solberg, R. A., (359), (455)
Sommer, N. F., 365
Sorghum
Macrophomina phaseoli in, related to plant maturity, temperature, and soil moisture, 731
Macrophomina phaseoli in, effects of temperature, soil moisture, and inoculation time, 737
pathogenicity of Trichometasphaeria turcica progenies on, 599
sour cherry yellows virus, separation in Montmorency cherry seed, 744
southern bean mosaic virus
distribution of antigen in bean leaves, fluorescent-antibody study of, 757
in bean, differences in translocatability from tobacco mosaic virus, 751
longevity, 486
related to seed-borne virus in cowpea, 489, **490, 492**
relation to severe bean mosaic virus, 12
southern sunn hemp mosaic virus, strain of tobacco mosaic virus, 393, **394, 395**
soybean
Cercospora kikuchii on, effect of deflowering and tobacco ringspot virus on, 1217
Corynebacterium in, causes stunt disease, 8
crop rotation effects on cyst nematode and yield, 815, **816**
crop rotation related to root rots and yield, 751
Diaporthe phaseolorum in, host-parasite relations, 162
Diaporthe phaseolorum in, seed-borne aspects, 756
Fusarium root rot of, 732
Heterodera glycines in, control, 9
Heterodera glycines in roots, anatomical studies of, 731
increased bacterial populations in roots due to phosphorus, 730
interaction of tobacco ringspot virus and Meloidogyne incognita acrita in, 1220
Meloidogyne incognita acrita in nodulating and non-nodulating strains, 163
new physiological race of Cercospora sojina on, 712, **713**
relation of seed position and pod location to seed transmission of tobacco ringspot virus, 714
relationship of tobacco ringspot virus and Meloidogyne incognita acrita in, 165
Rhizoctonia solani in, effect of metabolic by-products on roots, 202, **204, 205**
seed coat pigmentation associated with Corynebacterium, 730
stored seed of, internal microflora in, 738
tobacco ringspot virus, variation in, 31
space, related to chance of infection, 1100, **1004**
Spalding, D. H., (1218)
Spanis, W., 365, 455
Spencer, J. A., 28
Spergon, effect on Pythium debaryanum, 29
sperm, migration, in Ditylenchus destructor, 722
Sphacelotheca reiliana
causing head smut of corn, prevalence and pathogenicity, 199, **200, 201**
on corn, severity and distribution, 362
in Sudan grass, development and persistence, 541, **543**
Sphaerotheca
on rose in Wisconsin, 6
pannosa
in rose, systemic control, 15
rosae, Stendomycin salicylate controls, 1217
spinach
development of multiple disease-resistant lines, 486
downy mildew, immunity to race 2, 365
downy mildew, race 2, immunity to, 597
Verticillium albo-atrum in, seed transmission, 365
spores
fungus
aerial dissemination, 1095
turbulent transfer, 1095
in soil, laboratory technique to test fungicidal effect of chemicals, 1041
spore discharge of Nectria galligena, 740
spore germination
of Alternaria tenuis, inhibited by sulfur dioxide, 729
self-inhibitors of bean rust fungus, 261, **263-265**
stimulation by copper ions, 865, **866, 867**
sporidial stage of Puccinia stakmanii, factors affecting, 725
sporulation
of Alternaria tomato, quality of radiation inhibitory to, 1227, **1227**
of cereal rusts, diurnal periodicity, 24
of Cercosporae, factors affecting, 724
of Pseudoperonospora humuli, factors affecting, 753
of Rhynchosporium secalis, effects of moisture, 752
precocious, of Helminthosporium sativum in soil, 1172, **1174**
sexual and asexual, of Phytophthora, effect of light on, 1218
spray compounds, prophylactic effect of plant antitranspirant (S-789), 715
spray oils
composition, related to Sigatoka disease control and phytotoxicity on banana, 286
effect on Phytophthora palmivora in cacao, 23
volatility, related to Sigatoka control and phytotoxicity on banana, 913, **914-916**
spring blackstem
in sweet clover, compared with stem canker and summer blackstem, 300, **302, 303, 308-311, 313**
of alfalfa, affected by nutrients added to spore suspensions, 724
Sproston, T., (233), 753
spruce
black, Cylindrocladium scoparium in, causes root rot of seedlings, 721
blue, Cylindrocladium scoparium in, causes root rot of seedlings, 721
Norway, Tylenchorhynchus dubius and Trichodorus in, effect of soil fumigation, 1216
white, Cylindrocladium scoparium in, causes root rot of seedlings, 721
Xiphinema [illegible]num pathogenic to in nursery, 734
Spurr, H. W., Jr., 753, 1079
squash mosaic virus, resistance to in Cucumis melo, 1221
Stagonospora meliloti, cultural variation among isolates, 924
Stahmann, M. A., (247), (255)
stalk rot
of corn, related to yield, 416
of corn, resistance to related to histological structure of stalk, 726

Stambaugh, W. J., 28
Stanford, E. H., (791)
Staples, R. C., 28, 485, (1220)
Starzyk, M. J., 29
Staudinger, W. L., 29
Stavely, J. R., 485
Steere, R. L., 29, 1221
Steib, R. J., (10)
stem canker, in sweet clover, compared with spring blackstem and summer blackstem, 300, **302, 303, 308-311, 313**
stem rust
of wheat, whole-leaf clearing and staining to demonstrate host-pathogen relationships, 1313, **1313**
resistance to, in wheat, 657
Stemphylium
on Morus, causes twig and stem canker, 729
leafspot, in parsley, 925
loti, in birdsfoot trefoil
controlled by Dyrene, 8
host-parasite relations, 8
sarcinaeforme, induced tolerance to fungicides, 1000
stem-pitting virus, transmission through root grafts, 925
Stendomycin salicylate, to control Sphaerotheca pannosa rosae, 1217
Stereum purpureum, in yellow-poplar, 486
sterilization of agar by propylene oxide, 167
Stessel, G. J., 29, (923)
Stewart, R. B., (371)
Stewart, R. N., 1221, 1221
Stilbella, influence of conidial matrix on, 721
stimulants, to germination of Fomes igniarius spores, 31
Stokes, G. W., 753
Stolzy, L. H., (628), 754
stone fruit ringspot virus in peach, growth reduction associated, 747
storage
life of nematodes, factors affecting, 366
of grapes, effect of environment on sulfur dioxide fumigation requirements, 745
Storm, L. W., (737), 754
Stout, G. L., 1255
strawberry
angular leafspot, taxonomy of causal bacterium, 16
Botrytis and Rhizopus rots of, controlled with gases, 367
Botrytis cinerea in, inhibited by associated fungi, 359
Meloidogyne hapla on, nematocides for, 164
mottle virus on, 5
physiologic specialization of red stele disease (Phytophthora) on, 802
Pratylenchus penetrans on, pathogenicity of, 922
relationship of meadow nematodes to Verticillium wilt in, 921
Rhizoctonia in, stimulated by root exudates, 14
root diseases of, influence of soil fungicides and antifungal fungi on, 926
virus-free plants from apical meristems of infected plants, 743
virus transmission to, by excised leaf grafts from plants other than strawberry, 726
Xanthomonas **fragariae** sp. nov., cause of angular leafspot, 873, **873, 874**
Streets, R. B., (359), (754)
Streim, H. G., (734)
Streptomyces
antibiotic production in unamended soil, 989, **991**
chitin media for isolation and culture, 317, **322**
ipomoea, pathogenesis and control in California, 18
scabies, streptomycin resistant mutants of, 756
streptomycin
effect on growth and respiration of Pythium, 736
mutants of Streptomyces scabies resistant to, 756
resistance of Erwinia amylovora to, indicator of virulence, 1201, **1203-1206**
Streptosporangium roseum, chitin media for culture, 317
Stretch, A. W., (922)
striate mosaic of wheat, 753
Striga asiatica, penetration and nutrition, 1064, **1066, 1068**
stripe rust of wheat, destructive potential of, 746
Strobel, G. A., (360), 754
Strobilomyces strobilaceous, tyrosinase formation by, 728
Struckmeyer, B. Esther, 1163
stubborn disease
of citrus, effects on bark, foliage, fruits, and tree size, 727
of orange, calcium content of leaves in, 737
stubborn disease virus of citrus, serological identification, 754
stubby-root nematodes
cause decline of onion in Oregon, 362
influence on growth of sugarcane in Hawaii, 963, **964**
studying tropical plant diseases, outlook necessary, 946
sugar
in castorbean, related to predisposition to Botrytinia ricini, 23
leachable, related to susceptibility of castorbean to Botrytis, 533, **535, 536**
tropical plantations, history, current problems, 930
sugar beet
Dexon in, uptake, translocation, and chemotherapeutic effect, 389, **391**
prophylactic effect of antitranspirant (S-789), 715
sugar beet seedlings, cell-free particles from, respiratory activities of, 755
sugarcane
Meloidogyne incognita acrita in, pathogenicity related to Pythium graminicola, 1180, **1182, 1183**
Physalospora tucamanensis in, disease cycle, 10
relation of Helicotylenchus nannus and Pythium graminicola on, in Hawaii, 798, **799, 800, 801**
seed-piece rot fungi produce toxic substance, 10
stubby-root nematode in, influence on growth, in Hawaii, 963, **964**
sugarcane mosaic virus, inhibited by MC-2 and bromine, 722
Sulaiman, M., (369)
sulfadiazine, sodium, duration of protective activity in wheat seedlings, against stem rust, 909, **912**
sulfamate, calcium, duration of protective activity in wheat seedlings, against stem rust, 909
sulfanilate, potassium, duration of protective activity in wheat seedlings, against stem rust, 909
sulfur
in nutrition of Aphanomyces euteiches, 315
nutrition, of tobacco, related to multiplication of tobacco mosaic virus, 155
sulfur dioxide
effect on Botrytis decay and fumigant injury of storage grapes, 363
fumigation requirements, effect of storage environment of grapes on, 745
inhibits spore germination of Alternaria tenuis, 729
sulfosuccinates, effect on virus diseases of bean, 46, **48-50**
summer black stem, in sweet clover, compared with spring black stem and stem canker, 300, **302, 303, 308-311, 313**
sun-blotch disease, in symptomless avocado trees, 237
sunflower, Mexican, wilt of, caused by Fusarium from celery, 722
survival
comparative, of Verticillium albo-atrum mycelium, conidia, and microsclerotia in soil, 288
of Fusarium oxysporum f. cubense in soil, effect of organic amendments, 976, **980**
of Heterodera glycines, effect of humidity on, 80, **83, 86, 87**
of Heterodera schachtii in warm soils, 366
of nematodes in soil, effect of oxygen on, 628, **629-631**

of Verticillium dahliae sclerotia, effect of anaerobic fermentation on, 743
swarming, of Tylenchorhynchus martini, induced, 14
Swartwout, H. G., (15)
sweetgum, Botryosphaeria ribis in, causes trunk lesion, 30
sweetgum sapwood, changes in holocellulose during decay of, 923
sweetpotato
Ceratocystis fimbriata in, control by prebedding heat treatment, 1138
Fusarium oxysporum in, relation of Meloidogyne to, 733
host treatments to eliminate virus, 13
internal cork virus of, evaluation of breeding stocks for susceptibility, 1168, **1169, 1170**
internal cork virus of, winter temperature related to dissemination, 23
Meloidogyne in, reactions with improved inoculation method, 1225
Syamananda, R., (28), 29, (485)
sycamore, Gnomia veneta in, effect of temperature on, 745
symbionts, fungal, from mycorrhizae of pine, direct isolation of, 34
Synchytrium vaccinii, incites cranberry red gall disease, 29
syntrophism, of Venturia inaequalis, related to pathogenicity, 725
systemic virus infection, graft transmissibility to hypersensitive host, 1222, **1223**
Szuszkiewicz, T. E., (628), (754)

TCNB, tolerance of Hypomyces solani to, genetics of, 733
Tachibana, H., 365, 754
Takahashi, W. N., 29
Tammen, J., (12), (723), 754, (923)
Taphrina deformans, extracts of, cause kinin-like stimulation of higher plant tissue, 365
Taylor, G. S., 927
teaching tropical plant pathology, problems, 948
Teakle, D. S., (361), 366, 754, 1037
technique
agar-ring method for in vitro studies of fungistatic activity, 368, **368, 369**
aqueous extracts of fungus spores as stimulants for germination, 22
artificial inoculation of cotton with Macrophomina phaseoli, pycnidia formation in, 369, **370**
calibrations of agar columns for particle-size determinations, 1221
chitin media for isolation and culture of actinomycetes, 317, **319, 320, 321**
comparison of one- and two-year-old wood as inoculum for latent virus of apple, 725
comparison of 3 colorimetric methods to determine DNA, 34
controlled inoculations with conidiospores of Erysiphe graminis, 714
control of tobacco fleck disease by antiozonant-treated cloth, 927
cultured cutting, to obtain pathogen-free stock, 1239
detergent enhanced sugar-induced dehydration of nematodes, 9
direct recovery of tobacco rattle virus from nematode vector, 750
double inoculation for corn stalk rot studies, 24
dual-agar-layer plate, used to assay soils continuously cropped, 778, **779**
electron microscopy investigation of poplar mosaic, 954, **954, 955**
evaluation of soil fumigants with soil microbiological sampling tube, 957, **958**
fluorescent-antibody study of distribution of southern bean mosaic virus antigen in bean leaves, 757
for comparing isolates of Ascochyta imperfecta and other fungi, 964, **965**
for direct isolation of fungal symbionts from pine mycorrhizae, 34
for extended culture of Sclerotinia camelliae, 1
for production of Phytophthora fragariae sporangia in culture, 9
for selective isolation of Phytophthora and Pythium, 771, **773, 776**
for specific fungus isolations with soil microbiological sampling tubes, 619, **620**
greenhouse tests for multigenic resistance to Phytophthora infestans, 1218
heat therapy for Uromyces phaseoli in bean, 758
identification of stubborn disease and psorosis virus of citrus by serological agglutination, 754
improved method of inoculating sweetpotato with Meloidogyne, 1225
index, to obtain virus-free stock, 1235
inoculation with Cronartium ribicola, by bark-patch grafting, 1149, **1151**
isolation of pythiaceous fungi from soil and diseased pineapple tissue, 955
isolation of Thielaviopsis basicola with carrot-discs, precautions in, 1314
laboratory and bioassay methods to estimate Meloidogyne populations, 25
laboratory method for testing fungicidal effect of chemicals on fungal spores in soil, 1041
lesion type as a means of detecting resistance in barley leaves to spot-blotch Helminthosporium, 1086, **1087, 1088**
liquid-liquid phase separation in concentration of barley stripe mosaic virus, 755
liquid trapping of Meloidogyne incognita in agar medium, 174, **174**
local-lesion assay for common bean mosaic virus, 166
modified dilution technique to obtain single-spore isolates of fungi from contaminated material, 582
morphology of tobacco ringspot virus determined by electron microscopy and negative staining, 902, **904**
multidose injection apparatus to treat Dutch elm disease, 924
partial purification of viruses with acetone-dried agar gels, 29
plate-profile technique to isolate soil microorganisms, 1
polyethylene bags for study of soil microorganisms, 16
possible short test for banana susceptibility to Fusarium wilt, 247
prebedding heat treatment for control of Ceratocystis fimbriata in sweetpotato, 1138
quantitative measurement of host-pathogen interaction, 340
quantitative estimates of Fusarium solani in soil by plate counts, 567, **571**
quantitative, to estimate degree of soil infestation by Thielaviopsis basicola, 366
rapid germination by Arceuthobium seed as a test for viability, 757
rapid method for purifying tobacco ringspot virus, 902, **904**
relative efficiency of 3 methods for inoculation of tree stems with Cytospora, 1266, **1267**
screening tomatoes for resistance to tobacco mosaic virus by cotyledonary inoculation, 486
seedling test for resistance to Fusarium solani in pea, 557
separation of conidia from matrix by millipore filters, 721
shoot tip culture to control carnation streak virus, 747
shoot tip culture to obtain pathogen-free stock, 1242, **1243**
soil-particle, for selective isolation of Pythium from soil, 1133
stimulation of Glomerella cingulata spore germination by copper, 26
thermotherapy of planting material to obtain pathogen-free stock, 1244, **1245, 1246, 1248, 1252**

to determine ability of chemicals to penetrate plant tissue, 503
to determine inoculum potential of infested soil, 724
to differentiate variants of lettuce mosaic virus, 403, **405**
to estimate population density of fungi in soil, 26
to estimate RNA in leaf tissue, 34
to inoculate alfalfa with Pseudoplea trifolii, 172
to maintain cultures and produce inoculum of Urocystis colchici, 754
to measure carbon dioxide production of wheat, 730
to measure safflower resistance to Puccinia carthami by hypocotyl reaction, 1177, **1178, 1179**
to obtain virus-free plants from virus-infected strawberries, 743
to study foliage diseases of grasses, 448
to study postemergence seedling root rot, 177
to test resistance of barley to Helminthosporium and Septoria, 22
tractor-mounted potato sprayer for field plot studies, 925
transmission of oat mosaic virus with infective juice, 30
transmission of unstable viruses from liquid nitrogen-frozen plant tissue, 750
ultraviolet light for isolation of fungi from soil, 376, **376**
viability of Meloidogyne javanica larvae measured by motility and gall production, 30
virus transmission to strawberry by excised leaf grafts from plants other than strawberry, 726
whole-leaf clearing and staining technique to demonstrate host-pathogen relationships of wheat stem rust, 1313, **1313**
telial stage, of Puccinia stakmanii, factors affecting, 725
teliospores, of Ustilago maydis, germination and metabolism of, 1217
temperature
comparative effects on Ascochyta meliloti, A. caulicola, and Cercospora davisii, 300, **308, 313**
effect on
alfalfa resistance to Ditylenchus dipsaci, 791
Aspergillus spp. invasion of stored pea seed, 336, **338**
blotchy ripening of tomatoes, 524
Ceratocystis ulmi in elm, 1191
colonization of lima bean by Phytophthora phaseoli, 1219
crown rust, 749
formation and germination of Phytophthora infestans oospores, 165
germinability of Puccinia coronata urediospores, 1223
germination of Erysiphe graminis tritici conidiospores, 745
germination of Puccinia striiformis uredospores, 742
Gnomonia veneta in sycamore, 745
growth and pathogenicity of Glomerella cingulata on Lupinus angustifolius, 757
Helminthosporium sativum and Septoria passerini in barley, 704
host disposition to Diplocarpon rosae, 1220
infection by Tilletia caries and T. foetida, 621, **622**
Macrophomina phaseoli in sorghum, 731, 737
microflora in barley kernels, 740
multiplication and movement of cabbage virus A in Nicotiana glutinosa, 733
pathogenicity of fungi on clover, 20
Phytophthora phaseoli oospore development in lima bean, 164
potato virus X-potato virus Y interaction in tobacco, 71, **74**
Puccinia striiformis in wheat, 751
Rhizopus stolonifer in Botran-treated peach fruits, 23
soil transmission of tobacco ringspot virus, 10
sporulation and infection with Pseudoperonospora humuli, 753
tobacco mosaic virus-potato virus X interaction in tomato, 22
Tylenchulus semipenetrans on orange, 754
Ustilago hordei in barley, 16, 1161, **1162**
heat treatment for carnation viruses, 163
in thermal inactivation of Macrophomina phaseoli, relation to time, 632, **634**
interacts with phosphate in affecting tobacco mosaic virus in bean, 206, **207-209**
interacts with time in spore germination of Uromyces phaseoli, 27
lethal, for Heterodera glycines, 9
lethal time-temperature relations for Heterodera glycines, 992, **993, 995**
low, selection of Puccinia graminis for, 18
of soil
effect on development of exocortis in Poncirus trifoliata, 32
effect on nematocidal activity of 1,2-dibromoethane, 17
effect on nematode populations, 20
effect on Ustilago hordei in barley, 1161, **1162**
related to effect of organic soil amendments on Meloidogyne incognita in tomato, 410, **411**
optimum
for Cercospora, 3
for Erysiphe graminis tritici in wheat, 26
for Pellicularia filamentosa, 2
postinoculation, effect on crown gall of cherry, 360
predisposes stored cotton seed to decay and seedling disease, 748
related to dissemination of internal cork virus of sweetpotato, 23
temperature levels, and disease in the tropics, 928
tetrachloronitroanisole, new wheat smut fungicide, 25
Terraclor, effect on
reaction of Rhizoctonia solani to nonsterile soil, 361
Rhizoctonia disease of potato, 18
Thayer, P. L., 29
Theis, T., (286)
thermal inactivation
of Macrophomina phaseoli, time-temperature relationships, 632, **634**
of Verticillium albo-atrum in potato, 364
thermal stability, of alfalfa mosaic virus particles, 743
thermotherapy, of planting material, to obtain pathogen-free stock, 1244, **1245, 1246, 1248, 1252**
factors determining heat tolerance of host, 1244
Thielaviopsis basicola
as a citrus root pathogen, 781, **782-784**
controlled by D-D, 723
control of, tested in field soil, 723
effect of aeration on, 927
identity of fruit-like aroma substances synthesized by, 407
in bean, penetration and host-parasite relations, 194, **195, 197**
in carrot root tissues, changes in phenolic compounds, 413, **415**
in poinsettia, effect of soil pH on, 559, **562-564**
in soil, quantitative technique for population estimation, 366
in tobacco, causes tobacco mosaic virus resistance, 4
isolation with carrot-discs, precautions in, 1314
not pathogenic to geranium, 12
strain variation in, 741
susceptibility of citrus rootstock to, 756
Thielaviopsis paradoxa, in crown rot of boxed bananas, 12
2-thiocytosine, inhibits tobacco mosaic virus, 432
thiram, effect on Rhizoctonia solani in culture, 19
Thomas, C. A., (23), 30, (533)
Thomas, W. D., Jr., 366, 754
Thomason, I. J., 30, 366, (366), (744), 755, 787

Thompson, H. C., 167
Thorn, G. D., (26), (865)
Thyr, B. D., (365), 755
Tietz, H., (233)
Tillam, in control of Rhizoctonia on tomato, 1217
Tilletia
application of gene-for-gene hypothesis to relation with Triticum, 363
caries
culture of binucleate stage, 366
inheritance of resistance to, 743
pathogenicity of, compatibility of crosses related to, 737
caries and T. contraversa, hybridization of, 365
caries and T. foetida, infection by, effect of temperature on, 621, **622**
contraversa, pathogenic races of, in Pacific Northwest, 1153, **1155**
foetida, in wheat, effect of gibberellic acid seed treatment on, 171
time, related to chance of infection, 1100, **1104**
Timian, R. G., 554, 755, (1086)
tip wilt, of pea, 362
tipburn, of white pine, ozone a possible cause, 724
tobacco
aphid-transmissible bushy-top in, isolation of tobacco vein-distorting virus from, 1312
cabbage virus A in, effect of temperature on multiplication and movement in, 733
Cercospora nicotianae on, control under hydroponic conditions, 287
cured, loss in quality due to greenspot induced by Cercospora nicotiana, 165
effect of tobacco mosaic and etch viruses on nuclei, 29
fleck, and ozone air pollution, 735
initial infection processes of tobacco necrosis and mosaic viruses in, 15
leaf metabolism, effect of ozone on, 740
Meloidogyne incognita acrita resistance in, histology, 25
physiological specialization of Phytophthora parasitica on, 351, **353**
Phytophthora parasitica nicotianae in, relation of zoospore production and motility to virulence, 191, **193**
potato virus X-potato virus Y interaction
effect of age of tobacco leaf tissue, 226, **227, 229, 230**
effect of temperature on, 71, **74**
Pseudomonas solanacearum in, accumulation of growth substances, 439, **443, 445**
strain Bel W-3, indicator of ozone, 735
sulfur nutrition of, related to multiplication of tobacco mosaic virus, 155
tobacco mosaic virus in
inhibited by purines and pyrimidines, 432
resistance due to Thielaviopsis basicola, 4
role of leaf trichomes in mechanical inoculation, 362
systemic resistance to, 922
wildfire resistance, loss of, due to chromosome fragmentation, 753
yellow-spot virus in, strain of alfalfa mosaic virus, 487
tobacco bushy-top, aphid transmissible, tobacco vein-distorting virus isolated from infected plants, 1312
tobacco etch virus, effect on host nuclei, 29
tobacco fleck disease, controlled by antiozonant-treated cloth, 927
tobacco leaf cells, produce inhibitor of tobacco mosaic virus, 367
tobacco leaf curl, mosaic virus on Rhynchosia minima related to, 286
tobacco mosaic virus
aggregation in infected cells, 359
autoradiographic studies on host and nonhost plants, 735
biosynthesis of ribonucleic acid in cell-free medium, 728
effect on host nuclei, 29
in bean
differences in translocatability from southern bean mosaic virus, 751
effect of cupric sulfate on susceptibility, 7
effects of phosphate on, 206, **207-209**
in Datura, effect of cupric sulfate on susceptibility, 7
in Nicotiana glutinosa, role of leaf trichomes in mechanical inoculation, 362
in pepper, fruit breakdown, 922
in Pinto bean leaves, susceptibility related to ribonuclease activity, 926
in tobacco
resistance caused by Thielaviopsis basicola, 4
systemic resistance induced by, 922
in tomato
effect on mineral content of leaves, 956
relation of blotchy ripening and environmental factors, 524
screening for resistance to, by cotyledonary inoculation, 486
with potato virus X
effect on callus and root growth, 745
effect of temperature and host, 22
infectious ribonucleic acid, inactivated by $HgCl_2$, effect reversed with cysteine, 750
inactivation by volatile chemicals, 983
inhibited by
plant ribonucleases, 163
purines and pyrimidines, 432
inhibitor of, produced by tobacco leaf cells, 367
initial infection processes in bean and tobacco, 15
multiplication, related to sulfur nutrition of tobacco, 155
photodynamic inhibition of, 747
proteinless mutants of, 752
quantitative analysis of interference with lesion production, 1264, **1265**
related to southern sunn hemp mosaic virus, 393, **394, 395**
relation of molybdenum nutrition in Nicotiana tabacum, 822, **824**
tobacco necrosis virus
carried by Olpidium zoospores, serological evidence, 754
initial infection processes in bean and tobacco, 15
necrotic symptoms in roots, 1037, **1039**
recovery from roots improved by Olpidium brassicae, 366
relation to big vein of lettuce, 361
tobacco rattle virus, direct recovery of, from nematode vector, 750
tobacco ringspot virus
comparison of 2 related viruses, 1
effect on Cercospora kikuchii, on soybean, 1217
from cowpea leaves, in vitro, 7
in bean, virus-free leaf of syste ally invaded plant, 1220
in cantaloup, seed transmission, 21
in Convolvulaceae, susceptibility to, 607, **608**
in soybean
interaction with Meloidogyne incognita acrita, 1220
interrelationship with Meloidogyne incognita acrita, 165
variation of, 31
morphology, determined by electron microscopy and negative staining, 902, **904**
new strain, 16
new strain, from Eucharis candida, 1211, **1212, 1215**
rapid method for purifying, 902, **904**
relation of seed position and pod location to transmission in soybean, 714
resistance to, in Cucumis melo, 1221
soil transmission, factors affecting, 10
transmission by Xiphinema americanum, 375
tobacco vein-distorting virus, isolated from tobacco infected with aphid-transmissible bushy-top, 1312

Tochihara, H., (373)
Toler, R. W., 30
Tolmsoff, W. J., 755, 755
tomato
blotchy ripening, related to tobacco mosaic virus and environmental factors, 524
crown gall on, effect of mineral nutrients, 362
effect of colletotin on, 18
fruit rot of, Rhizoctonia solani causal agent, 723
Fusarium in, effects on growth, oxidation, and phosphorylation, 354, **356**
Fusarium oxysporum in
effect of metabolites on root elongation of seedlings, 925
pectic enzymes in resistant and susceptible plants, 255, **258**
Fusarium wilt of
mitigated by seed inoculation with Cephalosporium, 725
retarded by Cephalosporium, 728
semeiology of, 727
growth, wound injury, and crown gall development related to chlorogenic acid and enzymatic oxidation, 753
influence on survival of Fusarium solani in soil, 906
Meloidogyne incognita in, effect of organic soil amendments related to soil moisture, temperature, and pH, 410, **411, 412**
morphological effects of colletotin on, 1273, **1274, 1275**
packed, halogen to control Rhizopus rot of, 180, **182**
potato spindle tuber virus transmitted to, 749
Pseudomonas solanacearum in, effect of nematodes on, 1219
Rhizoctonia on, fungicides and herbicide to control, 1217
screening for resistance to tobacco mosaic virus by cotyledonary inoculation, 486
tobacco mosaic virus and potato virus X in
effects on callus and root growth, 745
effect of temperature, 22
tobacco mosaic virus in, effect on mineral content of leaves, 956
Verticillium dahliae and Pratylenchus penetrans interact in wilt of, 744
Verticillium-resistant varieties, susceptibility to an Ohio isolate, 998
Xanthomonas vesicatoria, a resident on, 17
tomato curly-top, resistance to, Solanum pennellii a possible source, 1230
tomato spotted wilt virus, strain-host for study of, 723
Tomlinson, H., (753)
Toole, E. R., 30
Toussoun, T. A., (24), 30, 1141
Townsley, W. W., 486
toxicity, of victoxinine, 750
toxin
colletotin on Digitalis and tomato, 18
Folcid, chemistry of fungitoxicity, 740
from decomposing plant residue, 24
halogenate hydrocarbon mixtures, toxic to Tylenchulus semipenetrans and Meloidogyne javanica, 744
in Vapam, identification and prevention, 734
of Helminthosporium victoriae, physiological action of, 750
produced by Rhizoctonia solani, 586
produced by seed-piece rot fungi of sugarcane, 10
translocated stimuli, effect on plant virus infections, 33
translocation, differences in tobacco mosaic virus and southern bean mosaic virus in bean, 751
Traylor, J. A., 366, (367)
Tremaine, J. H., 179, (721)
Trialeurodes vaporariorum, transmits Xanthomonas pelargonii, 5
Triantaphyllou, A. C., (13), 30
tricarboxylic acid cycle, intermediates in Puccinia carthami-infected safflower, 4
2,3,6-trichlorophenyl acetic acid, for treatment and prevention of Dutch elm disease, 1090, **1090**
Trichocladium, associated with discolorations behind wounds in hardwoods, 1221
Trichoderma
associated with roots of red clover, 1216
in dead ancillary stems of yellow-poplar, associated with butt rot infection, 1218
plate-profile technique for isolation in soil, 1
Trichodorus
direct recovery of tobacco rattle virus from, 750
on Norway spruce, effect of soil fumigation on, 1216
christiei
effect of fallowing, desiccation, and soil temperature on, 20
parasitism and pathogenesis of cultivated highbush blueberry, 1017, **1018**
storage life, factors affecting, 366
survival in soil, effect of oxygen on, 628, **629-631**
Trichometasphaeria turcica, pathogenicity of monoascosporic progenies of, 599
trietazine, accepted name, 471
Trifolium pratense, effect of nutrition on growth and severity of Fusarium root rot, 728
Trione, E. J., (363), 366, (743)
Triplonchium minor, associated with die-back and blight of maple, 749
Triticum, application of gene-for-gene hypothesis to relation with Tilletia, 363
Triticum-Tilletia system, application of gene-for-gene relationship hypothesis, 363
tropical plant pathology, symposium, 928
True, R. P., 486, (850), (1216), (1221)
Trujillo, E. E., 287
Tryon, E. H., 1221
Tsao, P. H., 366, 756, (771), 781
Tsao, Pamela W., 755, 755
tung, ringspot, caused by Mycosphaerella websteri, 31
Turner, N. J., 756
turnip mosaic virus, relation to radish P virus of Japan, 373
Tuttle, D. M., (746)
Tweedy, B. G., 30, 1073
Tylenchorhynchus
claytoni, effect of fallowing, desiccation, and soil temperature on, 20
dubius, on Norway spruce, effect of soil fumigation on, 1216
martini, induction of swarming, 14
Tylenchulus semipenetrans
cell-wall degrading enzymes in, 1218
controlled by 1,2-dibromo-3-chloropropane, 746
effect of soil texture, pH, and moisture on development, 31
halogenate hydrocarbon mixtures toxic to, 744
movement into lemon roots, relation to Fusarium, 9
negatively correlated with citrus tree decline, 746
on orange, effect of temperature and soil-oxygen diffusion rates, 754
resistance to, factor in root sap of citrus rootstocks associated with, 738
survival in soil, effect of oxygen on, 628, **629-631**
Tylenchus, in corn, 22
Tyner, L. E., 1228
Typhula itoana, on turfgrass, occurrence and control, 731
tyrosinase, in relation to crown-gall development, 1079, **1080, 1082, 1083**
tyrosinase formation, of Strobilomyces strobilaceous, 728

Ullstrup, A. J., (599), (733)
Ulmaceae, tropical spp., reaction to Ceratocystis ulmi, 28
ultraviolet light, near-, induces fruiting in Pyrenochaeta terrestris, 735

ultraviolet radiation
of Erwinia carotovora and Pseudomonas marginalis, causes changes in virulence, 732
probable cause of brown blotch of honeydew melon, 360
urea, effect of actinomycetes antagonistic to Fusarium roseum in corn rhizosphere, 423, **426**
uredospores
of Puccinia graminis, synthesis during germination of, 11
of Puccinia graminis tritici, overwintering of, 742
of Puccinia sorghi, effect of glutamate on, 28
of Puccinia striiformis, effect of light and temperature on germination, 742
Urocystis colchici
serological studies, 365
technique to maintain cultures and produce inoculum of, 754
Uromyces phaseoli
in bean
heat adaptation of, 709, **710-712**
heat therapy for, 758
relation of disease development and intensity to carbohydrate levels in rusted plants, 924
protein synthesis in germinating spores, 485
spore germination, time-temperature interactions, 27
uredospores, enzymes in, 5
phaseoli phaseoli, revised system for identification of races, 729
phaseoli typica
in bean
disease development, intensity, related to carbohydrate levels, 1207, **1209**
effect on distribution of C^{14}-containing compounds, 758
effect on weight, growth rate, and P^{32} content, 733
self-inhibitors of germination from uredospores, assay and partial purification, 261, **263-265**
storage viability of uredospores, 653, **655, 656**
Ustilago
induced hybridization, 14
cynodontis, in Bermuda grass, 742
hordei
differentiation of races, 16
in barley
effect of pericarp, 738
effect of temperature on, 1161, **1162**
effect of temperature and point of inoculation, 16
effect on seedling emergence, 1157, **1159, 1160**
maydis, teliospores of, germination and metabolism, 1217
nuda
in barley, effect of cyanide in anaerobic treatment for, 1228
in barley and wheat, effect of variable inoculum supply, 9
resistance of barley to, 744
tritici
in wheat, effect on growth and morphology, 20
race 6, resistance of wheat to, 602
Uyemoto, J. K., (23)

V-8 juice to isolate fungi from contaminated material, 582
Valenta, J. R., 1030
Van Arsdel, E. P., 1095
van der Zwet, T., 31, 31
Van Gundy, S. D., (30), 31, 366, 628, (738), (754), (781)
Vapam
decomposition of, in soil, 756
destroys soil viruses, 742
laboratory evaluation of, as eradicant soil fungicide, 503
nonvolatile phytotoxic impurity in, identification and prevention, 734
rate of decomposition in different media, 734
in Phytophthora megasperma sojae, 859, **860**
variegation, heat-induced, a model disease, 1307
Varney, E. H., (921)
Vaughan, E. K., 367, (729), (735), (1285)
vectors, virus transmission, factors affecting efficiency, 13
vector specificity, of barley yellow dwarf virus, 360
vein-banding virus of strawberry, virus-free plants from apical meristems of infected plants, 743
vein-enation virus, in modification of immunity of Poncirus trifoliata to yellow-vein virus, 367
Venturia inaequalis
development affected by dodine residues, 572, **575, 577-579**
inhibited by phloridzin, 746
metabolism in vitro of phloridzin and other compounds by, 1019
pathogenicity to apple, relation of amino acids to, 757
resistance and susceptibility of apple related to phenylalanine metabolism, 699, **701, 702**
resistance broken down by polyphenol-oxidase inhibitor, 23
syntropism in, related to pathogenicity, 725
Verticillium
in tomato, resistant varieties susceptible to an Ohio isolate, 998
relationship of meadow nematodes, in strawberry, 921
wilt, effect of oxygen level in stems, 7
wilt, effect of soil amendments on, 743
albo-atrum
comparative survival of mycelium, conidia, and microsclerotia in soil, 288
effect of light on microsclerotia production, 362
importance of nonhosts in maintaining inoculum potential, 742
in cotton, effect of nitrogen source and rate on, 38, **39**
in olive, causes wilt, 32
in potato, relation to chlorogenic acid and total phenols in, 364
in potato, resistance related to chlorogenic acid, 747
in potato, thermal inactivation, 364
in spinach, seed transmission of, 365
mechanisms of variation, 732
microsclerotia, ultrastructure of, 745
origin of new mycelial growth in, 27
pathogenic to potato, production of pectic enzymes by, 367
reproduction in rhizosphere and subsequent root infection of Mentha, 739
soil fungicides for, laboratory evaluation, 503
dahliae
effect of anaerobic fermentation on survival of sclerotia of, 743
interacts with Pratylenchus penetrans in tomato wilt, 744
theobromae, in crown rot of boxed bananas, 12
viability
of lyophilized barley stripe mosaic virus, 554
of Meloidogyne javanica larvae, measured by motility and gall production, 30
of Phytophthora phaseoli in lima bean, 1222
of rye, cause and control of low viability, 344, **346**
of Uromyces phaseoli, in storage, 653, **655, 656**
rapid germination of Arceuthobium seed a test for, 757
Victoria blight of oats, vapor action of organic mercurials on seed, 723
victorin
effect on cell electrolytes, 725
effect on Krebs cycle acids of oat, 19
induces changes in nitrogen metabolism of oat, 740

victoxinine, toxicity of, 750
virulence
changes in, with ultraviolet irradiation, 732
of conidia of single-spore isolates of Diplocarpon rosae, 1221
of Erwinia carotovora, physiological differences between strains, 328, **329, 330**
of Erwinia carotovora, and rate of growth in host tissue, 732
of Phytophthora parasitica nicotianae, related to zoospore production and motility, 191, 193
of Pseudomonas savastanoi from olive and oleander, 741
reduced in Erwinia carotovora by ultraviolet, 328, **329, 330**
viruses
destruction by soil fumigants, 742
effect of translocated stimuli on infection by, 33
immune response to, bound to agar, 721
in papaya, 6
inhibited by milk, 19
interference studies with mixed inocula for related and unrelated viruses, 758
latent
in apple, detection and identification, 744
in commercial apple varieties, 730
seed transmitted in bean, 734
of carnation, controlled by heat treatment, 163
partial purification by acetone-dried agar, 29
related, complementary effects in serial dilutions, 726
unstable, transmission from liquid nitrogen-frozen plant tissue, 750
virus aggregation in living cells infected by tobacco mosaic virus, 359
virus disease
effect of exocortis on Satsuma orange, 581
of flowering almond, 366
virus infection, effect of pH and phosphate on, 362
virus recovery, from refrigerated fruit tree and grapevine pollen collections, 367
virus resistance, of potato leaves to potato virus X, 688, **689-691**
virus transmission
affected by vector anomalies, 13
to strawberry, by excised leaf grafts from plants other than strawberry, 726
von Schmeling, B., 819
von Sydow, B., 169
Vorlex, destroys soil viruses, 742
Vörös, J., (171)

Waddle, B. A., (10)
Waddell, H. T., 31
Waggoner, P. E., (926), 1100
Wagnon, H. K., (366), (367)
Wahl, I., (585)
Waite, B. H., 287
Walker, J. C., (2), (24), (650), (1119)
Walker, J. T., 684
Wall, R. E., 31
Wallace, J., 1004, 1023
Wallace, J. M., 237, 756
Wallen, V. R., 756
Wallrothiella arceuthobii, on Arceuthobium sp., 757
walnut, bark canker of, associated with phage specific for Erwinia nigrifluens, 363
Walters, H. J., (28), 31
Walton, G. S., 927
Ware, Bonnie, (359)
water, in banana, relation to Pseudomonas solanacearum infection in, 1144, **1145-1147**
water lilies, leafspot of, control, 165
watermelon
histology of anthracnose, 650, **651, 652**
Mycosphaerella citrullina in, 635, **637**
watermelon mosaic virus
effects of aphid vectors on, 746
resistance to, in Cucumis melo, 1221
Waterworth, H. E., 32
Weathers, L. G., (25), 32, 367
weather
related to chance of infection, 1100, **1104**
related to plant disease, symposium, 1095
Webb, R. E., (365), 486, 486, (597), 1221
Weber, D., 756
Weber, D. F., 756
Weber, D. J., 367
Weber, G. F., (31)
Wehlburg, C., 32, 287
Weihing, J. L., 1268
Weinhold, A. R., 32, 757
Weinke, K. E., 757
Weinstein, L. H., (25), (748)
Welkie, G. W., 367, (728)
Wellman, F. L., (286), 287, 928
Wells, H. D., 757
Wensley, R. N., (21)
Wernham, C. C., (519)
Wester, R. E., (164), 486, 1222
western aster yellows virus, leafhopper transmission, to legumes and solanaceous plants, 128, **130, 131, 133**
western X-disease of peach, control, 363
Whaley, J. W., 486
wheat
bromegrass mosaic virus in, inhibited by 8-azaguanine, 432
carbon dioxide production of, technique for measurement, 730
effect of nickel chloride on niacin content, 17
effect of rust on photosynthesis in, 739
Helminthosporium sativum in
related to variation in, 493, **496**
seedling reaction, 364
phenol metabolism of, 657, **659-661**
Puccinia graminis in
C^{14}-containing metabolites in, 169, **169**
control with nickel and carbamate sprays, 736
in callus tissue, 21
phenol content of leaves and effects of nitrogen, 738
P. recondita in, effect of CO_2 on, 34
Puccinia striiformis in
effect of host temperatures, 751
seedling vs. mature plant reaction, 748
relation of crop rotation to yield, 757
resistance to Ustilago tritici, race 6, 602
smut, controlled by tetrachloronitroanisole, 25
stem rust
effect of calcium pantothenate on, 13
resistance of, 657
whole-leaf clearing and staining technique to demonstrate host-pathogen relationships, 1313, **1313**
striate mosaic of, 753
stripe rust of, destructive potential, 746
Tilletia foetida in, effect of gibberellic acid seed treatment, 171
Ustilago nuda in, effect of inoculum supply, 9
Ustilago tritici in, effect on growth and morphology, 20
winter
barley yellow dwarf virus on, effects on survival and yield, 624
fungi from subterranean parts, 736
wheat streak mosaic virus
grasses resistant to, 364
inhibition by purines and pyrimidines, 432
Wheeler, H., (4), (725)
whitefly, transmits mosaic of Rhynchosia minima, 286
Wibe, O., 373
Wicker, E. F., 757, 757
Wiggs, D. N., 983
Wilcoxson, R. D., (2), (18), 416, (747)
wildfire disease in tobacco, resistance lost by chromosome fragmentation, 753

Wildman, S. G., (758), (1264)
Wilhelm, S., 32, (361), (365), 1234
Williams, Barbara J., 757
Williams, E. B., (23), (699), (739), (746), (1004), (1019)
Williams, H. E., (366), 367
Williams, L. E., (16), (16), 241, 368, (751), 757, 778
Williams, P. H., 32, 33
Willis, G. M., (368)
Willison, R. S., (179)
willow, noninsect galls on, 1222
Wilson, C. W., (361)
Wilson, E. E., 33, (363), (741), (741)
Wilson, J. B., 1222
Wilson, J. D., 33, 33, (684)
Wilson, R. A., (1219)
Winstead, N. N., (15), (15)
witches' broom in Gambel oak, associated with Articularia quercina minor, 451, **453**
Wood, F. A., 33
Wood, L. S., 493
Woodbury, R., (287)
Woodbury, W., 33
Woodcock, W. P., 927
woody gall virus of citrus, 756
Worf, G. L., 1126
Worley, J. F., (166), 757
wound-tumor tissue, phosphorus metabolism compared with normal, 748
Wu, J.-H., 758, 1264
Wu, L.-C., 354
Wyllie, T. D., 202

Xanthomonas
causes angular leafspot of strawberry, 16
fragariae, sp. nov., cause of angular leafspot of strawberry, 873, **873, 874**
malvacearum, variant culture of, obtained from weed roots, 1313
pelargonii, transmitted by Trialeurodes vaporariorum, 5
vesicatoria on tomato, a resident, 17
Xiphenema
americanum
pathogenic to nursery spruce, 734
survival in soil, effect of oxygen on, 628, **629-631**
transmits tobacco ringspot virus, 375
role in stunting of southern pines, 56, **61-65**
index
host range and pathogenicity, 748
life cycle of, 748
xylanase system, produced by Diplodia viticola, 754
Xylariaceae in decay of wood, compared with Polyporaceae, 21

Yale, J. W., Jr., 1285
Yarwood, C. E., 33, 166, 206, (361), (366), 709, 758
yeast
permeability of cells to pyruvate ion, effect of fungicides on, 959, **960, 961**
permeability of cells to pyruvate ion, effect of fungitoxic compounds on, 17
yellows, effect on macronutrient element composition of sour cherry leaves, 419
yellow edge virus of strawberry, virus-free plants from apical meristems of infected plants, 743
yellow-spot virus, strain of alfalfa mosaic virus, 487
yellow-vein virus, modification of immunity to, in Poncirus trifoliata, 367
yield
of alfalfa and soybean, related to crop rotation, 751
of corn, oats, and wheat, related to crop rotation, 757
Yirgou, D., 34
York, Harlan Harvey, biographical sketch, 93
Young, R. A., (364), (503), (747), (756)

Zaitlin, M., 367, (752), 1222
Zak, B., 34
Zaki, A. I., 758
Zaumeyer, W. J., 486, 487, 758, 1222
Zawadzka, Barbara, 34, 34, 758
Zentmyer, G. A., 34, 288
Zimmer, D. E., 34, 1177
zineb, controls leaf diseases of corn, 287
zoosporangium production of Phytophthora fragariae, factors affecting, 163
zoospores
of Aphanomyces euteiches
attraction to pea and other plant roots, 616, **617**
attraction to roots, 7
in penetration and infection of pea roots, 827, **829-832**
production and motility related to virulence in Phytophthora parasitica nicotianae, 191, **193**
production of Aphanomyces cochlioides, factors affecting, 166
Zscheile, F. P., (19), (19), (741), (891)
Zuckerman, B. M., 1017
Zythiaceae on Prunus domestica, nutrition of, 740

ERRATA, VOLUME 51

Page 638, column 1, line 44, *read* sp. *for* spp.
Page 665, column 2, line 7, *read oxycardium for oxicardium.*
Page 666, column 2, line 14 from bottom, *read* (*forma specialis*) *for* (*formal speciales*).
Page 684, first column, insert *L. americana* above third line from bottom.
Page 688, Table 2, divide figures in last column by 2.
Page 705, Table 1, second column, *read* Nodulation treatment *for* Nodulation treatment[b].
Page 833, column 1, line 14, *read* these *for* there.

ERRATA, VOLUME 52

Page 4, column 1, line 10, *read* time, up to 6 days, plants were *for* time up to 6 days. Plants were.
Page 22, column 2, line 1, *read* Inoculating with 15,000 spores/ml of *H. sativum* and incubating at 15-20°C for 1-2 days with initial tube closure *for* After inoculation with 15,000 spores/ml of *H. sativum* and incubating at 15-20°C for 1-2 days, initial tube closure.
Page 140, column 1, line 3 of summary, *read* of a host to disease *for* of a host disease.
Page 140, column 1, line 5 from bottom, *read* C_p/Rs *for* $C_p/_s$.
Page 144, column 1, line 7 from bottom, *read* eelworm *for* eelwork.
Page 147, column 2, line 17, *read* above *for* before.
Page 151, column 2, line 31, *read euteiches*-free *for euteiches-lite.*
Page 153, column 1, line 10 from bottom, *read* as they were for uninoculated controls *for* as for uninoculated controls.

Page 159, column 2, line 32 from bottom, *read* seem *for* see.
Page 179, column 1, line 7 from bottom, *read* 0.9% NaCl *for* 0.7% NaCl.
Page 225, column 1, delete first line.
Page 236, column 1, line 18, *read Alternaria,* producing *for Alternaria*-producing.
Page 257, column 1, line 25, *read* absorbances *for* absorbencies.
Page 257, column 1, lines 27 and 31, *read* absorbance *for* absorbency.
Page 260, column 1, line 17, *read* (5) *for* (3).
Page 260, column 1, line 18, *read* (4) *for* (5).
Page 278, column 1, line 6, *read* the task of breeding for root-knot resistance is simplified *for* the fact that other sources of resistance are available.
Page 297, table 2, line 12, *read* *o*-methoxyphenyl acetate *for* *o*-methoxyphenyl.
Page 303, column 1, line 3, *read* Pycnidia *for* Pcynidia.
Page 361, column 2, line 43, *read* the possibility of viable hyphae being present but prevented from growing *for* viable hyphae.
Page 440, column 2, line 1, read 150-μl for 150-ml.
Page 504, Table 1, line 18 *read* DuPont & Co.—VPM, Stauffer—Vapam *for* DuPont & Co.—Vapam.
Page 511, column 2, line 4 from bottom, *read* 120 *for* 102.
Page 536, column 2, line 11, *read* imino *for* amino.
Page 536, column 2, line 12, *read* amino *for* imino.
Page 537, column 1, line 13 from bottom, *read* Baker 296 *for* N-145-4.
Page 537, column 1, line 4 from bottom, *read* N-145-4 *for* Baker 296.
Page 543, column 1, line 16, *read* (Fig. 2-A) *for* (Fig. 1-A).
Page 598, column 2, lines 16 and 17 from bottom, *read* P.I. 140467 *for* P.I. 140469.
Page 618, column 2, reference (1), *read* Chemotaxis of zoospores of Phytophthora *for* Chemotaxis of Phytophthora.
Page 624, column 2, line 3 of summary, *read* Ky. *for* Ill.
Page 656, Fig. 3-C, ordinate label, *read* % infectivity for % infectibility.
Page 803, column 1, line 33, *read* plating *for* planting.
Page 885, column 1, line 26, *read* stalk *for* stack.
Page 909, for author's titles *read* former Plant Pathologist and Plant Physiologist *for* Plant Pathologist and former Plant Physiologist.
Page 928, the Symposium on Tropical Plant Pathology was supported in part by a grant from the National Science Foundation.

ANNOUNCEMENT

An appeal to readers of PHYTOPATHOLOGY

As you probably know, The American Phytopathological Society has assisted in establishing a new ANNUAL REVIEW OF PHYTOPATHOLOGY. We now face the problem of being sure that every author has access to all available literature. Only thus can he "deliver a scholarly contribution to knowledge . . . an imaginative appraisal of the subject."

The following authors have agreed to write for Volume I. On their behalf, I bespeak your cooperation to send them titles, especially from hard-to-get sources. And please do not forget to send your own papers, especially reprints; and, if feasible, those "in press." Authors should be contacted soon; their deadline is late March, 1963. Not every citation can get into his bibliography, of course, but I am sure that the authors will welcome your aid. Thank you.

James G. Horsfall—Editor

TOPICS AND AUTHORS, ANNUAL REVIEW OF PHYTOPATHOLOGY, VOL. 1

Prefatory
J. C. Walker
Department of Plant Pathology
University of Wisconsin
Madison 6, Wisconsin

Rust Physiology
M. Shaw
Biology Department
University of Saskatchewan
Saskatoon, Canada

Biochemistry of Disease
Kohei Tomiyama
Hokkaido Agricultural Station
Hokkaido University
Sapporo, Japan

Degradation of Cellulose
Birgitta Norcrans
Department of Microbiology
Kungl. Farmaceutiska Institutet
Stockholm Va, Sweden

Growth Substances in Plant Disease
Luis Sequeira
Department of Plant Pathology
University of Wisconsin
Madison 6, Wisconsin

Genetics of Pathogenicity of Phytophthora infestans
John S. Niederhauser
The Rockefeller Foundation
Calle Londres 40
Mexico 6, D.F.

Role of Host Cell in Virus Synthesis
K. W. Mundry
c/o Max Planck Institut für Biologie
Corrensstrasse e1, Tübingen, Germany

Heterokaryosis and Variability in Pathogenic Fungi
W. C. Snyder and J. R. Parmeter, Jr.
Department of Plant Pathology
University of California
Berkeley 4, California

Selective Action of Heat and Chemicals on Soil Microorganisms
Kenneth F. Baker and W. A. Kreutzer
Department of Plant Pathology
University of California
Berkeley 4, California

Biology of Root Infections
David Park
University of Manchester
Manchester, England

Direct Assay of Soil
James D. Menzies
U.S. Soils Laboratory
Plant Industry Station
Beltsville, Maryland

Phytoalexins
I. A. M. Cruickshank
P. O. Box 109
City Canberra, A. C. T., Australia

Climate and Forest Diseases
George H. Hepting
Plant Pathologist
Southeastern Forest Experiment Station
Asheville, North Carolina

Physiology of Fungicidal Action
Robert G. Owens
Boyce Thompson Institute
Yonkers 3, New York

Bacteriophages of Plant Pathogens
Norio Okabe
Mitsuke, Iwata, Japan

Biology of Soil-Borne Virus Diseases
C. H. Cadman
Department of Plant Pathology
Scottish Horticultural Research Institute
Mylnefield, Invergowrie
Dundee, Scotland

Physiology of Virus Disease
T. O. Diener
Plant Industry Station
Crops Research Division
Beltsville, Maryland

Host Response to Nematode Infection
Lorin R. Krusberg
Department of Botany
University of Maryland
College Park, Maryland

Phytopathology

An International Journal

Official Organ of

THE AMERICAN PHYTOPATHOLOGICAL SOCIETY

VOLUME 52

JANUARY-DECEMBER, 1962

Editor-in-Chief

R. W. FULTON

Editors

R. R. BAKER	J. G. HORSFALL	J. H. OWEN	W. F. ROCHOW
J. M. DALY	G. B. LUCAS	R. F. PATTON	H. D. SISLER
E. P. DUCHARME	W. F. MAI	DWIGHT POWELL	T. C. VANTERPOOL
M. W. GARDNER	L. P. MILLER	D. A. ROBERTS	

Business Management

A. W. DIMOCK D. A. ROBERTS

The American Phytopathological Society

Officers

W. B. HEWITT, *President*
GEORGE A. ZENTMYER, *Secretary*
C. S. HOLTON, *President-Elect*
A. E. DIMOND, *Vice-President*
A. W. DIMOCK, *Treasurer*
S. E. A. MCCALLAN, *Retiring President*

Councilors

G. A. BRANDES ARTHUR KELMAN G. W. COCHRAN A. B. GROVES
W. J. MARTIN M. B. LINN A. L. TAYLOR E. H. SCHIEBER

PUBLISHED FOR THE SOCIETY

The Heffernan Press Inc.

Worcester, Massachusetts

DIVISIONS OF THE SOCIETY

Caribbean

E. Echandi, *Pres.* — A. E. Rodriguez V., *Vice-Pres.* — B. H. Waite, *Sec.-Treas.*

Northeastern

R. H. Daines, *Pres.* — W. F. Mai, *Vice-Pres.* — H. B. Couch, *Sec.-Treas.*

North Central

R. L. Kiesling, *Pres.* — J. F. Schafer, *Vice-Pres.* — J. R. Wallin, *Sec.-Treas.*

Pacific

W. A. Kreutzer, *Pres.* — J. A. Milbrath, *Vice-Pres.* — C. J. Gould, *Sec.-Treas.*

Potomac

H. L. Barnett, *Pres.* — H. D. Sisler, *Vice-Pres.* — R. E. Webb, *Sec.-Treas.*

Southern

D. E. Ellis, *Pres.* — J. P. Fulton, *Vice-Pres.* — J. H. Owen, *Sec.-Treas.*

SUSTAINING ASSOCIATES

American Tobacco Company, Inc., Research Laboratory, 400 Petersburg Turnpike, Richmond 24, Va.

Campbell Soup Company, Camden, N. J.

The Dow Chemical Company, Midland, Mich.

E. I. du Pont de Nemours & Company, Inc., Wilmington 98, Del.

Ferry-Morse Seed Company, P.O. Box 778, Detroit 31, Mich.

H. J. Heinz Company, Pittsburgh 30, Pa.

Monsanto Chemical Company, 800 N. Lindberg Boulevard, St. Louis 66, Mo.

Niagara Chemical Division, FMC Corporation, Middleport, N. Y.

Rohm & Haas Company, Washington Square, Philadelphia 5, Pa.

The Sulphur Institute, 1725 K Street, N.W., Washington 6, D. C.

Shell Chemical Company, Agricultural Chemicals Sales Division, 110 West 51st Street, New York 20, N. Y.

Tennessee Corporation, 900 Roosevelt Highway, College Park, Ga.

Yoder Brothers, Inc., Barberton, Ohio

CONTENTS OF VOLUME 52, 1962

No. 1—JANUARY

Abstracts of papers accepted for presentation at the fifty-third annual meeting of The American Phytopathological Society, Biloxi, Miss., December 10, 11, 12, 13, 1961 1

Genetics of phytopathogenic fungi. VII: Fungicide resistance in Colletotrichum lagenarium
S. K. Dutta and E. D. Garber 35

Effects of nitrogen source and rate on the development of Verticillium wilt of cotton ..... C. D. Ranney 38

Comparative ecology of downy and powdery mildews of lettuce ..... W. C. Schnathorst 41

Effects of five sulfosuccinates on symptom development of five virus diseases in bean plants
Irving R. Schneider and John W. Mitchell 46

Photochemical decomposition and biological activity of p-dimethylaminobenzenediazo sodium sulfonate (Dexon)
F. J. Hills and L. D. Leach 51

The role of plant-parasitic nematodes in stunting of pines in southern plantations
John L. Ruehle and J. N. Sasser 56

Histopathological studies of pine roots infected with lance and pine cystoid nematodes ... John L. Ruehle 68

Effect of temperature on the interaction of potato viruses X and Y in inoculated tobacco leaves
Richard E. Ford and A. Frank Ross 71

Strains of the color-breaking virus of camellia ..... A. G. Plakidas 77

Survival of Heterodera glycines at controlled relative humidities ..... Burton Y. Endo 80

Phytopathological Notes

Electron microscopy of fungus conidia after immersion in mercuric chloride solution
C. Matsui, M. Nozu, T. Kikumoto, and M. Matsuura 88

Production of a fungistatic effect by soil microflora in autoclaved soil ..... G. J. Griffin 90

Book Listings 91

News 92

No. 2—FEBRUARY

Harlan Harvey York, 1875-1961 ..... Walter H. Snell 93

Effects of captan on glucose metabolism and growth of Saccharomyces pastorianus
Thomas C. Montie and Hugh D. Sisler 94

Bacterial blight of poinsettia: histopathological studies ..... D. B. Creager and E. P. Matherly 103

Factors affecting incidence of rhizome-rot caused by Erwinia carotovora of Gros Michel and Lacatan bananas
Clive A. Loos 110

Entrance and invasion of the asparagus plant by urediospore germ tubes and hyphae of Puccinia asparagi
K. R. Lubani and M. B. Linn 115

Early plant pathology in America ..... Ralph E. Smith 119

Inheritance of resistance to Puccinia sorghi in six corn inbred lines ..... A. L. Hooker and W. A. Russell 122

Leafhopper transmission of Western aster yellows virus to legumes and solanaceous plants .... J. H. Freitag 128

The interaction of host, pathogen, and soil temperature in relation to susceptibility to Fusarium wilt of bananas
C. H. Beckman, S. Halmos, and M. E. Mace 134

The host plant as a habitat for fungal and bacterial parasites ..... John Grainger 140

Studies on the biology of Aphanomyces euteiches ..... R. T. Sherwood and D. J. Hagedorn 150

Sulfur nutrition of Nicotiana tabacum in relation to multiplication of tobacco mosaic virus
K. C. Ling and G. S. Pound 155

Incidence of ringspot and prune dwarf and the relationship of these conditions to prune decline in Idaho
A. W. Helton 159

Report and Abstracts of the 1961 Meeting of the Potomac Division of The American Phytopathological Society 162

Letters to the Editor 166

Phytopathological Notes

Natural occurrence of beet western and malva yellows viruses on flax ..... James E. Duffus 168

Distribution of C^{14}-containing metabolites in wheat leaves infected with stem rust
BURKARD VON SYDOW AND RICHARD D. DURBIN 169
The amino acid composition of a strain of potato virus X ..... J. G. SHAW AND R. H. LARSON 170
Effect of treatment of wheat seed with gibberellic acid on bunt infection
Z. KIRÁLY, EVA BÓCSA, AND J. VÖRÖS 171
A rapid method for inoculating alfalfa with Pseudoplea trifolii ..... E. S. MARTINEZ AND E. W. HANSON 172
Potato-dextrose agar prepared from dehydrated mashed potatoes ..... M. L. LACY AND G. H. BRIDGMON 173
Inhibition of powdery mildew fungus by chlordane ..... ALBERT L. SCHAREN 173
Liquid trapping of Meloidogyne incognita incognita about roots in agar medium
ROBERT SANDSTEDT AND MAX L. SCHUSTER 174
Sclerotinia camelliae cultures remain viable in liquid medium ..... D. M. ALFORD AND J. B. SINCLAIR 175
A method for studying postemergence seedling root rot ..... A. F. SCHMITTHENNER AND J. W. HILTY 177
A Merthiolate-induced precipitation in gel-diffusion tests with plant sap
J. H. TREMAINE AND R. S. WILLISON 179
Controlling spread of Rhizopus in packed tomatoes by tissue wraps impregnated with active halogen compounds ..... J. W. ECKERT AND M. J. KOLBEZEN 180
Confirmation of the identity of a fungitoxic compound produced by carrot root tissue
PATRICIA CONDON AND J. KUĆ 182

BOOK LISTINGS 102, 158

NEWS 184

No. 3—MARCH

Effects of growth regulators on size and number of leaf spots, and on O_2 uptake and extension growth of coleoptile sections of corn inbred lines K41 and K44 ... M. G. HALE, C. W. ROANE, AND M. R. C. HUANG 185
Relationship of zoospore production potential and zoospore motility with virulence in Phytophthora parasitica var. nicotianae ..... P. D. DUKES AND J. L. APPLE 191
Penetration and host-parasite relationships of Thielaviopsis basicola in the bean plant ... THEODOSIOS CHRISTOU 194
Prevalence and pathogenicity of Sphacelotheca reiliana causing head smut of field corn in California
PHILIP M. HALISKY 199
Effect of metabolic by-products of Rhizoctonia solani on the roots of Chippewa soybean seedlings
THOMAS D. WYLLIE 202
Further phosphate effects in virus inoculations ..... C. E. YARWOOD 206
Black root rot of pine seedlings ..... CHARLES S. HODGES 210
Penetration and host-parasite relationships of Fusarium solani f. phaseoli in the bean plant
THEODOSIOS CHRISTOU AND WILLIAM C. SNYDER 219
The interaction of potato viruses X and Y in tobacco leaf tissue differing in age
RICHARD E. FORD AND A. FRANK ROSS 226
Studies on the disease resistance of Ginkgo biloba
PETER B. ADAMS, THOMAS SPROSTON, HANS TIETZ, AND RANDOLPH T. MAJOR 233
A high rate of seed transmission of avocado sun-blotch virus from symptomless trees and the origin of such trees ..... J. M. WALLACE AND R. J. DRAKE 237
Effect of crop rotation on soil fungus populations ..... L. E. WILLIAMS AND A. F. SCHMITTHENNER 241
Pectic enzymes and cellulase formation by Fusarium oxysporum f. cubense on stem tissues from resistant and susceptible banana plants ..... DAWSON C. DEESE AND MARK A. STAHMANN 247
Pectic enzymes in Fusarium-infected susceptible and resistant tomato plants
DAWSON C. DEESE AND MARK A. STAHMANN 255
Assay and partial purification of self-inhibitors of germination from uredospores of the bean rust fungus
A. A. BELL AND J. M. DALY 261
Antibiosis in bacterial wilt of alfalfa ..... E. J. HAWN AND J. B. LEBEAU 266
Purple stain of guar ..... HOWARD W. JOHNSON AND JOHN P. JONES 269
Factors influencing resistance of cotton to root-knot nematodes (Meloidogyne spp.) .... NORMAN A. MINTON 272
The microbial inhibitor in cotton seed—an artifact ..... W. C. SCHNATHORST 279

REPORT AND ABSTRACTS OF THE 1961 ANNUAL MEETING OF THE CARIBBEAN DIVISION OF THE AMERICAN PHYTOPATHOLOGICAL SOCIETY 285

PHYTOPATHOLOGICAL NOTE
Comparative survival of mycelium, conidia, and microsclerotia of Verticillium albo-atrum in mineral soil
LAWRENCE R. SCHREIBER AND RALPH J. GREEN, JR. 288

NEWS 290

No. 4—APRIL

Ellsworth Chapman Maine, 1931-1960 ..... Arthur Kelman 291
Hemlock canker ..... Robert E. Baldwin and Edward S. Elliott 292
Fungitoxicity of lignin monomers, model substances, and decomposition products
B. T. Lingappa and John L. Lockwood 295
Comparison of three stem diseases of Melilotus and their causal agents ... G. C. M. Latch and E. W. Hanson 300
Sulfur nutrition of Aphanomyces euteiches ..... W. A. Haglund and T. H. King 315
Chitin media for selective isolation and culture of actinomycetes ... Yamuna Lingappa and John L. Lockwood 317
Histochemical and morphological studies of carnation stem rot ..... Douglas J. Phillips 323
Physiological differences between a virulent and a weakly virulent radiation-induced strain of Erwinia carotovora ..... B. A. Friedman 328
Elytroderma mycelium in the phloem of ponderosa pine ..... Peter P. Sikorowski and Lewis F. Roth 332
Influence of storage fungi on deterioration of stored pea seed .... Richard W. Fields and Thomas H. King 336
Quantitative measurement of host-pathogen interactions ..... H. H. Luke and P. L. Pfahler 340
The cause and control of low viability of rye ..... H. H. Luke and P. L. Pfahler 344
Survival of Helminthosporium oryzae in soil and its inhibition by Bacillus mycoides
G. Rangaswami and M. Ramalingam 347
Physiological specialization within Phytophthora parasitica var. nicotianae ..... J. L. Apple 351
Some effects of Fusarium infection of tomato on growth, oxidation, and phosphorylation
Lung-Chi Wu and R. P. Scheffer 354

Report and Abstracts of the 1961 Annual Meeting of the Pacific Division of The American Phytopathological Society 359

Phytopathological Notes

Agar-ring method for in vitro studies of fungistatic activity
Lansing E. Williams and George M. Willis 368

Pycnidial formation by Macrophomina phaseoli on artificially inoculated cotton
N. B. Kulkarni, B. C. Patil, and M. Sulaiman 369

Efficacy of phorate as a fungicide ..... Joseph Hacskaylo and R. B. Stewart 371

Relationship between turnip mosaic virus and the radish P virus of Japan
Glenn S. Pound, H. Tochihara, and R. J. Shepherd 373

Inhibition of Septoria passerinii development in excised barley leaves by Helminthosporium sativum and by cell-free filtrates ..... Orris Wibe and Donald J. Morton 373

Transmission of tobacco ringspot virus by Xiphinema americanum ..... Joseph P. Fulton 375

Use of ultraviolet light in isolation of certain fungi from soil ..... J. R. Parmeter, jr. and J. R. Hood 376

Writing for Phytopathology 378

News 380

Book Listings 294, 299, 343, 358, 377

No. 5—MAY

Penetration and host-parasite relationships of Rhizoctonia solani in the bean plant .... Theodosios Christou 381
Uptake, translocation, and chemotherapeutic effect of *p*-dimethylaminobenzenediazo sodium sulfonate (Dexon) in sugar beet seedlings ..... F. J. Hills 389
Southern sunn hemp mosaic virus: a strain of tobacco mosaic virus ..... S. P. Capoor 393
Broad bean mosaic caused by pea mosaic virus in the Sudan ..... M. A. Nour and Jane J. Nour 398
Three variants of lettuce mosaic virus and methods utilized for differentiation
D. L. McLean and M. G. Kinsey 403
Identity of fruit-like aroma substances synthesized by endoconidial-forming fungi
Ralph P. Collins and Max E. Morgan 407
Effect of the addition of organic amendments to soil on root knot of tomatoes. II. Relation of soil temperature, moisture, and pH ..... Leander F. Johnson 410
Changes in phenolic compounds in carrot root tissue infected with Thielaviopsis basicola
Raymond E. Hampton 413
Stalk rot in relation to yield of corn ..... Roy D. Wilcoxson 416
Effect of ringspot, yellows, and rootstock on the macronutrient element composition of leaves and on growth of sour cherry ..... J. D. Kirkpatrick, K. G. Parker, and E. G. Fisher 419
Effects of foliar urea treatment on numbers of actinomycetes antagonistic to Fusarium roseum f. cerealis in the rhizosphere of corn seedlings ..... R. K. Horst and L. J. Herr 423

A mosaic disease of Dolichos lablab and diseases of other crops caused by alfalfa mosaic virus in the Sudan
M. A. Nour and Jane J. Nour 427
Chemotherapeutic effects of some substituted purines and pyrimidines and other compounds against three cereal viruses and tobacco mosaic virus ..... Ren-Jong Chiu and W. H. Sill, jr. 432
The accumulation of growth substances in plants infected by Pseudomonas solanacearum
Luis Sequeira and Arthur Kelman 439
Disease damage in forage grasses ..... Edward S. Elliott 448
Witches' broom of Gambel oak associated with Articularia quercina var. minor
Frank G. Hawksworth and James L. Mielke 451
Biological breakdown of two organic mercurial fungicides
William C. Spanis, Donald E. Munnecke, and Richard A. Solberg 455
Report of the 53rd Annual Meeting of The American Phytopathological Society 462
Additional Abstracts of the 1961 Meeting of the Potomac Division of The American Phytopathological Society 485
News 488
Book Listings 406

No. 6—JUNE

Identity of a seed-borne virus of cowpea ..... Robert J. Shepherd and Robert W. Fulton 489
Relation of variation in Helminthosporium sativum to seedling blight of small grains ..... Leon S. Wood 493
The nutritional competition between Hypoxylon punctulatum and Ceratocystis fagacearum
Ronald S. Roncadori 498
Evaluation of eradicant soil fungicides in the laboratory ..... Malcolm E. Corden and Roy A. Young 503
The bulb and stem nematode (Ditylenchus dipsaci) on onion in southwestern Ontario
R. M. Sayre and W. B. Mountain 510
Distribution of clover yellow mosaic and white clover mosaic viruses on white clover in the United States
H. Agrawal, L. Bos, and M. Chessin 517
Etiology of stalk rots of corn in Pennsylvania ..... Graydon C. Kingsland and Clifford C. Wernham 519
Relation of certain environmental factors and tobacco mosaic virus to blotchy ripening of tomatoes
John Paul Jones and L. J. Alexander 524
Interaction of genes conditioning reaction of Algerian barley and pathogenicity of Erysiphe graminis f. sp. hordei
J. G. Moseman and C. W. Schaller 529
Nature of predisposition of castorbeans to Botrytis. I. Relation of leachable sugar and certain other biochemical constituents of the capsule to varietal susceptibility .... R. G. Orellana and C. A. Thomas 533
Curly top virus content of the beet leafhopper influenced by virus concentration in diseased plants
C. W. Bennett 538
Systemic development and persistence of Sphacelotheca reiliana in Sudan grass
P. M. Halisky and L. J. Petersen 541
Relation between chlorogenic acid content and resistance to coffee canker incited by Ceratocystis fimbriata
Eddie Echandi and C. E. Fernández 544
Inheritance of pathogenicity in a cross of physiological races 111 and 36 of Puccinia graminis f. sp. tritici
William Q. Loegering and H. R. Powers, jr. 547
Retention of viability in lyophilized barley stripe mosaic virus ..... R. G. Timian and H. J. Klosterman 554
A seedling test for evaluating resistance of pea to Fusarium root rot ..... John L. Lockwood 557
Relation of soil pH to development of poinsettia root rots ..... D. F. Bateman 559
Quantitative estimations by plate counts of propagules of the bean root rot Fusarium in field soils
Shirley M. Nash and William C. Snyder 567
Relation of dodine residue levels and scab development on apple fruit and leaves
J. E. Mitchell and J. Duain Moore 572

Phytopathological Notes

Effect of exocortis on Satsuma orange ..... J. B. Sinclair and R. T. Brown 581
A modified dilution technique for obtaining single-spore isolates of fungi from contaminated material
A. F. Schmitthenner and J. W. Hilty 582
Microbial influence on the formation of oospores in culture by Phytophthora parasitica var. sabdariffae
N. Mukerjee and A. B. Roy 583
Strains of noncultivated Avena spp. resistant to important races of the crown rust fungus
M. D. Simons, I. Wahl, and Ady Raul da Silva 585
Production of a phytotoxin by Rhizoctonia solani ..... R. T. Sherwood and C. G. Lindberg 586
Reaction of Bermuda grass varieties and lines to root-knot nematodes
R. D. Riggs, J. L. Dale, and M. L. Hamblen 587

THE PRESIDENT'S COLUMN 589
WRITING FOR PHYTOPATHOLOGY 593
NEWS 596

No. 7—JULY

Immunity to race 2 of spinach downy mildew ..... PAUL G. SMITH, R. E. WEBB, AND CARL H. LUHN 597
Pathogenicity of monoascosporic progenies of Trichometasphaeria turcica .. A. E. RODRIGUEZ AND A. J. ULLSTRUP 599
Some histological and genetic relationships of resistance of wheat to loose smut
TIMOTHY A. GASKIN AND JOHN F. SCHAFER 602
Susceptibility of certain Convolvulaceae to internal cork, tobacco ringspot, and cucumber mosaic viruses
W. J. MARTIN 607
Soil fungistasis and nematophagus fungi ..... R. MANKAU 611
Attraction of Aphanomyces euteiches zoospores to pea and other plant roots
J. L. CUNNINGHAM AND D. H. HAGEDORN 616
Increasing relative frequency of specific fungus isolations with soil microbiological sampling tubes
CHARLIE MARTINSON AND RALPH BAKER 619
Influence of environmental factors on the development of wheat bunt in the Pacific Northwest: III. Effect of temperature on time and establishment of infection by races of Tilletia caries and T. foetida
E. L. KENDRICK AND LAURENCE H. PURDY 621
Survival and yield of winter cereals affected by yellow dwarf ..... R. M. ENDO AND C. M. BROWN 624
Influence of oxygen supply on survival of plant parasitic nematodes in soil
S. D. VAN GUNDY, L. H. STOLZY, T. E. SZUSZKIEWICZ, AND R. L. RACKHAM 628
Time-temperature relationships in thermal inactivation of sclerotia of Macrophomina phaseoli
ROBERT V. BEGA AND RICHARD S. SMITH 632
Mycosphaerella fruit rot of watermelon ..... N. C. SCHENCK 635
Fusarium wilt of eucalyptus ..... H. C. ARYA AND G. L. JAIN 638
Fungistatic and phytotoxic properties of some derivatives of nitrobenzene ..... J. W. ECKERT 642
Histology of watermelon anthracnose ..... J. L. ANDERSON AND J. C. WALKER 650
Storage viability of bean rust uredospores ..... RICHARD D. SCHEIN 653
Relation between phenol metabolism and stem rust resistance in wheat ..... Z. KIRÁLY AND G. L. FARKAS 657
Hybridization between varieties of Erysiphe graminis ..... UNJI HIURA 664
Penicillium decay of garlic ..... EUGENE B. SMALLEY AND H. N. HANSEN 666
Behavior of pear decline disease on different stock-scion combinations
EARLE C. BLODGETT, HENRY SCHNEIDER, AND MURIT D. AICHELE 679
Treatment of propagating stock with chemicals at different temperatures for root-knot control
JERRY T. WALKER AND J. DEAN WILSON 684
Inhibitors of potato virus X in potato leaves with different types of virus resistance
W. J. HOOKER AND W. S. KIM 688
Morphology and respiration of diseased and normal Helminthosporium victoriae
E. E. PSARROS AND G. D. LINDBERG 693
Metabolism of DL- and L-phenylalanine in Malus related to susceptibility and resistance to Venturia inaequalis
J. HOLOWCZAK, J. KUĆ, AND E. B. WILLIAMS 699
Influence of temperature, humidity, and inoculum concentration on development of Helminthosporium sativum and Septoria passerinii in excised barley leaves ..... DONALD J. MORTON 704
Heat adaptation in a rust and a virus ..... C. E. YARWOOD AND E. W. HOLM 709

PHYTOPATHOLOGICAL NOTES

A newly identified physiological race of Cercospora sojina on soybean
K. L. ATHOW, A. H. PROBST, C. P. KURTZMAN, AND F. A. LAVIOLETTE 712
A method of controlled inoculations with conidiospores of Erysiphe graminis var. tritici
K. R. SADASIVAN NAIR AND ALBERT H. ELLINGBOE 714
Relation of seed position and pod location to tobacco ringspot virus seed transmission in soybean
K. L. ATHOW AND F. A. LAVIOLETTE 714
Prophylactic effect of a plant antitranspirant ..... J. GALE AND A. POLJAKOFF-MAYBER 715
Electron microscopy of conidial cell wall of Cochliobolus miyabeanus
C. MATSUI, M. NOZU, T. KIKUMOTO, AND M. MATSUURA 717
Aphid transmission of potato virus A to the Katahdin variety ..... J. P. MACKINNON AND R. H. BAGNALL 718

NEWS 720
BOOK LISTINGS 678

No. 8—AUGUST

Abstracts of papers accepted for presentation at the fifty-fourth annual meeting of The American Phytopathological Society, Corvallis, Ore., August 26, 27, 28, 29, 1962 721
Activity of Rhizoctonia in soil as affected by carbon dioxide ..... G. C. Papavizas and C. B. Davey 759
Effects of environment and some chemicals on Sclerotinia sclerotiorum in laboratory and potato field
R. E. Partyka and W. F. Mai 766
A selective antibiotic medium for isolation of Phytophthora and Pythium from plant roots
J. W. Eckert and Peter H. Tsao 771
Influence of continuous cropping on soil fungi antagonistic to Fusarium roseum
Lansing E. Williams and Donald D. Kaufman 778
Thielaviopsis basicola as a citrus root pathogen ..... Peter H. Tsao and S. D. Van Gundy 781
Reaction of cereals and Sudan grass to Meloidogyne spp. and the relation of soil temperature to M. javanica populations ..... Ivan J. Thomason 787
Effect of temperature on resistance of alfalfa to the stem nematode (Ditylenchus dipsaci)
F. J. Grundbacher and E. H. Stanford 791
Penicillium core rot of gladiolus ..... Curtis R. Jackson 794
Pathogenicity of Helicotylenchus nannus and its relation with Pythium graminicola on sugarcane in Hawaii
Walter J. Apt and Hideo Koike 798
Physiologic specialization in Phytophthora fragariae ..... Richard H. Converse and D. H. Scott 802
Oospore production by single-zoospore isolates of Phytophthora fragariae in culture
Richard H. Converse and K. K. Shiroishi 807
In vitro toxicity of forty-six compounds to a Cytospora isolate from Italian prune
W. J. French and A. W. Helton 810
Crop rotation effects on the soybean cyst nematode population and soybean yields ..... J. P. Ross 815
Fungicidal activity of N-aryl itaconimides ..... B. von Schmeling 819
Molybdenum nutrition of Nicotiana tabacum in relation to multiplication of tobacco mosaic virus
T. P. Pirone and G. S. Pound 822
Penetration and infection of pea roots by zoospores of Aphanomyces euteiches
J. L. Cunningham and D. J. Hagedorn 827
Isolation and pathogenicity of Rhizoctonia saprophytically existing in soil ... G. C. Papavizas and C. B. Davey 834
Saprophytic growth of Fusarium oxysporum f. niveum in soil ..... Richard B. Hine 840
News 844

No. 9—SEPTEMBER

William Hope Martin, 1890-1962 ..... B. H. Davis and C. M. Haenseler 845
Relative merits of Shirofugen and peach trees as indicators for Prunus ringspot virus in prune trees
A. W. Helton 846
Histology of Cronartium fusiforme in slash pine seedlings ..... F. F. Jewell, R. P. True, and S. L. Mallett 850
Pathogenic and cultural variability of single zoospore isolates of Phytophthora megasperma var. sojae
J. W. Hilty and A. F. Schmitthenner 859
Host-parasite relations of Rotylenchulus reniformis on Gossypium hirsutum ..... Wray Birchfield 862
Stimulation of spore germination and growth of Glomerella cingulata by copper and other heavy metal ions
Lloyd T. Richardson and G. D. Thorn 865
Systemic infection of corn by Fusarium moniliforme ..... D. C. Foley 870
Angular leaf spot of strawberry caused by Xanthomonas fragariae sp. nov. ... B. W. Kennedy and T. H. King 873
Toximetric studies of fungicides against the brown rot organisms, Sclerotinia fructicola and S. laxa
Rajendra K. Grover and J. Duain Moore 876
Physiological basis of gall formation in black-knot disease of Prunus ..... G. L. Greene 880
Colletotrichums associated with lily bulbs ..... E. K. Sobers and A. G. Plakidas 884
Systemic infection of lettuce by Bremia lactucae ..... R. B. Marlatt, R. W. Lewis, and R. T. McKittrick 888
Organic constituents in conidia of Erysiphe graminis hordei
Isaac Malca, Hazel C. Murray, and F. P. Zscheile 891
Relation of vascular occluding reactions in banana roots to pathogenicity of root-invading fungi
C. H. Beckman and S. Halmos 893
Virus cause of blue dwarf of oats and its transmission to barley and flax .... E. E. Banttari and M. B. Moore 897
A rapid method for purifying tobacco ringspot virus and its morphology as determined by electron microscopy and negative staining ..... M. K. Corbett and D. A. Roberts 902
Influence of nonsusceptible plants on the survival of Fusarium solani f. phaseoli in soil
Milton N. Schroth and Floyd F. Hendrix, jr. 906
Duration of protective activity in wheat seedlings of various compounds against stem rust
A. S. Andersen and J. B. Rowell 909
Measurement of spray-oil volatility and its relation to Sigatoka fungus disease control and phytotoxicity on banana leaves ..... N. E. Delfel, L. Calpouzos, and C. Colberg 913

Mode of infection of sweet cherry by Pseudomonas syringae ..... H. R. Cameron 917

Report and Abstracts of the 1961 Meeting of the Northeastern Division of The American Phytopathological Society 921

Symposium on Tropical Plant Pathology 928
A few introductory features of tropical plant pathology ..... Frederick L. Wellman 928
The role of plant pathology in tropical plantation agriculture ..... Theodore J. Grant 930
Special contributions from the tropics to phytopathological mycology ..... Luis Sequeira 936
Some contributions from the tropics to plant disease control methods ..... L. Calpouzos 942
The necessarily broad view in studying tropical plant diseases ..... José A. B. Nolla 946
A review of problems in teaching tropical plant pathology ..... Albert S. Muller 948
Prospective fruits of international cooperation in tropical plant pathology ..... H. A. Rodenhiser 950

Phytopathological Notes 954
Election microscopic investigation of poplar mosaic ..... Jaroslav Brčák and Ctibor Blattný, sr. 954
Techniques in isolation of pythiaceous fungi from soil and diseased pineapple tissue
Howard W. Klemmer and Richard Y. Nakano 955
Effect of tobacco mosaic virus on the mineral content of tomato leaves ... E. L. Bergman and J. S. Boyle 956
Evaluation of applied soil fumigants with the soil microbiological sampling tube
Charles L. Maurer, Ralph Baker, Douglas J. Phillips, and Lea Danielson 957
Effect of fungicides on permeability of yeast cells to the pyruvate ion ... Margaret Kottke and H. D. Sisler 959
Production of extracellular enzymes by Cladosporium cucumerinum ..... J. Kuć 961
Influence of the stubby-root nematode on growth of sugarcane in Hawaii
Walter J. Apt and Hideo Koike 963
A technique for comparing isolates of Ascochyta imperfecta and other fungi ..... H. W. Mead 964

Writing for Phytopathology 966

News 968

Book Listings 858, 869

No. 10—OCTOBER

Hans Nicholas Hansen, 1891-1960 ..... Robert V. Bega, William C. Snyder, and T. A. Toussoun 969
Bacterial black spot of radish ..... R. H. Segall and John J. Smoot 970
Effects of some metabolites on the susceptibility of rye to Claviceps purpurea ..... Ralph W. Lewis 973
Influence of organic amendments on survival of Fusarium oxysporum f. cubense in the soil ... Luis Sequeira 976
Inactivation of tobacco mosaic virus by volatile chemicals ..... D. N. Wiggs and G. B. Lucas 983
Interrelated effects of environment and age of alfalfa and red clover seedlings on susceptibility to Pythium debaryanum ..... C. C. Chi and E. W. Hanson 985
Antibiotic production by Streptomyces sp. in uramended soil ..... G. Rangaswami and S. Ethiraj 989
Lethal time-temperature relations for Heterodera glycines ..... Burton Y. Endo 992
Susceptibility of certain Verticillium-resistant tomato varieties to an Ohio isolate of the pathogen
Leonard J. Alexander 998
Induced tolerance to fungicides in three species of fungi ..... A. D. Partridge and A. E. Rich 1000
Production of extracellular enzymes by four pathogens of apple fruit
J. Wallace, J. Kuć, and E. B. Williams 1004
Host ranges and races of the corn rusts ..... Alice L. Robert 1010
Penetration of meristematic tissues of corn by Physoderma maydis ..... James W. Broyles 1013
Parasitism and pathogenesis of the cultivated highbush blueberry by the stubby root nematode
Bert M. Zuckerman 1017
Metabolism in vitro of phloridzin and other compounds by Venturia inaequalis
J. Holowczak, J. Kuć, and E. B. Williams 1019
Biochemical changes in the water-insoluble material of maturing apple fruit and their possible relationship to disease resistance ..... J. Wallace, J. Kuć, and H. N. Draudt 1023
Pathological anatomy of rapid decline of Spy 227 apple ..... R. M. Gilmer 1027
Evidence for a chemical basis of resistance of lima bean plants to downy mildew
J. R. Valenta and H. D. Sisler 1030
Necrotic symptoms of tobacco necrosis virus in roots ..... D. S. Teakle 1037
A laboratory method for testing the fungicidal effect of chemicals on fungal spores in soil
S. H. F. Chinn and R. J. Ledingham 1041
Intraspecific variation in pathogenicity in the genus Helminthosporium to gramineous species
R. R. Nelson and D. M. Kline 1045
Toxicity and translocation characteristics of six fungicidal compounds in plum and prune trees
A. W. Helton and W. J. French 1050

Re-examination of vector-specificity in the barley yellow dwarf virus in Washington
G. W. Bruehl and V. D. Damsteegt 1056
Prevention of Cytospora invasion of injured stems of prune trees with wound treatments ..... A. W. Helton 1061
Penetration and nutrition of Striga asiatica ..... W. E. Rogers and R. R. Nelson 1064
Leaf galls on Siderasis fuscata caused by the root-knot nematode, Meloidogyne incognita incognita
H. N. Miller and A. A. DiEdwardo 1070
Cork rot of apples and its causal organism, a pathogenic strain of Alternaria mali
B. G. Tweedy and D. Powell 1073
Ascorbic acid oxidase and tyrosinase activities in relation to crown-gall development
Harvey W. Spurr, jr., A. C. Hildebrandt, and A. J. Riker 1079
Lesion type as a means of detecting resistance in barley leaves to the spot blotch Helminthosporium
R. James Cook and R. G. Timian 1086
Prevention of Dutch elm disease by treatments with 2,3,6-trichlorophenyl acetic acid .... Eugene B. Smalley 1090
News 1092

No. 11—NOVEMBER

James Geere Dickson, 1891-1962 ..... E. W. Hanson and D. C. Arny 1093
Symposium on Weather and Plant Disease 1095
Introduction ..... E. P. Van Arsdel 1095
Turbulent transfer of fungus spores ..... Alice L. Robert 1095
Weather, space, time, and chance of infection ..... Paul E. Waggoner 1100
Symposium on Chemical Control 1108
Theoretical consideration of soil fumigation ..... John B. Hemwall 1108
Objectives in plant chemotherapy ..... A. E. Dimond 1115
Relationship of pectolytic and cellulytic enzyme production by strains of Pellicularia filamentosa to their pathogenicity ..... K. R. Barker and J. C. Walker 1119
Interactions of two pea fusaria in soil and associated host responses ..... G. L. Worf and D. J. Hagedorn 1126
Isolation of Pythium from soil particles ..... A. F. Schmitthenner 1133
Control of black rot by prebedding heat treatment of sweetpotato roots
R. H. Daines, Ida A. Leone, and Eileen Brennan 1138
Influence of isoleucine isomers on development of the perfect stage of Fusarium solani f. cucurbitae, race 2
T. A. Toussoun 1141
Water relations in banana plants infected with Pseudomonas solanacearum
C. H. Beckman, W. A. Brun, and I. W. Buddenhagen 1144
Inoculation with Cronartium ribicola by bark-patch grafting ..... R. F. Patton 1149
Pathogenic races of Tilletia controversa in the Pacific Northwest
J. A. Hoffman, E. L. Kendrick, and J. P. Meiners 1153
Barley seedling response to covered smut infection .... John F. Schafer, J. G. Dickson, and H. L. Shands 1157
Effects of temperature on covered smut expression in two barley varieties
John F. Schafer, J. G. Dickson, and H. L. Shands 1161
Histology of roots of susceptible and resistant varieties of onion in relation to the pink root fungus
B. Esther Struckmeyer, C. G. Nichols, R. H. Larson, and W. H. Gabelman 1163
Evaluation of sweetpotato breeding stocks for susceptibility to internal cork virus ..... E. M. Hildebrand 1168
Precocious sporulation and longevity of conidia of Helminthosporium sativum in soil ..... M. G. Boosalis 1172
Hypocotyl reaction to rust infection as a measure of resistance of safflower ..... D. E. Zimmer 1177
Pathogenicity of Meloidogyne incognita acrita and its relation with Pythium graminicola on sugarcane in Hawaii ..... Walter J. Apt and Hideo Koike 1180
Kabatiella caulivora, a seed-borne pathogen of Trifolium incarnatum in Oregon ..... Charles M. Leach 1184
Environment and development of Dutch elm disease .....A. G. Kais, E. B. Smalley, and A. J. Riker 1191
Growth response of several isolates of Fusarium in rhizospheres of host and nonhost plants
Andres A. Reyes and John E. Mitchell 1196
Progression in vivo, rate of growth in vitro, and resistance to streptomycin, as indices of virulence of Erwinia amylovora ..... W. H. Shaffer, jr. and R. N. Goodman 1201
Disease development, disease intensity, and carbohydrate levels in rusted bean plants .... Robert E. Inman 1207
Eucharis mottle strain of tobacco ringspot virus ..... Robert P. Kahn, Howard A. Scott, and R. L. Monroe 1211

REPORT AND ABSTRACTS OF THE 1962 ANNUAL MEETING OF THE POTOMAC DIVISION OF THE AMERICAN PHYTOPATHOLOGICAL SOCIETY 1216

LETTER TO THE EDITOR ..... MILTON ZAITLIN 1222

PHYTOPATHOLOGICAL NOTES

Some factors affecting germinability of urediospores of Puccinia coronata ..... E. L. HOBBS 1223
Reactions of sweetpotato breeding lines to Meloidogyne spp. when inoculated by an improved method A. G. GENTILE, K. A. KIMBLE, AND G. C. HANNA 1225
Quality of radiation inhibitory to sporulation of Alternaria tomato ..... MINORU ARAGAKI 1227
Aphid transmission of white clover mosaic virus ..... R. W. GOTH 1228
Effect of cyanide in anaerobic treatment of barley for control of loose smut ..... L. E. TYNER 1228
Mode of action of Septoria linicola ..... RONALD P. COVEY 1229
Solanum pennellii, a possible source of tomato curly-top resistance ..... MARK W. MARTIN 1230

NEWS 1232

No. 12—DECEMBER

Russell Harold Larson, 1904-1961 ..... J. C. WALKER 1233

SYMPOSIUM ON PATHOGEN-FREE STOCK 1234

Introduction ..... STEPHEN WILHELM 1234
Obtaining virus-free stock by index techniques ..... GEORGE NYLAND AND J. A. MILBRATH 1235
Obtaining pathogen-free stock by cultured cutting techniques ..... A. W. DIMOCK 1239
Obtaining pathogen-free stock by shoot tip culture ..... RALPH BAKER AND DOUGLAS J. PHILLIPS 1242
Thermotherapy of planting material ..... KENNETH F. BAKER 1244
Maintenance of "pathogen-free" planting stock ..... GILBERT L. STOUT 1255

Biochemical changes in seedlings of bean infected with Colletotrichum lindemuthianum R. D. ROMANOWSKI, J. KUĆ, AND F. W. QUACKENBUSH 1259
Quantitative analysis of interference produced by related strains of TMV compared with noninfectious TMV components ..... JIA-HSI WU, WILLIAM HUDSON, AND S. G. WILDMAN 1264
Relative efficiency of three methods of inoculating tree stems with Cytospora fungi ..... A. W. HELTON 1266
Epidemiological potentials of potato varieties in relation to late blight JOHN L. WEIHING AND ROBERT B. O'KEEFE 1268
Morphological effects of colletotin on tomato and Digitalis foliage ..... SALLY LEWIS AND R. N. GOODMAN 1273
Evaluation of tolerance to root rot caused by Phytophthora parasitica in seedlings of citrus and related genera J. B. CARPENTER AND J. R. FURR 1277
Effects of mineral fertilizers on damping-off of table beets ..... JOHN W. YALE, JR. AND EDWARD K. VAUGHAN 1285
Inheritance of reaction to Puccinia hordei in barley. I. Genes for resistance among North American race differentiating varieties ..... C. W. ROANE 1288
Susceptibility of pear roots to Phytophthora ..... H. R. CAMERON 1295
Fungicidal activity of air passed through columns of soil treated with fungicides DONALD E. MUNNECKE, K. H. DOMSCH, AND J. W. ECKERT 1298

PHYTOPATHOLOGICAL NOTES

Leaf trichomes as avenues for infection by Corynebacterium michiganense ..... D. G. KONTAXIS 1306
Heat-induced variegation—a model disease ..... G. T. A. BENDA 1307
Survival of root-knot nematodes in excised grape roots in moist soil fumigated with ethylene dibromide B. LEAR AND D. J. RASKI 1309
A selective medium for the isolation of Fomes annosus ..... E. GEORGE KUHLMAN AND F. F. HENDRIX, JR. 1310
Isolation of tobacco vein-distorting virus from tobacco plants infected with aphid-transmissible bushy-top ..... J. S. COLE 1312
A whole-leaf clearing and staining technique to demonstrate host-pathogen relationships of wheat stem rust WARREN A. SHIPTON AND JOHN F. BROWN 1313
A variant culture of Xanthomonas malvacearum obtained from weed roots ..... T. E. SMITH 1313
Precautions in isolating Thielaviopsis basicola with carrot-discs ..... A. B. LLOYD AND J. L. LOCKWOOD 1314
Fusarium wilt of hemp ..... CARMINE NOVIELLO AND WILLIAM C. SNYDER 1315

ANNOUNCEMENT: TEN-YEAR INDEX 1317

NEWS 1318

INDEX FOR 1962

ERRATA; ANNOUNCEMENT: ANNUAL REVIEW

TABLE OF CONTENTS FOR 1962